

Consider noting in minutes any off right-of-way work on any county road done by Road and Bridge Unified System.

Moved: Commissioner Boatright

Seconded: Commissioner Hays

Motion: To note permission for drainage work on the property of **J.C. Brown** and **Steve Blaine** in conjunction with placing culvert under County Road 217 and **City of Thrall** for road cut on County Road 424 for installation of wastewater line connection.

Vote: Motion carried 4 - 0 < Clerk copy here >

WILLIAMSON COUNTY URS

Utility Requests - 12/08/98

Precinct I

Precinct II

Precinct III

Precinct IV

A. City of Thrall

1. CR 424 - Road cut

NOTICE OF PROPOSED INSTALLATION

UTILITY LINE ON WILLIAMSON COUNTY RIGHT-OF-WAY

TO: Williamson County Unified Road System
1900 Georgetown Inner Loop, Suite B
Georgetown, Texas 78626

DATE: 11-17-98

Formal notice is hereby given that

CITY OF THRALL

Company proposes to place a WASTEWATER LINE CONNECT

Line within the right-of-way of CR 424
as follows: (give location, length, general design, etc.)

The line will be constructed and maintained on the road right-of-way as directed by the Williamson County Unified Road System in accordance with governing laws.

Our firm further understands that the County considers proper traffic control measures as those complying with applicable portions of the Texas Manual of Traffic Control Devices required for adoption by the "Transportation Code" (V.C.T.A. CH.251)

The location and description of the proposed line and appurtenances is more fully shown by 1 copies of drawings attached to this notice.

Construction of this line is proposed to begin on or after the 1 day of Dec 1998

APPROVAL

This application is hereby approved subject to the following understandings and restrictions.

It is expressly understood that the said County Commissioners' Court does not imply hereby to grant any right, claim, title or easement in or upon this County Road; and it is further understood that in the future, should Williamson County, for any reason, need to work, improve, relocate, widen, increase, add to, decrease, or in any manner change the structure of this road or right-of-way, this line, if affected, will be moved at the direction of the Williamson County Engineer or County Commissioner. This installation work shall not damage any part of the roadway and adequate provisions shall be made to cause a minimum of inconvenience to traffic and adjacent property owners.

APPROVED BY WILLIAMSON COUNTY COMMISSIONERS' COURT

BY: [Signature]
COUNTY ROAD ADMINISTRATOR

DATE: 12/2/98

Firm: CITY OF THRALL

[Signature]
Authorized Signature

JAMES DVORAK MAYOR
Printed Name

Address: Box 234


THRALL TEX

76578


Phone: 512-898-7046

Fax: 512-898-5395

12-1-98
cut & restore
RJ.



PERPENDICULAR UTILITY CUT DESIGN IN WILLIAMSON COUNTY R.O.W.



1. Hot mix asphalt: 1 1/2" min. thickness. Roll in place to match existing surface, + or - 1/8" tolerance.
2. Trench backfill shall be flexible base, compacted to 95% optimum in 8" layers unless otherwise approved and specified. Flexible base to match existing base thickness or 8 inches, whichever is greater (specifications: TxDOT Item 247, Type A, Grade 2).
3. Pipe embedment (pipe envelope) size and materials shall be as specified elsewhere by utility company and/or its engineers. Pipe depth shall be as specified elsewhere provided that minimum depths are met.
4. Saw cut shall be made prior to ditch cut. If pavement is damaged during cut, a new saw cut shall be made beyond the damaged area and new pavement placed.
5. Where roadside ditches (bar ditches) are crossed by the utility pipe, minimum depth to the top of the pipe from centerline road elevation will be 36"
6. All pavement repair shall conform to Item 351 Repairing Existing Flexible Pavement Structure as found in the 1993 Texas Department of Transportation Standard Specifications for Construction of Highways, Streets and Bridges.

UNIFIED ROAD SYSTEM
OFF RIGHT-OF-WAY WORK

VOL 0101 PAGE 525

1. CR 217 - Permission to do drainage work on the property of J. C. Brown and Steve Blaine in conjunction with placing culvert under CR 217.(Pct. 3-JH)

AGENDA ITEM # 5

December 8, 1998

*

Consider approving overweight/over axle report from TxDOT.


Moved: Commissioner Boatright

Seconded: Commissioner Hays

Motion: To approve overweight/over axle report from TxDOT.

Vote: Motion carried 4 - 0

< Clerk copy here >



Texas Department of Transportation

DEWITT C. GREER STATE HIGHWAY BLDG. • 125 E. 11TH STREET • AUSTIN, TEXAS 78701-2483 • (512) 463-8585

November 16, 1998


Attn: County Clerks,

In accordance with HB 1547, 74th Legislature, enclosed is the notification to counties concerning the issuance of Over Axle / Over Gross Weight Tolerance Permits. HB 1547, 74th Legislature directs the Texas Department of Transportation to notify each county listed in the permit application for a permit issued under authority of TVCS 6701d-11 Sec. 5B, and the Texas Transportation Code, Chapter 623 that the person intends to operate or cause to be operated an overweight vehicle in the county.

If this report is going to the incorrect address please notify the Motor Carrier Division of any mailing address changes.

If you have any questions concerning this information, please contact Curtis Wagner at 512-465-3500.

Sincerely,


for: Lawrance R. Smith, Director
Motor Carrier Division

Enclosure


12/18/98