

AGENDA ITEM # 14

Discuss and take appropriate action regarding request from Church of the Hills.

Commissioner Boatright advised the Church is requesting Dagama Street be blocked off in order to park a trailer with a drama set built on it as well as another small set and permission to cover the speed limit sign on Dagama, near El Salido on December 4, 1999, from 4 p.m. until 10 p.m.. The Church will present an annual Christmas party at the Anderson Mill West Park.

Moved: Commissioner Boatright

Seconded: Commissioner Limmer

Motion: To approve blockage of Dagama Street near El Salido on December 4, 1999, from 4 p.m. until 10 p.m. as well as permission to cover the speed limit sign from 4 p.m. until 10 p.m..

Vote: Motion carried 5 - 0

< Clerk copy here >

October 21, 1999

Greg Boatwright  
Williamson County Commissioner  
Williamson County Annex  
Cedar Park, TX 78613  
260-4280 FAX 260-4284

Dear Mr. Boatwright,

As you know, for the past 8 years, Church of the Hills has given a free gift to the community of Anderson Mill West in the form of a 4th of July Celebration. We are excited to announce that this will be our first year to host what we hope to be an Annual Christmas Party at the Anderson Mill West Park, another free gift to the community. This will be held in the setting of a 1940's town, with lots of good music, dramas, and food. We will also have a tree lighting to cap off the evening. This will be held December 4, with a set up and rehearsal on Friday, December 3

We have obtained permission for this event from the Severn Trent MUD # 1 to hold this event at the park. This will involve a trailer with a drama set built on it parked on the edge of the park on Dagama Street. We will have another small set on the edge of the street there also. These sets would not take up much more room than a parked car along the street would. The larger set I believe is 8' wide. All the other sets will be placed around the park grounds.


I am requesting permission from you on a couple points.

1. Permissions to park the trailer sets along the park on Dagama.
2. Since there is passage around the back of the school, would it be possible to block off Dagama from El Salido west to where the drive through goes behind the school from 4:00 p.m. until approximately 10:00 pm the evening of Dec. 4<sup>th</sup>? Due to the number of people who will be walking back and forth across the street from the parking areas at the school to the park, we felt that would be a good safety measure. We would be happy to set up detour signs to direct people around the school.
3. Would it be possible for us to take the speed limit sign off the pole on Dagama, near El Salido that is in the park? We would replace it as soon as the presentation is over. If this isn't possible, could we cover it with something that we could make look like it fits in with our 1940's theme?

I would be happy to get together with you or one of your representatives at the park to show you what we are wanting to do, or to further discuss this with you.

Thanks for your help with this. I look forward to your response on the above mentioned issues. You can reach me at work at 329-0070, ext. 2209, at home at 249-8414, or by digital pager at 408-8926.

Sincerely,



Beverly Ott  
Church of the Hills  
Celebration Coordinator

approved 11-9-99  
John A. Dargatzis

AGENDA ITEM # 15

Open and consider awarding, rejecting or extending bid on medium trucks for Unified Road System.

At 10:22 a.m. Judge Doerfler announced time to receive bids for medium trucks for Unified Road System:

At 10:23 a.m. Judge Doerfler announced time closed to receive bids for medium trucks for Unified Road System:

Bids were opened and read aloud from:

Allen-Jensen, Inc.  
Freightliner of Austin  
Henna Chevrolet  
Longhorn International Trucks, Ltd.  
Philpott Motors, Inc.

Moved: Judge Doerfler

Seconded: Commissioner Hays

Motion: To note receipt of bids on medium trucks for Unified Road System with award to be made during the meeting of November 16, 1999.

Vote: Motion carried 5 - 0

< Clerk copy here >

7/13

WILLIAMSON COUNTY BID FORM **0108** PAGE **139**

**33,000 GVWR 8YD DUMP TRUCKS**  
**33,000 GVWR FLAT BED DUMP**

**BID NUMBER: 00WC205      BID OPENING DATE & TIME: NOVEMBER 9, 1999 - 10:15 AM**


The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

**NAME OF BIDDER:** ALLEN-JENSEN, INC.

**Mailing Address:** P.O. BOX 116

**City:** WACO **State:** TX **Zip:** 76703

**Telephone:** ( 254 ) 662-5400 **Fax:** ( 254 ) 662-5409

 **Date of BID:** 10-5-99  
Signature of Person Authorized to Sign Bid

**Name and Title of Signer:** CARL SURFUS - SALESMAN  
(Please Print or Type)

**PLEASE COMPLETE THE FOLLOWING:**

Prompt Payment Discount: \_\_\_\_\_ % \_\_\_\_\_ days. (If no discount is offered, Net 30 will apply.)  
[ ] "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)  
[X] low item basis. (Will accept award on "any or all" items )  
List Additional Limitations if applicable: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

**115**

*Allen-Jensen Inc*

Delivery Destination: Units shall be delivered as specified, completely assemble, all fluid levels correct, and ready for work to Williamson County Central Maintenance Facility, 3151 S.E. Innerloop, Georgetown Texas.

**TRADE INS:**

VOL 0108 PAGE 140

Four 1986 6YD dump trucks. International S1600 w/6.9 diesel, 5 speed trans, 2 speed rear axle.  
Unit #'s 502, 504, 523, and 524.

TO MAKE AN APPOINTMENT TO SEE TRADE INS CONTACT MIKE FOX AT WILLIAMSON COUNTY CENTRAL MAINTENANCE (512) 930-3349.

**NOTICE TO BIDDERS:**

BIDDERS SHALL SUBMIT COMPLETE DETAILED SPECIFICATIONS ON THE UNITS HE PROPOSES TO FURNISH AND THE DELIVERY DATE. PRICE SHALL INCLUDE DELIVERY TO WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, 3151 S. E. INNERLOOP, GEORGETOWN, TEXAS. THE TRADE INS MAY BE PICKED UP AT THE TIME OF DELIVERY.

ALL STANDARD WARRANTIES SHALL APPLY PLEASE SPECIFY THE VEHICLES WARRANTY SCHEDULES.

THE COUNTY IS TAX EXEMPT, DO NOT INCLUDE TAX IN YOUR BID.

**TRADE IN AMOUNT:**

1986 6YD dump trucks. International S1600 w/6.9 diesel, 5 speed trans, 2 speed rear axle

Unit # 502	\$ 4000.00
Unit # 504	\$ 4000.00
Unit # 523	\$ 4000.00
Unit # 524	\$ 4000.00

TOTAL OF ALL TRADE INS. \$ 16000.00

COST OF ONE NEW & LATEST MODEL 33,000 GVWR SINGLE AXLE DUMP TRUCK \$ 47596.00

YEAR & MODEL OF 33,000 GVWR SINGLE AXLE DUMP TRUCK BEING BID: 2000/C7H042/GMC

GROSS COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS \$ 190384.00

LESS TOTAL TRADE IN AMOUNT \$ 16000.00

NET TOTAL COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS \$ 174384.00

DELIVERY DATE OF SINGLE AXLE DUMP TRUCKS: 90 TO 120 DAYS

33,000 GVWR SINGLE AXLE DUMP TRUCKS  
Page 3 of 3

VENDOR SIGNATURE

*Carl Simpson*

116

*please note exceptions on page 11/15*

*Allen - Jensen Inc*

## TRADE IN AMOUNT:

Unit # 703: 1972 Ford LN8000 Vin# R804VP30178

\$ 1000.00

COST OF ONE NEW &amp; LATEST MODEL 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK

\$ 46438.00

YEAR &amp; MODEL OF 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK: 2000/C7H042/GMC

LESS TRADE IN AMOUNT

\$ 1000.00

NET COST OF SINGLE AXLE PLATFORM DUMP TRUCK

\$ 45438.00

DELIVERY DATE OF SINGLE AXLE PLATFORM DUMP TRUCK 90 TO 120 DAYS

117

33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK  
Page 3 of 3

VENDOR SIGNATURE



Please note exception's on page 147/15.

Allen - Jensen Inc.

## WILLIAMSON COUNTY BID FORM

VOL 0108 PAGE 142

33,000 GVWR 8YD DUMP TRUCKS  
33,000 GVWR FLAT BED DUMP

BID NUMBER: 00WC205 BID OPENING DATE & TIME: NOVEMBER 9, 1999 - 10:15 AM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Freightliner of Austin

Mailing Address: 1701 Smith Rd.

City: Austin State: Tx Zip: 78721

Telephone: ( 512 ) 389-0000 Fax: ( 512-389 ) 2663  
800-395-2005

Dave A Holt Date of BID: Nov. 9, 1999  
Signature of Person Authorized to Sign BID

Name and Title of Signer: Dave A. Holt - Vice President  
(Please Print or Type)

## PLEASE COMPLETE THE FOLLOWING:

Prompt Payment Discount: 0 % 0 days. (If no discount is offered, Net 30 will apply.)  
[ ] "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)  
[✓] low item basis. (Will accept award on "any or all" items.)  
List Additional Limitations if applicable: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

118

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

Delivery Destination: Units shall be delivered as specified, completely assemble, all fluid levels correct, and ready for work to Williamson County Central Maintenance Facility, 3151 S.E. Innerloop, Georgetown Texas

### TRADE INS:

Four 1986 6YD dump trucks. International S1600 w/6.9 diesel, 5 speed trans, 2 speed rear axle.  
Unit #'s 502, 504, 523, and 524.

TO MAKE AN APPOINTMENT TO SEE TRADE INS CONTACT MIKE FOX AT WILLIAMSON COUNTY CENTRAL MAINTENANCE (512) 930-3349

### NOTICE TO BIDDERS.

BIDDERS SHALL SUBMIT COMPLETE DETAILED SPECIFICATIONS ON THE UNITS HE PROPOSES TO FURNISH AND THE DELIVERY DATE. PRICE SHALL INCLUDE DELIVERY TO WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, 3151 S. E. INNERLOOP, GEORGETOWN, TEXAS THE TRADE INS MAY BE PICKED UP AT THE TIME OF DELIVERY.

ALL STANDARD WARRANTIES SHALL APPLY PLEASE SPECIFY THE VEHICLES WARRANTY SCHEDULES.

THE COUNTY IS TAX EXEMPT, DO NOT INCLUDE TAX IN YOUR BID.

### TRADE IN AMOUNT:

1986 6YD dump trucks. International S1600 w/6.9 diesel, 5 speed trans, 2 speed rear axle

Unit # 502	\$ <u>1,500.00</u>
Unit # 504	\$ <u>1,500.00</u>
Unit # 523	\$ <u>1,500.00</u>
Unit # 524	\$ <u>1,500.00</u>

TOTAL OF ALL TRADE INS: \$ 6,000.00

COST OF ONE NEW & LATEST MODEL 33,000 GVWR SINGLE AXLE DUMP TRUCK \$ 43,172.00

YEAR & MODEL OF 33,000 GVWR SINGLE AXLE DUMP TRUCK BEING BID: 2000 Freightliner

GROSS COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS \$ 172,448.00

LESS TOTAL TRADE IN AMOUNT \$ 6,000.00

NET TOTAL COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS \$ 166,448.00

DELIVERY DATE OF SINGLE AXLE DUMP TRUCKS: 90-120 days

119

Dave A. Holt

VOL 0108 PAGE 144

## TRADE IN AMOUNT:

Unit # 703: 1972 Ford LN8000 Vin# R804VP30178

\$ 800.00

COST OF ONE NEW &amp; LATEST MODEL 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK

\$ 43,064.00YEAR & MODEL OF 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK: 2000 Freightline

LESS TRADE IN AMOUNT

\$ 800

NET COST OF SINGLE AXLE PLATFORM DUMP TRUCK

\$ 42,264

DELIVERY DATE OF SINGLE AXLE PLATFORM DUMP TRUCK

90-120 days

120

33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK VENDOR SIGNATURE

Dave A. Holt



## WILLIAMSON COUNTY BID FORM

VOL 0108 PAGE 145

33,000 GVWR 8YD DUMP TRUCKS  
33,000 GVWR FLAT BED DUMP

BID NUMBER: 00WC205 BID OPENING DATE &amp; TIME: NOVEMBER 9, 1999 - 10:15 AM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Henn ChevroletMailing Address: 8805 IH-35 NorthCity: AustinState: TX Zip: 78753Telephone: (512) 332-1888Fax: (512) 339-0573Edward Munoz Agent  
Signature of Person Authorized to Sign BidDate of BID: 11-9-99Name and Title of Signer: EDWARD MUNOZ COMMERCIAL SALES

(Please Print or Type)

## PLEASE COMPLETE THE FOLLOWING:

Prompt Payment Discount: \_\_\_\_\_ % \_\_\_\_\_ days. (If no discount is offered, Net 30 will apply.)

☐ "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)☒ low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

121

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

COPY

VOL 0108 PAGE 146

Delivery Destination: Units shall be delivered as specified, completely assemble, all fluid levels correct, and ready for work to Williamson County Central Maintenance Facility, 3151 S.E. Innerloop, Georgetown Texas.

**TRADE INS:**

Four 1986 6YD dump trucks. International S1600 w/6.9 diesel, 5 speed trans, 2 speed rear axle.  
Unit #'s 502, 504, 523, and 524.

TO MAKE AN APPOINTMENT TO SEE TRADE INS CONTACT MIKE FOX AT WILLIAMSON COUNTY CENTRAL MAINTENANCE (512) 930-3349.

**NOTICE TO BIDDERS:**

BIDDERS SHALL SUBMIT COMPLETE DETAILED SPECIFICATIONS ON THE UNITS HE PROPOSES TO FURNISH AND THE DELIVERY DATE. PRICE SHALL INCLUDE DELIVERY TO WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, 3151 S. E. INNERLOOP, GEORGETOWN, TEXAS. THE TRADE INS MAY BE PICKED UP AT THE TIME OF DELIVERY.

ALL STANDARD WARRANTIES SHALL APPLY. PLEASE SPECIFY THE VEHICLES WARRANTY SCHEDULES.

THE COUNTY IS TAX EXEMPT, DO NOT INCLUDE TAX IN YOUR BID.

**TRADE IN AMOUNT:**

1986 6YD dump trucks. International S1600 w/6.9 diesel, 5 speed trans, 2 speed rear axle.

Unit # 502	\$ <u>2,500.00</u>
Unit # 504	\$ <u>2,500.00</u>
Unit # 523	\$ <u>2,500.00</u>
Unit # 524	\$ <u>2,500.00</u>

TOTAL OF ALL TRADE INS. \$ 10,000.00

COST OF ONE NEW & LATEST MODEL 33,000 GVWR SINGLE AXLE DUMP TRUCK

\$ 44,000 | 44,500

YEAR & MODEL OF 33,000 GVWR SINGLE AXLE DUMP TRUCK BEING BID: 2000 Chevy Kodiak

GROSS COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS

\$ 176,000 | 178,000

LESS TOTAL TRADE IN AMOUNT

\$ 10,000.00

NET TOTAL COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS

\$ 166,000 | 168,000  
Dwis Fruhauf

DELIVERY DATE OF SINGLE AXLE DUMP TRUCKS: Within 60 days of receiving Purchase

Order or 20 working days of Dump  
Body Vendor receiving Truck which ever  
is longer.

Shawn Munn  
Agent HENNA

**FRUEHAUF**

- San Antonio

TRAILER SERVICES INC.

A SUBSIDIARY OF



VOL 0108

PAGE 147

---

**YOUR ONE STOP SOURCE for TRANSPORTATION NEEDS**


---

**NEW AND USED TRAILER SALES****TRUCK BODIES & ACCESSORIES****PARTS****SERVICE & FABRICATION**


---

**PROPOSAL**

Customer HENNA CHEVROLET Phone 512-719-6262  
 Address 8805 INTERSTATE - 35 AUSTIN, TX Fax 1800-460-1888 512-339-0573  
 Attention EDWARD MUNOZ Date 11/5/99

REF: 8 YD DUMP BODY	
GALION DUMP BODY MODEL 94 PACKAGE, 10 FT LONG, 6 TO 8 CUBIC	
YARDS CAPACITY. COMPLIES TO ALL SPECS AS MENTION.	
COMPLETE INSTALLATION PER UNIT.	\$7,290.00
NOTE: SIDE BOARDS ARE REQUIRED FOR PULL TARP MECHANISM	
TO OPERATE PROPERLY, WOODEN SIDE BOARDS INSTALLED PER	
UNIT	\$ 125.00
THANKS,	
Richard Lewis	Total 7,415.00

Specifications and Prices subject to change without notice.

Any applicable state or local taxes must be added to above price.

123

Henna

FROM :

FAX NO. :

Nov. 08 1999 12:12PM P3

QUOTATION

48490

**DAVIS****TRAILER & TRUCK EQUIPMENT, INC.**

P.O. Box 4007 • 7609 Asher • Little Rock, Arkansas 72214  
 (501) 562-6295 • In Ark. 1-800-482-9484 • Outside Ark. 1-800-233-1335

Henna Chevrolet  
 8805 North I-35  
 Austin, TX 78753  
 Attn: Mr. Edward Munoz

Ph: (512)719-6262  
 Fax: (512)339-0573

Re: Williamson County

DATE 11/8/99

INQUIRY DATE 11/1/99

ESTIMATED DELIVERY 45 days ARC  
 15 days ARO  
 TERMS Net 10 days

F.O.B. Little Rock

TO BE SHIPPED VIA

SALESMAN

Chet Mercer

IN RESPONSE TO YOUR INQUIRY, WE SUBMIT THE FOLLOWING QUOTATION.

QUANTITY	STOCK NUMBER / DESCRIPTION	PRICE	AMOUNT
4	Davis FMT 8-10: 10" 8-10 cubic yard dump body 1/2 Cab protector-ashpalt apron Inside Dimensions: Air operated tailgate/manual combination Sides - 36" Davis tower controls Ends - 44" 10" pine boards Width 89" Length - 10'		\$6,165.00
	Equipped with: Davis FMT 53-84: Three stage front mount telescopic hoist with 26 tons lift capacity (NTEA Class 70)		
	Additional equipment: Cab protector mounted double flash amber strobe light Donovan Model 2000SR: Semi-automatic tarp system with wind deflector and mesh tarp Rubber grommet mounted lights		
	Construction: Per customer's specifications		
	Options:	Add:	Price
	Delivery Little Rock to Austin	\$450.00	Each: \$6,165.00
TOTAL			\$24,660.00

## OTHER INFORMATION

The price includes complete installation, direct mount hydraulic pump, power take off, mudflaps, D.O.T. lighting for the dump body, OSHA safety body prop, backup alarm and one color paint per specifications. The price is firm for 150 days provided a purchase order is issued within 45 days of bid opening date. The above equipment meets all specifications contained in the bid request.

ACCEPTED The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above. Please refer to above Quotation Number when placing your order.

Date of Acceptance \_\_\_\_\_

Firm: \_\_\_\_\_

By: \_\_\_\_\_

THIS QUOTATION IS GOOD FOR 30 DAYS OR UNTIL MATERIALS AND LABOR COSTS CHANGE

by *Chet D. Mercer*

124

Henna

VOL 0108 PAGE 148

VOL 0108 PAGE 149

## TRADE IN AMOUNT:

Unit # 703: 1972 Ford LN8000 Vin# R804VP30178

\$ 1,500

COST OF ONE NEW &amp; LATEST MODEL 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK

\$ 42,900 | 43,500

YEAR &amp; MODEL OF 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK: 2000 Chevy Kodiak

LESS TRADE IN AMOUNT

\$ 1,500


NET COST OF SINGLE AXLE PLATFORM DUMP TRUCK

\$ 41,400 | \$ 42,000  
Davis | Favehau

DELIVERY DATE OF SINGLE AXLE PLATFORM DUMP TRUCK Within 60 days of Purchase Order  
OR 20 working days of  
Body Manufacturer Receiving  
Truck chassis which ever  
is longer.

125

33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK VENDOR SIGNATURE

  
Agent

Henna

FROM :

FAX NO. :

Nov. 08 1999 12:12PM P4

QUOTATION

48491

VOL 0108 PAGE 150

**DAVIS****TRAILER & TRUCK EQUIPMENT, INC.**

P.O. Box 4007 • 7609 Asher • Little Rock, Arkansas 72214  
 (501) 562-6295 • In Ark. 1-800-482-9484 • Outside Ark. 1-800-233-1335

Henna Chevrolet  
 8805 North I-35  
 Austin, TX 78753  
 Attn: Mr. Edward Munoz

Ph: (512)719-6262  
 Fax: (512)339-0573

Re: Williamson County

DATE 11/8/99

INQUIRY DATE 11/8/99

ESTIMATED DELIVERY 45 days ARO  
 15 days ARC  
 TERMS Net 10 days

F.O.B. Little Rock

TO BE SHIPPED VIA

SALESMAN

Chet Mercer

**IN RESPONSE TO YOUR INQUIRY, WE SUBMIT THE FOLLOWING QUOTATION.**

QUANTITY	STOCK NUMBER / DESCRIPTION	PRICE	AMOUNT
1	Davis H1200-P3S: 12' x 8" Heavy duty platform Cab height bulkhead with 20" x 10" screened window 14" non-removable sides 4-way double hinged tailgate 3/16" smooth steel floor  Construction: Per customer's specifications  Equipped with: Scott L.L.-600: single cylinder scissors hoist with 13 tons lift capacity (NTEA Class 40 or Performance Range D)  Options: Delivery Little Rock to Austin		\$4,950.00
		Price Each:	\$4,950.00
		<b>TOTAL</b>	<b>\$4,950.00</b>

**OTHER INFORMATION**

The price includes complete installation, power take off, mudflaps, D.O.T. lighting for the platform, OSHA safety body prop, backup alarm, and one color paint (DuPont Centari black). The price is firm for 150 days provided a purchase order is issued within 45 days of the bid opening date. The above equipment meets all specifications contained in the bid request.

ACCEPTED. The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above. Please refer to above Quotation Number when placing your order.

Date of Acceptance \_\_\_\_\_

Firm \_\_\_\_\_

By \_\_\_\_\_

THIS QUOTATION IS GOOD FOR 30 DAYS OR UNTIL MATERIALS  
AND LABOR COSTS CHANGE

BY *Chet J. Mercer*

126

*Henna*



- San Antonio

#### A SUBSIDARY OF



VOL 0108 PAGE 151

**YOUR ONE STOP SOURCE for TRANSPORTATION NEEDS**

## NEW AND USED TRAILER SALES

## TRUCK BODIES & ACCESSORIES

## PARTS

## SERVICE & FABRICATION

# PROPOSAL

Customer	<u>HENNA CHEVROLET</u>	Phone	<u>512-719-6262</u>
Address	<u>8801 INTERSTATE RD AUSTIN, TX</u>	Fax	<u>512-339-0573</u>
Attention	<u>EDWARD MUNOZ</u>	Date	<u>11/5/99</u>

[illegible]

**Specifications and Prices subject to change without notice.**

**Any applicable state or local taxes must be added to above price.**

127

Henna

# WILLIAMSON COUNTY BID FORM

VOL 0108 PAGE 152

33,000 GVWR 8YD DUMP TRUCKS  
33,000 GVWR FLAT BED DUMP

BID NUMBER: 00WC205 BID OPENING DATE & TIME: NOVEMBER 9, 1999 - 10:15 AM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Longhorn International Trucks, Ltd.

Mailing Address: P.O. Box 6260

City: Austin State: TX Zip: 78762

Telephone: (512) 389-1111 Fax: (512) 389-2118

[Signature] Date of BID: 11-9-99  
Signature of Person Authorized to Sign BID

Name and Title of Signer: Richard Woerndell - Sales Rep  
(Please Print or Type)

## PLEASE COMPLETE THE FOLLOWING:

Prompt Payment Discount. 0 % 0 days (If no discount is offered, Net 30 will apply )

[ ] "all or none" basis (Will accept award of "all" items only If left blank, low item will apply )

☒ low item basis (Will accept award on "any or all" items.)

List Additional Limitations if applicable

Prices Applies to this Bid Only

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

128



Delivery Destination: Units shall be delivered as specified, completely assemble, all fluid levels correct, and ready for work to Williamson County Central Maintenance Facility, 3151 S.E. Innerloop, Georgetown Texas.

# TRADE INS:

Four 1986 6YD dump trucks. International S1600 w/6.9 diesel, 5 speed trans, 2 speed rear axle. Unit #'s 502, 504, 523, and 524.

TO MAKE AN APPOINTMENT TO SEE TRADE INS CONTACT MIKE FOX AT WILLIAMSON COUNTY CENTRAL MAINTENANCE (512) 930-3349

# NOTICE TO BIDDERS.

BIDDERS SHALL SUBMIT COMPLETE DETAILED SPECIFICATIONS ON THE UNITS HE PROPOSES TO FURNISH AND THE DELIVERY DATE PRICE SHALL INCLUDE DELIVERY TO WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, 3151 S. E. INNERLOOP, GEORGETOWN, TEXAS THE TRADE INS MAY BE PICKED UP AT THE TIME OF DELIVERY.

ALL STANDARD WARRANTIES SHALL APPLY. PLEASE SPECIFY THE VEHICLES WARRANTY SCHEDULES.

THE COUNTY IS TAX EXEMPT, DO NOT INCLUDE TAX IN YOUR BID.

# TRADE IN AMOUNT:

1986 6YD dump trucks. International S1600 w/6.9 diesel, 5 speed trans, 2 speed rear axle.

Unit # 502	\$ <u>5000<sup>00</sup></u>
Unit # 504	\$ <u>5000<sup>00</sup></u>
Unit # 523	\$ <u>5000<sup>00</sup></u>
Unit # 524	\$ <u>5000<sup>00</sup></u>

TOTAL OF ALL TRADE INS: \$ 20,000<sup>00</sup>

COST OF ONE NEW & LATEST MODEL 33,000 GVWR SINGLE AXLE DUMP TRUCK \$ 42,386<sup>00</sup>

YEAR & MODEL OF 33,000 GVWR SINGLE AXLE DUMP TRUCK BEING BID: 2000 YEAR MODEL Unit 4700

GROSS COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS \$ 169,544.00

LESS TOTAL TRADE IN AMOUNT \$ 20,000.00

NET TOTAL COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS \$ 149,544<sup>00</sup>

DELIVERY DATE OF SINGLE AXLE DUMP TRUCKS: Approx 60-120 days A.R.O.

*[Signature]*

# **WILLIAMSON COUNTY BID SPECIFICATIONS/BID SHEETS**

## **ONE NEW & LATEST MODEL 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK**

**BID NUMBER: 00WC205**

**BID OPENING DATE & TIME: NOVEMBER 9, 1999 – 10:15 AM**

The following are minimum specifications that will be required.

Front axle	12,000 lbs axle and suspension, front wheel oilers, shocks and power steering
Rear axle	21,000 lbs single speed, with over load auxiliary springs
Engine	Electronic controlled 210 hp Diesel with 520 lb. Ft torque
Trans	Manual shift 7-speed ES066-7B or approved equal
Exhaust	Horizontal muffler mounted such to avoid PTO interference, and vertical Exhaust pipe
Wheel base	108" cab-to-axle or as needed to allow a maximum of 6" over hang on the 12' platform dump body
Frame	Heavy-duty frame with full-length reinforcement w/a total rating of at least 100,000 psi and frame shall include front tow hooks
Brakes	Full air brake system with 15 x 4 front and 16 ½ x 7 rear Rockwell Wabco System Saver 1200 air dryer (spin on cartridge), automatic moisture ejectors, 13 2 CFM compressor, automatic slack adjusters, and dust shields on rear axle Air system shall include a Truck Tractor-trailer controls with air service to the rear for trailer brakes
Wheels	22 5 x 8 25 steel disc front and rear
Tires	11R 22 5 HWY tread on front and traction tread on the rear Spare tire and wheel HWY Tread
Bumper	Full width steel front bumper
Cab	White, base coat/clear coat Solar tinted glass all around, factory air conditioner, heater - defroster, Am/Fm radio, standard vinyl seating for driver and passenger, dual western style mirrors w/aux convex, tilt type hood and fender unit, cab mounted fire extinguisher, air horn, dual sun visors, heavy-duty alternator and dual batteries Dual two speed electric intermittent windshield wipers with washers.
Fuel tank	50-gallon step tank
Instrumen- Tation	Full set of gauges, shall include tachometer, trip odometer, volt meter, oil pressure, coolant temperature, fuel gauge and warning system/lights <i>TRIP ODOMETER NOT AVAIL. ON MODEL</i>
Road speed	The maximum road speed shall be 65 mph
Literature	One set of operators manual, service manual, (service manual shall disassemble/assembly trouble shooting of the cab, chassis, trans, differential and engine) Information on Platform Body, hoist system and PTO shall be supplied <i>CD ROM SERVICE MANUAL</i>

130

*[Handwritten Signature]*

## TRADE IN AMOUNT:

Unit # 703: 1972 Ford LN8000 Vin# R804VP30178

\$ 2000<sup>00</sup>

COST OF ONE NEW &amp; LATEST MODEL 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK

\$ 41,996<sup>00</sup>YEAR & MODEL OF 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK: 2000 YL MDL JET 4700


LESS TRADE IN AMOUNT

\$ 2000<sup>00</sup>

NET COST OF SINGLE AXLE PLATFORM DUMP TRUCK

\$ 39,996<sup>00</sup>DELIVERY DATE OF SINGLE AXLE PLATFORM DUMP TRUCK Approx 60-120 Days A.R.O.

33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK VENDOR SIGNATURE



Page 3 of 3

Longhorn International Equip., Inc.  
4711 E. 7th  
Austin, Texas 78702

## WILLIAMSON COUNTY BID FORM

33,000 GVWR 8YD DUMP TRUCKS  
33,000 GVWR FLAT BED DUMP

BID NUMBER: 00WC205 BID OPENING DATE &amp; TIME: NOVEMBER 9, 1999 - 10:15 AM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Phil Pott Motors, Inc.Mailing Address: P.O. Box 876City: Port Neches State: TX Zip: 77651Telephone: (888) 858-7801 Fax: (956) 412-9199Signature of Person Authorized to Sign BID: Alan Wiley Date of BID: 11-9-99Name and Title of Signer: ALAN WILEY  
(Please Print or Type)

## PLEASE COMPLETE THE FOLLOWING:

Prompt Payment Discount: \_\_\_\_\_% \_\_\_\_\_days. (If no discount is offered, Net 30 will apply.)

[ ] "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)

[x] low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

Delivery Destination: Units shall be delivered as specified, completely assemble, all fluid levels correct, and ready for work to Williamson County Central Maintenance Facility, 3151 S.E. Innerloop, Georgetown Texas

### TRADE INS:

Four 1986 6YD dump trucks. International S1600 w/6.9 diesel, 5 speed trans, 2 speed rear axle.  
Unit #'s 502, 504, 523, and 524.

TO MAKE AN APPOINTMENT TO SEE TRADE INS CONTACT MIKE FOX AT WILLIAMSON COUNTY CENTRAL MAINTENANCE (512) 930-3349.

### NOTICE TO BIDDERS:

BIDDERS SHALL SUBMIT COMPLETE DETAILED SPECIFICATIONS ON THE UNITS HE PROPOSES TO FURNISH AND THE DELIVERY DATE PRICE SHALL INCLUDE DELIVERY TO WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, 3151 S. E. INNERLOOP, GEORGETOWN, TEXAS THE TRADE INS MAY BE PICKED UP AT THE TIME OF DELIVERY.

ALL STANDARD WARRANTIES SHALL APPLY. PLEASE SPECIFY THE VEHICLES WARRANTY SCHEDULES.

THE COUNTY IS TAX EXEMPT, DO NOT INCLUDE TAX IN YOUR BID.

### TRADE IN AMOUNT:

1986 6YD dump trucks. International S1600 w/6.9 diesel, 5 speed trans, 2 speed rear axle.

Unit # 502	\$ <u>2,100.00</u>
Unit # 504	\$ <u>2,800.00</u>
Unit # 523	\$ <u>2,600.00</u>
Unit # 524	\$ <u>3,000.00</u>

TOTAL OF ALL TRADE INS: \$ 10,500.00

COST OF ONE NEW & LATEST MODEL 33,000 GVWR SINGLE AXLE DUMP TRUCK \$ 44,900.00

YEAR & MODEL OF 33,000 GVWR SINGLE AXLE DUMP TRUCK BEING BID: 2000 Ford F750

GROSS COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS \$ 179,600.00

LESS TOTAL TRADE IN AMOUNT

NET TOTAL COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS \$ 169,100.00

DELIVERY DATE OF SINGLE AXLE DUMP TRUCKS: 90-180 DAYS ARO

Ally Wily  
PHIL ATT MOTORS

# **WILLIAMSON COUNTY BID SPECIFICATIONS/BID SHEETS**

## **ONE NEW & LATEST MODEL 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK**

**BID NUMBER: 00WC205      BID OPENING DATE & TIME: NOVEMBER 9, 1999 - 10:15 AM**

The following are minimum specifications that will be required.

<b>Front axle</b>	12,000 lbs axle and suspension, front wheel oilers, shocks and power steering
<b>Rear axle</b>	21,000 lbs single speed, with over load auxiliary springs
<b>Engine</b>	Electronic controlled 210 hp Diesel with 520 lb. Ft. torque
<b>Trans</b>	Manual shift 7-speed ES066-7B or approved equal
<b>Exhaust</b>	Horizontal muffler mounted such to avoid PTO interference, and vertical Exhaust pipe
<b>Wheel base</b>	108" cab-to-axle or as needed to allow a maximum of 6" over hang on the 12' platform dump body
<b>Frame</b>	Heavy-duty frame with full-length reinforcement w/a total rating of at least 100,000 psi and frame shall include front tow hooks
<b>Brakes</b>	Full air brake system with 15 x 4 front and 16 1/2 x 7 rear. Rockwell Wabco System Saver 1200 air dryer (spin on cartridge), automatic moisture ejectors, 13.2 CFM compressor, automatic slack adjusters, and dust shields on rear axle. Air system shall include a Truck Tractor-trailer controls with air service to the rear for trailer brakes.
<b>Wheels</b>	22.5 x 8.25 steel disc front and rear
<b>Tires</b>	11R 22.5 HWY tread on front and traction tread on the rear. Spare tire and wheel HWY Tread.
<b>Bumper</b>	Full width steel front bumper
<b>Cab</b>	White, base coat/clear coat. Solar tinted glass all around, factory air conditioner, heater - defroster, Am/Fm radio, standard vinyl seating for driver and passenger, dual western style mirrors w/aux convex, tilt type hood and fender unit, cab mounted fire extinguisher, air horn, dual sun visors, heavy-duty alternator and dual batteries. Dual two speed electric intermittent windshield wipers with washers.
<b>Fuel tank</b>	50-gallon step tank
<b>Instrumen- Tation</b>	Full set of gauges, shall include tachometer, trip odometer, volt meter, oil pressure, coolant temperature, fuel gauge and warning system/lights
<b>Road speed</b>	The maximum road speed shall be 65 mph
<b>Literature</b>	One set of operators manual, service manual, (service manual shall disassemble/assembly trouble shooting of the cab, chassis, trans, differential and engine). Information on Platform Body, hoist system and PTO shall be supplied.

*Alay Wilg*  
*Ph: CATT Motors*

General	All steel platform body, 12' in length, 96" wide, smooth deck, solid bulkhead with 10" x 20" window. Unit shall include, mud flaps, lights, back up alarm and a low profile under body scissor hoist system.
Longitudinal Sills	Two 6" 8.2# structural steel channels extending full length of body
Longitudinal Sill reinforcement	Four front and rear gussets, two each side of longitudinal sills; 3/16" thick commercial grade formed steel. Ten intermediate gussets, five each side of longitudinal sills, 11-gauge commercial grade steel.
Platform	Front, rear and side floor rails, 11-gauge commercial grade steel formed channels Crossmembers, 11-gauge commercial grade steel formed channels a. (5) full width crossmembers forward of the wheelhouse area b. (4) full width crossmembers aft of the wheelhouse area c. (1) full width crossmembers in wheelhouse area
Floor	Smooth steel plate - 7 gauge commercial grade steel welded to crossmembers
Sides	Permanently welded to the body, 14" high 12 gauge commercial grade steel
Tailgate	4 way double-hinged tailgate, fully welded and reinforced. Tailgate shall convert easily to all purpose platform or flat dump
Lighting	All lights shall be recessed in rubber grommets with impact resistant reflective lenses. Lighting shall meet applicable standards FMVSS #108 a. (2) amber front combination reflector and side marker lights b. (2) red rear combination reflector and side marker lights c. (2) red combination reflector and rear clearance lights d. (2) amber combination reflector and front clearance lights e. (3) red combination reflector and rear identification lights
Color Paint	Platform; DuPont Centari Black
Structural	All Body Parts Shall be Welded into One Integral Unit
Hoist System	Omaha Standard Model 524 DH Low Profile scissor hoist are approved equal Vendor shall supply and install PTO, hydraulic pump and cab controls

**TRADE IN:**

Unit # 703: 1972 Ford LN8000 Vin# R804VP30178 single axle truck tractor, caterpillar 1150 v8 diesel, 5 speed Clark transmission, 2 speed rear axle, Ramsey 45,000# winch Model J45R, fifth wheel and 1000R20 on ten hole bud

TO MAKE AN APPOINTMENT TO SEE TRADE IN CONTACT MIKE FOX AT THE WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, PHONE (512) 930 3349.

**NOTICE TO BIDDERS:**

BIDDERS SHALL SUBMIT A DETAILED SPECIFICATION ON THE UNIT HE PROPOSES TO FURNISH AND THE DELIVERY DATE. PRICE SHALL INCLUDE DELIVERY TO WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, 3151 S.E. INNERLOOP, GEORGETOWN TEXAS. THE TRADE IN MAY BE PICKED UP AT THE TIME OF DELIVERY.

DO NOT INCLUDE TAX IN YOUR BID, SINCE THE COUNTY IS TAX EXEMPT.

33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK VENDOR SIGNATURE

Page 2 of 3

*Alay Wiley*  
*Phil Pett Motors*

VOL 0108 PAGE 160

## TRADE IN AMOUNT:

Unit # 703: 1972 Ford LN8000 Vin# R804VP30178

\$ 2500.00

COST OF ONE NEW &amp; LATEST MODEL 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK

\$ 43,124.00

YEAR &amp; MODEL OF 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK:

2000 FORD F150

LESS TRADE IN AMOUNT

\$ -2,500.00

NET COST OF SINGLE AXLE PLATFORM DUMP TRUCK

\$ 40,624.00

DELIVERY DATE OF SINGLE AXLE PLATFORM DUMP TRUCK

90-180 DAYS ARO33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK VENDOR SIGNATURE  
Page 3 of 3Alex Willy  
Phil Pett Motors



## WILLIAMSON COUNTY BID FORM

33,000 GVWR 8YD DUMP TRUCKS  
33,000 GVWR FLAT BED DUMP

BID NUMBER: 00WC205 BID OPENING DATE &amp; TIME: NOVEMBER 9, 1999 - 10:15 AM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Phil Pott Motors, Inc.Mailing Address: P.O. Box 876City: Port Neches State: TX Zip: 77651Telephone: (888) 858-7801 Fax: (956) 412-9199Signature of Person Authorized to Sign BID: Alan Wiley Date of BID: 11-9-99Name and Title of Signer: ALAN WILEY  
(Please Print or Type)

## PLEASE COMPLETE THE FOLLOWING:

Prompt Payment Discount: \_\_\_\_\_% \_\_\_\_\_ days. (If no discount is offered, Net 30 will apply.)

[ ] "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)

[x] low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

Delivery Destination: Units shall be delivered as specified, completely assemble, all fluid levels correct, and ready for work to Williamson County Central Maintenance Facility, 3151 S.E. Innerloop, Georgetown Texas.

### TRADE INS:

Four 1988 6YD dump trucks. International S1800 w/6.9 diesel, 5 speed trans, 2 speed rear axle.  
Unit #'s 502, 504, 523, and 524.

TO MAKE AN APPOINTMENT TO SEE TRADE INS CONTACT MIKE FOX AT WILLIAMSON COUNTY CENTRAL MAINTENANCE (512) 930-3349.

### NOTICE TO BIDDERS:

BIDDERS SHALL SUBMIT COMPLETE DETAILED SPECIFICATIONS ON THE UNITS HE PROPOSES TO FURNISH AND THE DELIVERY DATE. PRICE SHALL INCLUDE DELIVERY TO WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, 3151 S. E. INNERLOOP, GEORGETOWN, TEXAS THE TRADE INS MAY BE PICKED UP AT THE TIME OF DELIVERY.

ALL STANDARD WARRANTIES SHALL APPLY. PLEASE SPECIFY THE VEHICLES WARRANTY SCHEDULES.

THE COUNTY IS TAX EXEMPT, DO NOT INCLUDE TAX IN YOUR BID.

### TRADE IN AMOUNT:

1988 6YD dump trucks. International S1800 w/6.9 diesel, 5 speed trans, 2 speed rear axle.

Unit # 502	\$ <u>2,100.00</u>
Unit # 504	\$ <u>2,800.00</u>
Unit # 523	\$ <u>2,600.00</u>
Unit # 524	\$ <u>3,000.00</u>

TOTAL OF ALL TRADE INS: \$ 10,500.00

COST OF ONE NEW & LATEST MODEL 33,000 GVWR SINGLE AXLE DUMP TRUCK \$ 43,581.00

YEAR & MODEL OF 33,000 GVWR SINGLE AXLE DUMP TRUCK BEING BID: 2000 Ford F750

GROSS COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS \$ 174,324.00

LESS TOTAL TRADE IN AMOUNT

NET TOTAL COST OF ALL FOUR (4) SINGLE AXLE DUMP TRUCKS

\$ 10,500.00  
\$ 163,824.00

DELIVERY DATE OF SINGLE AXLE DUMP TRUCKS: 90-180 DAYS ARO

33,000 GVWR SINGLE AXLE DUMP TRUCKS  
Page 3 of 3

VENDOR SIGNATURE

Alex Willy

ALTERNATE Bid  
DAVIS Body

PHIL ATT MOTORAS

TRADE IN AMOUNT:

Unit # 703: 1972 Ford LN8000 Vin# R804VP30178

\$ 2500.00

COST OF ONE NEW & LATEST MODEL 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK

\$ 42,461.00

YEAR & MODEL OF 33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK:

2000 Ford F150

LESS TRADE IN AMOUNT

\$ -2,500.00

NET COST OF SINGLE AXLE PLATFORM DUMP TRUCK

\$ 39,961.00

DELIVERY DATE OF SINGLE AXLE PLATFORM DUMP TRUCK

90-180 DAYS ARO

ALTERNATE BID  
DAVIS BODY

33,000 GVWR SINGLE AXLE PLATFORM DUMP TRUCK VENDOR SIGNATURE  
Page 3 of 3

Alex Willy  
PHILPOTT MOTORS

**AGENDA ITEM # 16**

Consider granting final plat approval for Fountainwood Estates, Phase 7.

County Engineer Joe England advised the City of Georgetown has approved this plat which is located within their extra territorial jurisdiction. Mr. England also advised all Williamson County subdivision regulations have been met.

Moved: Commissioner Hays

Seconded: Commissioner Heiligenstein

Motion: To approve final plat for Fountainwood Estates, Phase 7.

Vote: Motion carried 5 - 0

**AGENDA ITEM # 17**

Consider awarding, rejecting or extending bid for Lake Creek tributary.

Commissioner Heiligenstein has discussed monetary participation by the City of Austin with the city and requested one week extension on awarding bid. The commissioner suggested County Engineer Joe England and the City of Austin Engineer discuss the matter to determine the intent of the city.

Moved: Commissioner Heiligenstein

Seconded: Commissioner Boatright

Motion: To table this item for one week.

Vote: Motion carried 5 - 0

**AGENDA ITEM # 18**

Open and consider awarding, rejecting or extending bid for heavy equipment for Unified Road System.

At 10:46 a.m. Judge Doerfler announced time to receive bids for heavy equipment for Unified Road System.

At 10:47 a.m. Judge Doerfler announced time closed to receive bids for heavy equipment for Unified Road System.

Bids were received from:

Anderson Machinery Austin, Inc.

Closner Equipment Co., Inc.

Cooper Equipment

Crescent Machinery Co.

Holt Company

RDO Equipment Construction

Texana Machinery

Ginny Atkins and Bob Space from County Auditor's office and all interested bidders opened the bids in the Commissioners Conference room.

Moved: Judge Doerfler

Seconded: Commissioner Heiligenstein

Motion: To note receipt of bids with award to be made on November 16, 1999.

Vote: Motion carried 5 - 0

< Clerk copy here >

## WILLIAMSON COUNTY BID FORM

VOL 0108 PAGE 165

INDUSTRIAL 4 WHEEL DRIVE BACKHOE  
4 WHEEL DRIVE RUBBER TIRED WHEEL LOADER  
ARTICULATED MOTOR GRADER  
SINGLE SMOOTH DRUM VIBRATORY COMPACTOR  
VIBRATORY PAD FOOT COMPACTOR

BID NUMBER: 00WC206 BID OPENING DATE &amp; TIME: NOVEMBER 9, 1999 - 10:30 AM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Anderson Machinery Austin, Inc.Mailing Address: P.O. Box 140916City: AustinState: Texas Zip: 78714Telephone: ( 512 ) 272-8133Fax: ( 512 ) 272-8136Date of BID: 11/9/99

Signature of Person Authorized to Sign BID

Name and Title of Signer: Tom AndersonVice President

(Please Print or Type)

## PLEASE COMPLETE THE FOLLOWING:

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)☐ "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply )☐ low item basis (Will accept award on "any or all" items )List Additional Limitations if applicable: All prices good for 90 days. Deliveries  
are 30 - 120 days A.R.O.

DO NOT SIGN OR SUBMIT THIS FORM  
WITHOUT READING ENTIRE DOCUMENT

THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID

Anderson Machinery Austin, Inc  
P. O. Box 140916  
Austin, Texas 78714

VOL 0108 PAGE 166

TRADE IN AMOUNT

\$ 6,500.00

New Holland LW-130

COST OF ONE WHEEL LOADER

\$ 111,538.00

LESS TRADE IN AMOUNT

\$ 6,500.00

NET COST OF WHEEL LOADER

\$ 105,038.00

LIFE CYCLE COST BID:

3 year/5000 hour5year/7500 hour

GUARANTEED REPAIR COST

\$ 2,250.00

3,750.00

GUARANTEED RE-PURCHASE PRICE

\$ 40,000.00


25,000.00

PERFORMANCE BOND COST

\$ 4,038.00

8,379.00

VENDOR SIGNATURE

  
Anderson Machinery Austin, Inc.  
P. O. Box 140916  
Austin, Texas 78714

VOL 0108 PAGE 167

DO NOT INCLUDE ANY TAX IN YOUR BID SINCE WILLIAMSON COUNTY IS TAX EXEMPT.

TRADE IN AMOUNT \$ 13,500.00 New Holland RG-140

COST OF ONE PRODUCTION ARTICULATED MOTOR GRADER \$ 127,614.00

LESS TRADE IN AMOUNT \$ 13,500.00

NET COST OF PROD. ARTICULATED MOTOR GRADER \$ 114,114.00

## LIFE CYCLE COST BID:

	<u>3yr./5000 hour</u>	<u>5 yr./7500 hour</u>
GUARANTEED REPAIR COST	\$ 2,250.00	3,750.00
GUARANTEED RE-PURCHASE PRICE	\$ 45,000.00	33,750.00
PERFORMANCE BOND COST	\$ 4,282.00	8,412.00

VOL 0108 PAGE 168

TRADE IN AMOUNT \$ 5,000.00

COST OF ONE BACKHOE LOADER \$ 60,620.00

JCB 214-3 Turbo 4 x 4

LESS TRADE IN AMOUNT \$ 5,000.00

NET COST OF BACKHOE LOADER \$ 55,620.00

## ALTERNATE:

CAB A.C. GROUP \$ 2,150.00


## LIFE CYCLE COST BID:

	<u>3 year/5000 hour</u>	<u>5 year/7500 hour</u>
GUARANTEED REPAIR COST	\$ 1,500.00	2,500.00
GUARANTEED RE-PURCHASE PRICE	\$ 22,500.00	15,000.00
PERFORMANCE BOND COST	\$ 2,207.00	4,527.00

Diviations

1. Automatic torque proportioning axles vs. manual lock.

VENDOR SIGNATURE



144

Anderson Machinery Austin, Inc.  
P. O. Box 140916  
Austin, Texas 78714



**WILLIAMSON COUNTY  
BID SPECIFICATIONS/BID SHEETS****ONE NEW & LATEST MODEL VIBRATORY SMOOTH DRUM SOIL COMPACTOR****BID NUMBER: 00WC206****BID OPENING DATE & TIME: NOVEMBER 9, 1999 - 10:30 AM****GENERAL:**

These specifications shall describe a diesel powered single smooth drum vibratory roller with a drum width of not less than 84". All exceptions must be noted.

**SPECIFICATIONS:**

Operating weight of unit equipped with smooth drum shall be not less than 24,500 lbs. 20,850 lbs.

Engine shall be a four cycle, turbo charged 6 cyl water-cooled diesel rated at 145-hp net minimum.

Electrical system may be 12 or 24-volt type w/ negative ground w/ an alternator rated at 55 Amperes min

Drive shall be hydrostatic type with an axial piston variable flow pump with modulated forward and reverse Design shall provide a cushion or soft shift for direction changes.

Hydrostatic drive shall provide power to both drum and rear wheels. The hydrostatic drive shall have two speed ranges, a low providing high torque and high for travel.

Rear differential shall be a no-spin to provide excellent traction n/a: Full hydrostatic drive

Service brakes shall be hydrostatic through each drive motor.

Parking/emergency brake shall be spring applied, hydraulically, or hand operated with warning light and audible alarm

Steering system design shall allow full power regardless of other hydraulic functions

Steering system shall be dual hydraulic cylinders allowing a minimum articulation of 30 degrees.

Frame oscillation shall not be less than 12 degrees plus or minus.

Drum width shall not be less than 84"

Drum diameter shall not be less than 59"

Drum shell thickness shall be not less than 1" .88" True O.D.

Adjustable scrapers for smooth drum.

Tire size shall be not less than 23.1 X 26 8 ply Diamond tread

Vibration system shall be a variable or dual Amplitude design

**MACHINE SHALL BE EQUIPPED THE FOLLOWING ITEMS:**

Dual adjustable cushioned operators seat w/seat belt.

ROPS canopy w/vibration isolation system

A vehicle warning package for charge system, brake engine oil and temperature, backup alarm, horn, fuel gauge, hour meter and vibratory tachometer

Vandalism protection group, for dash and engine

**LITERATURE:**

One set of operators, parts book, and service manual (manual shall include disassembly assembly and trouble shooting information).

**WARRANTY:**

Successful bidder shall provide through dealer and or manufacturer one (1) full year of warranty on parts and labor including travel time and mileage.

**TRADE IN:**

Unit #2405 a 1980 Ferguson 8-12 ton static steel wheel Roller w/Detroit Diesel power

TO MAKE AN APPOINTMENT TO SEE TRADE IN CONTACT MIKE FOX AT THE WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, PHONE (512) 930 3349.

**DESTINATION:**

Unit shall be delivered to the Williamson County Central Maintenance Facility, 3151 S.E. Innerloop, Georgetown Texas. All service levels correct and ready for work. Trade in may be picked up at time of delivery.

**NOTICE TO BIDDERS:**

Please include in your bid a complete and detailed specification on the unit proposed and delivery date

THE COUNTY IS TAX EXEMPT SO DO NOT INCLUDE TAX IN YOUR BID.

TRADE IN AMOUNT Hypac C-850B \$ 2,500.00

COST OF ONE VIBRATORY SMOOTH DRUM SOIL COMPACTOR \$ 100,828.00

LESS TRADE IN AMOUNT \$ 2,500.00

NET COST OF VIB. SMOOTH DRUM SOIL COMPACTOR \$ 98,328.00

LIFE CYCLE COST BID	3 year/5000 hour	5 year/7500 hour
GUARANTEED REPAIR COST	\$ 2,250.00	3,750.00
GUARANTEED RE-PURCHASE PRICE	\$ 33,750.00	22,500.00
PERFORMANCE BOND COST	\$ 4,010.00	7,958.00

**WILLIAMSON COUNTY  
BID SPECIFICATIONS/BID SHEETS**

VOL 0108 PAGE 171

**ONE NEW AND LATEST MODEL PADFOOT VIBRATORY SOIL COMPACTOR**

**BID NUMBER: 00WC206 BID OPENING DATE & TIME: NOVEMBER 9, 1999 - 10:30 AM**

**GENERAL:**

These specifications shall describe a diesel powered single drum padfoot vibratory roller with a drum width of not less than 84". All exceptions must be noted.

**SPECIFICATIONS:**

Operating weight of unit equipped with padfoot drum shall be not less than 25,700 lbs 23,700 lbs.

Engine shall be a four-cycle 6 cyl turbo, water-cooled diesel rated at 145-hp. net minimum

Electrical system may be 12 or 24-volt type w/negative ground with an alternator rated at 55 Amperes min.

Drive shall be hydrostatic type with an axial piston variable flow pump with modulated forward and reverse Design shall provide a cushion or soft shift for direction changes.

Hydrostatic drive shall provide power to both drum and rear wheels. The hydrostatic drive shall have two speed ranges, a low providing high torque and high for travel

Rear differential shall be a no-spin to provide excellent traction n/a: Full hydrostatic drive

Service brakes shall be hydrostatic through each drive motor

Parking/emergency brake shall be spring applied, hydraulically, or hand operated with warning light and audible alarm

Steering system design shall allow full power regardless of other hydraulic functions

Steering system shall be dual hydraulic cylinders allowing a minimum articulation of 30 degrees.

Frame oscillation shall not be less than 12 degrees plus or minus

Drum width shall not be less than 84"

Drum diameter shall not be less than 59"

Drum shell thickness shall be not less than 1" .88" True O.D.

Pad height shall be not less than 4"

Adjustable cleaner bar for padfoot drum

Tire size shall be not less than 23 1 X 26 8 ply Tractor tread

Vibration system shall be a variable or dual Amplitude design

VOL 0108 PAGE 172

**MACHINE SHALL BE EQUIPPED THE FOLLOWING ITEMS:**

Dual adjustable cushioned operators seat w/seat belt.

ROPS canopy w/vibration isolation system

A vehicle-warning package for charge system, brake engine oil and temperature, backup alarm, horn, fuel gauge, hour meter and vibratory tachometer.

Vandalism protection group, for dash and engine.

**LITERATURE:**

One set of operators, parts book, and service manual (manual shall include disassembly assembly and trouble shooting information for both the machine and engine).

**WARRANTY:**

Successful bidder shall provide through dealer and or manufacturer one (1) full year of warranty on parts and labor including travel time and mileage

**DESTINATION:**

Unit shall be delivered to Williamson County Central Maintenance Facility, 3151 S.E. InnerLoop, Georgetown, Texas. Unit shall be complete, all fluid levels correct and ready for work.

**NOTICE TO BIDDERS:**

Please include in your bid a complete and detailed specification on the unit proposed and delivery date

**THE COUNTY IS TAX EXEMPT SO DO NOT INCLUDE TAX IN YOUR BID.**

Hypac C-852B

**COST OF ONE PADFOOT VIBRATORY SOIL COMPACTOR**

\$ 105,656.00

**LIFE CYCLE COST BID:**

	<u>3 year/5000 hour</u>	<u>5year/7500 hour</u>
<b>GUARANTEED REPAIR COST</b>	\$ 2,250.00	3,750.00
<b>GUARANTEED RE-PURCHASE PRICE</b>	\$ 33,750.00	22,500.00
<b>PERFORMANCE BOND COST</b>	\$ 4,450.00	8,691.00

COPY

**WILLIAMSON COUNTY  
BID SPECIFICATIONS/BID SHEETS**

**ONE NEW AND LATEST MODEL PADFOOT VIBRATORY SOIL COMPACTOR**

**BID NUMBER: 00WC206 BID OPENING DATE & TIME: NOVEMBER 9, 1999 - 10:30 AM**

**GENERAL:**

These specifications shall describe a diesel powered single drum padfoot vibratory roller with a drum width of not less than 84". All exceptions must be noted.

**SPECIFICATIONS:**

Operating weight of unit equipped with padfoot drum shall be not less than 25,700 lbs.

Engine shall be a four-cycle 6 cyl turbo, water-cooled diesel rated at 145-hp. net minimum.

Electrical system may be 12 or 24-volt type w/negative ground with an alternator rated at 55 Amperes min.

Drive shall be hydrostatic type with an axial piston variable flow pump with modulated forward and reverse. Design shall provide a cushion or soft shift for direction changes.

Hydrostatic drive shall provide power to both drum and rear wheels. The hydrostatic drive shall have two speed ranges, a low providing high torque and high for travel.

Rear differential shall be a no-spin to provide excellent traction.

Service brakes shall be hydrostatic through each drive motor.

Parking/emergency brake shall be spring applied, hydraulically, or hand operated with warning light and audible alarm.

Steering system design shall allow full power regardless of other hydraulic functions.

Steering system shall be dual hydraulic cylinders allowing a minimum articulation of 30 degrees.

Frame oscillation shall not be less than 12 degrees plus or minus

Drum width shall not be less than 84"

Drum diameter shall not be less than 59"

Drum shell thickness shall be not less than 1"

Pad height shall be not less than 4"

Adjustable cleaner bar for padfoot drum.

Tire size shall be not less than 23.1 X 26 8 ply Tractor tread.

Vibration system shall be a variable or dual Amplitude design



**MACHINE SHALL BE EQUIPPED THE FOLLOWING ITEMS:**

Dual adjustable cushioned operators seat w/seat belt.

ROPS canopy w/vibration isolation system

A vehicle-warning package for charge system, brake engine oil and temperature, backup alarm, horn, fuel gauge, hour meter and vibratory tachometer.

Vandalism protection group, for dash and engine.

**LITERATURE:**

One set of operators, parts book, and service manual (manual shall include disassembly assembly and trouble shooting information for both the machine and engine).

**WARRANTY:**

Successful bidder shall provide through dealer and or manufacturer one (1) full year of warranty on parts and labor including travel time and mileage.

**DESTINATION:**

Unit shall be delivered to Williamson County Central Maintenance Facility, 3151 S.E. InnerLoop, Georgetown, Texas. Unit shall be complete, all fluid levels correct and ready for work.

**NOTICE TO BIDDERS:**

Please include in your bid a complete and detailed specification on the unit proposed and delivery date

**THE COUNTY IS TAX EXEMPT SO DO NOT INCLUDE TAX IN YOUR BID.**

**COST OF ONE PADFOOT VIBRATORY SOIL COMPACTOR**

\$ 93,085.

Includes 3 year, 5000 Hour Warranty

**LIFE CYCLE COST BID:**

Delivery 30 Days

**GUARANTEED REPAIR COST**

\$ \_\_\_\_\_

**GUARANTEED RE-PURCHASE PRICE**

\$ \_\_\_\_\_

**PERFORMANCE BOND COST**

\$ \_\_\_\_\_

**WILLIAMSON COUNTY  
BID SPECIFICATIONS/BID SHEETS****ONE NEW & LATEST MODEL VIBRATORY SMOOTH DRUM SOIL COMPACTOR****BID NUMBER: 00WC206****BID OPENING DATE & TIME: NOVEMBER 9, 1999 - 10:30 AM****GENERAL:**

These specifications shall describe a diesel powered single smooth drum vibratory roller with a drum width of not less than 84". All exceptions must be noted.

**SPECIFICATIONS:**

Operating weight of unit equipped with smooth drum shall be not less than 24,500 lbs.

Engine shall be a four cycle, turbo charged 6 cyl water-cooled diesel rated at 145-hp. net minimum.

Electrical system may be 12 or 24-volt type w/ negative ground w/ an alternator rated at 55 Amperes min

Drive shall be hydrostatic type with an axial piston variable flow pump with modulated forward and reverse. Design shall provide a cushion or soft shift for direction changes.

Hydrostatic drive shall provide power to both drum and rear wheels. The hydrostatic drive shall have two speed ranges, a low providing high torque and high for travel.

Rear differential shall be a no-spin to provide excellent traction.

Service brakes shall be hydrostatic through each drive motor.

Parking/emergency brake shall be spring applied, hydraulically, or hand operated with warning light and audible alarm.

Steering system design shall allow full power regardless of other hydraulic functions.

Steering system shall be dual hydraulic cylinders allowing a minimum articulation of 30 degrees.

Frame oscillation shall not be less than 12 degrees plus or minus.

Drum width shall not be less than 84"

Drum diameter shall not be less than 59"

Drum shell thickness shall be not less than 1"

Adjustable scrapers for smooth drum.

Tire size shall be not less than 23.1 X 26 8 ply Diamond tread.

Vibration system shall be a variable or dual Amplitude design.



copy

VOL 0108 PAGE 176

**MACHINE SHALL BE EQUIPPED THE FOLLOWING ITEMS:**

Dual adjustable cushioned operators seat w/seat belt.

ROPS canopy w/vibration isolation system

A vehicle warning package for charge system, brake engine oil and temperature, backup alarm, horn, fuel gauge, hour meter and vibratory tachometer.

Vandalism protection group, for dash and engine.

**LITERATURE:**

One set of operators, parts book, and service manual (manual shall include disassembly assembly and trouble shooting information).

**WARRANTY:**

Successful bidder shall provide through dealer and or manufacturer one (1) full year of warranty on parts and labor including travel time and mileage.

**TRADE IN:**

Unit #2405 a 1980 Ferguson 8-12 ton static steel wheel Roller w/Detroit Diesel power.

TO MAKE AN APPOINTMENT TO SEE TRADE IN CONTACT MIKE FOX AT THE WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, PHONE (512) 930 3349.

**DESTINATION:**

Unit shall be delivered to the Williamson County Central Maintenance Facility, 3151 S.E. Innerloop, Georgetown Texas. All service levels correct and ready for work. Trade in may be picked up at time of delivery.

**NOTICE TO BIDDERS:**

Please include in your bid a complete and detailed specification on the unit proposed and delivery date.

THE COUNTY IS TAX EXEMPT SO DO NOT INCLUDE TAX IN YOUR BID.

TRADE IN AMOUNT

\$ 6,000

COST OF ONE VIBRATORY SMOOTH DRUM SOIL COMPACTOR

\$ 88,961

LESS TRADE IN AMOUNT

\$ 6,000

NET COST OF VIB. SMOOTH DRUM SOIL COMPACTOR

\$ 82,961

3 Year, 5000 Hour Warranty Included

Delivery 30 Days

**LIFE CYCLE COST BID:**

GUARANTEED REPAIR COST

\$

GUARANTEED RE-PURCHASE PRICE

\$

PERFORMANCE BOND COST

\$

VIBRATORY SMOOTH DRUM SOIL COMPACTOR

VENDOR SIGNATURE

Page 2 of 2

Closner Equipment Co., Inc  
P. O. Box 7328  
San Antonio, TX 78207


*George H. Ploner*



**COPY**

# Williamson County

AUDITOR'S OFFICE  
710 MAIN STREET, SUITE 303  
GEORGETOWN, TEXAS 78626



0108 PAGE 177

**FAX TRANSMITTAL SHEET**  
FAX TRANSMITTING NUMBER: (512) 943-1567

DATE: 10/25/99

**BID DOCUMENTS**

DATE SENSITIVE MATERIAL

THE FOLLOWING INFORMATION IS FOR:

FAX#: 210/657-5811

NAME: Cooper Equipment

ATTN: Ed Black

FROM: Ginny Atkinson  
Purchasing Department

Assistant Purchasing Director  
(512) 943-1554

TOTAL NUMBER OF PAGES (INCLUDING THIS TRANSMITTAL SHEET) 27

IF YOU DO NOT RECEIVE ALL PAGES, CALL SENDER AT (512) 943-1554.

ATTACHED IS THE BID PACKAGE INCLUDING SPECIFICATIONS FOR:

Industrial 4 Wheel Drive Backhoe,  
4 Wheel Drive Rubber Tired Wheel Loader,  
Articulated Motor Grader,  
Single Smooth Drum Vibratory Compactor,  
Vibratory Pad Foot Compactor

Bid Opening: November 9, 1999 - 10:30 AM

THANKS,

Ginny

**BID DOCUMENTS**  
DATE SENSITIVE MATERIAL

RECORDERS MEMORANDUM  
All or parts of the text on this page was not  
clearly legible for satisfactory record

10/21/99 10:26 PDA

VOL 0108 PAGE 178

**WILLIAMSON COUNTY BID FORM**

**INDUSTRIAL 4 WHEEL DRIVE BACKHOE  
4 WHEEL DRIVE RUBBER TIRED WHEEL LOADER  
ARTICULATED MOTOR GRADER  
SINGLE SMOOTH DRUM VIBRATORY COMPACTOR  
VIBRATORY PAD FOOT COMPACTOR**

**BID NUMBER: 00WC206      BID OPENING DATE & TIME: NOVEMBER 9, 1999 - 10:30 AM**

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

**Mailing Address:** 17474 JUDSON RD.

**City:** SAN ANTONIO **State:** TX **Zip:** 78247

**Telephone:** (210) 657-5151 **Fax:** (210) 657-5871

Ed Black **Date of BID:** 11-9-99  
Signature of Person Authorized to Sign BID

**Name and Title of Signer:** ED BLACK - SALES REP.  
(Please Print or Type)

**PLEASE COMPLETE THE FOLLOWING:**

Prompt Payment Discount: \_\_\_\_\_ % \_\_\_\_\_ days. (If no discount is offered, Net 30 will apply.)

[ ] "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)

[X] low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM  
WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

Page 6 of 9

RECORDERS MEMORANDUM  
All or parts of the text on this page was not  
clearly legible for satisfactory record.

154

**MACHINE SHALL BE EQUIPPED THE FOLLOWING ITEMS:**

Dual adjustable cushioned operators seat w/seat belt.

ROPS canopy w/vibration isolation system

A vehicle warning package for charge system, brake engine oil and temperature, backup alarm, horn, fuel gauge, hour meter and vibratory tachometer.

Vandalism protection group, for dash and engine.

**LITERATURE:**

One set of operators, parts book, and service manual (manual shall include disassembly, assembly and trouble shooting information).

**RECORDERS MEMORANDUM**

For parts of the text on this page was not satisfactorily recorded.

**WARRANTY:**

Successful bidder shall provide through dealer and or manufacturer one (1) full year of warranty on parts and labor including travel time and mileage.

**TRADE IN:**

Unit #2405 a 1980 Ferguson 8-12 ton static steel wheel Roller w/Detroit Diesel power.

TO MAKE AN APPOINTMENT TO SEE TRADE IN CONTACT MIKE FOX AT THE WILLIAMSON COUNTY CENTRAL MAINTENANCE FACILITY, PHONE (512) 930 3349.

**DESTINATION:**

Unit shall be delivered to the Williamson County Central Maintenance Facility, 3151 S.E. Innerloop, Georgetown Texas. All service levels correct and ready for work. Trade in may be picked up at time of delivery.

**NOTICE TO BIDDERS:**

Please include in your bid a complete and detailed specification on the unit proposed and delivery date.

THE COUNTY IS TAX EXEMPT SO DO NOT INCLUDE TAX IN YOUR BID.

**TRADE IN AMOUNT**\$ 3,500.00

SUPERPAC 8420 smooth

**COST OF ONE VIBRATORY SMOOTH DRUM SOIL COMPACTOR**\$ 75,606.00**LESS TRADE IN AMOUNT**- \$ 3,500.00**NET COST OF VIB. SMOOTH DRUM SOIL COMPACTOR**\$ 72,106.00**LIFE CYCLE COST BID:**3 YEAR5 YEAR**GUARANTEED REPAIR COST**\$ 4,680.00\$ 8,684.00**GUARANTEED RE-PURCHASE PRICE**\$ 30,242.00\$ 22,682.00**PERFORMANCE BOND COST**\$ 300.00\$ 300.00

VIBRATORY SMOOTH DRUM SOIL COMPACTOR

VENDOR SIGNATURE

for Bm

Page 2 of 2

COOPER EQUIP. CO.

155

BID GOOD FOR 60 DAYS  
FROM BID DATE. (13)

VOL 0108 PAGE 180

**MACHINE SHALL BE EQUIPPED THE FOLLOWING ITEMS:**

Dual adjustable cushioned operators seat w/seat belt.

ROPS canopy w/vibration isolation system

A vehicle warning package for charge system, brake engine oil and temperature, backup alarm, horn, fuel gauge, hour meter and vibratory tachometer.

Vandalism protection group, for dash and engine.

**LITERATURE:**

One set of operators, parts book, and service manual (manual shall include disassembly assembly and trouble shooting information for both the machine and engine).

**WARRANTY:**

Successful bidder shall provide through dealer and or manufacturer one (1) full year of warranty on parts and labor including travel time and mileage.

**DESTINATION:**

Unit shall be delivered to Williamson County Central Maintenance Facility, 3151 S.E. Inner Loop, Georgetown, Texas Unit shall be complete, all fluid levels correct and ready for work.

**NOTICE TO BIDDERS:**

Please include in your bid a complete and detailed specification on the unit proposed and delivery date.

THE COUNTY IS TAX EXEMPT SO DO NOT INCLUDE TAX IN YOUR BID.

SUPERPAC 8420 PADFOOT

COST OF ONE PADFOOT VIBRATORY SOIL COMPACTOR

\$ 80,873.00

**LIFE CYCLE COST BID:**

GUARANTEED REPAIR COST

	3 YEAR	5 YEAR
GUARANTEED REPAIR COST	\$ 4,680.00	\$ 8,684.00
GUARANTEED RE-PURCHASE PRICE	\$ 32,349.00	\$ 24,262.00
PERFORMANCE BOND COST	\$ 300.00	\$ 300.00

GUARANTEED RE-PURCHASE PRICE

PERFORMANCE BOND COST

BID GOOD FOR 60 DAYS  
FROM BID DATE.

(913)

**RECORDERS MEMORANDUM**  
All or parts of the text on this page was not  
clearly legible for satisfactory recording.

VOL 0108 PAGE 181

## WILLIAMSON COUNTY BID FORM

INDUSTRIAL 4 WHEEL DRIVE BACKHOE  
4 WHEEL DRIVE RUBBER TIRED WHEEL LOADER  
ARTICULATED MOTOR GRADER  
SINGLE SMOOTH DRUM VIBRATORY COMPACTOR  
VIBRATORY PAD FOOT COMPACTOR

BID NUMBER: 00WC206 BID OPENING DATE &amp; TIME: NOVEMBER 9, 1999 - 10:30 AM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Crescent Machinery Co.Mailing Address: 127 E. Riverside Dr.City: Austin State: TX Zip: 78704Telephone: (512) 442-2371 Fax: (512) 442-3051Date of BID: 11/9/99Name and Title of Signer: ROBERT G. HENRY Branch Mgr  
(Please Print or Type)

## PLEASE COMPLETE THE FOLLOWING:

Prompt Payment Discount: \_\_\_\_\_% \_\_\_\_\_days. (If no discount is offered, Net 30 will apply.)

☐ "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)☒ low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

TRADE IN AMOUNT

\$ NBLO

COST OF ONE BACKHOE LOADER

\$ NB

LESS TRADE IN AMOUNT

\$ NB

NET COST OF BACKHOE LOADER

\$ NB

ALTERNATE:

CAB A.C. GROUP

\$ NB

LIFE CYCLE COST BID:

GUARANTEED REPAIR COST

\$ NB


GUARANTEED RE-PURCHASE PRICE

\$ NB

PERFORMANCE BOND COST

\$ NB

VENDOR SIGNATURE

Crescent Machinery Co.  
Central Texas Equipment Division  
127 E. Riverside Dr.  
Austin, Tx 78704

TRADE IN AMOUNT

\$ (2,500<sup>00</sup>)

COST OF ONE WHEEL LOADER

\$ 84,750<sup>00</sup>

LESS TRADE IN AMOUNT

\$ (2,500<sup>00</sup>)

NET COST OF WHEEL LOADER

\$ 82,250<sup>00</sup>

## LIFE CYCLE COST BID:

GUARANTEED REPAIR COST

\$ No Bid


GUARANTEED RE-PURCHASE PRICE

\$ No Bid

PERFORMANCE BOND COST

\$ No Bid125 HP FOUR WHEEL DRIVE WHEEL LOADER  
Page 3 of 3

VENDOR SIGNATURE

Crescent Machinery Co.  
Central Texas Equipment Division  
127 E. Riverside Dr.  
Austin, Tx 78704

512-442-2371

800-252-5678