

AGENDA ITEM 4

Consider noting in minutes any off right-of-way work on any County road done by Road & Bridge Unified System.

Moved: **Judge Doerfler**

Seconded: **Commissioner Boatright**

Motion: To note in the minutes the following off right-of-way work: **CR 122** – permission to temporarily stockpile excavation material from a nearby job site on the property of Chester Madsen; and to note the following utility requests: **Austin Engineering Co., Inc.** for road cut for 12” water line on CR 102; and **Jonah Water S.U.D.** for road bore on CR 130.

Vote: **5 - 0**

< Attachment >

September 9, 2003

UNIFIED ROAD SYSTEM
OFF RIGHT-OF-WAY WORK

- 1) CR 122 – Permission to temporarily stockpile excavation material from a nearby job site on the property of Chester Madsen. (CK – Pct. 4)

WILLIAMSON COUNTY URS

Utility Requests 09/09/03

Precinct I

Precinct II

Precinct III

- A. Austin Engineering Co., Inc.
 - 1. CR 102 - Road cut for 12" water line

Precinct IV

- A. Jonah Water S.U.D.
 - 1. CR 130 - Road bore

NOTICE OF PROPOSED INSTALLATION
UTILITY LINE ON WILLIAMSON COUNTY RIGHT-OF-WAY

TO: Williamson County Unified Road System
 1900 Georgetown Inner Loop, Suite B
 Georgetown, Texas 78626

DATE: September 2, 2003

Formal notice is hereby given that Austin Engineering Co., Inc.

Company propose to place a 12" Water Line

line within the right-of-way of C.R. 102

as follows: (give location, length, general design, etc.)

Location is 585 L.F. North of Rock Dove Lane

Length of Pipe - 55'

Design Criteria - Install (1) one 12" Water Line as per County Specifications with a minimum of 4' of cover on top of proposed pipe.

Austin Engineering Co., Inc. would like to substitute "Flowable Fill" for backfill in lieu of base within the paved area.

The line will be constructed and maintained on the road right-of-way as directed by the Williamson County Unified Road System in accordance with governing laws.

Our firm further understands that the County considers proper traffic control measures as those complying with applicable portions of the Texas Manual of Traffic Control Devices required for adoption by the "Transportation Code" (V.C.T.A. CH.251)

The location and description of the proposed line and appurtenances is more fully shown by 2 copies of drawings attached to this notice.

Construction of this line is proposed to begin on or after the 4th day of Sept. 2003 ~~XX~~

APPROVAL

This application is hereby approved subject to the following understandings and restrictions.

It is expressly understood that the said County Commissioners' Court does not imply hereby to grant any right, claim, title or easement in or upon this County Road; and it is further understood that in the future, should Williamson County, for any reason, need to work, improve, relocate, widen, increase, add to, decrease, or in any manner change the structure of this road or right-of-way, this line, if affected, will be moved at the direction of the Williamson County Engineer or County Commissioner. This installation work shall not damage any part of the roadway and adequate provisions shall be made to cause a minimum of inconvenience to traffic and adjacent property owners.

APPROVED BY WILLIAMSON COUNTY COMMISSIONERS' COURT

BY: [Signature]
 COUNTY ROAD ADMINISTRATOR

DATE: 9/4/03

Firm: Austin Engineering Co., Inc.

[Signature] V.P.
 Authorized Signature

Glendon L. Barrow

Printed Name

Address: P. O. Box 342349

Austin, Texas 78734-2349

Phone: (512) 327-1464

Fax: (512) 327-1765

received

9-2-03

9-3-03

*Road cut with
 Flowable Backfill
 B.C.*

CONTRACTOR'S LIABILITY AGREEMENT

I Austin Engineering Co., Inc. Contractor for JRL Meadows of Georgetown, L.P.
in Williamson County, Texas do hereby agree to the following schedules and conditions for doing work
within the right-of-way of C.R. 102 which is a public
roadway maintained by Williamson County.

1. I will contact the Williamson County Unified Road System at least 48 hours prior to start of construction.
2. All work in the right-of-way will be done between the hours of 8:30 a.m. and 4:30 p.m. on Monday through Friday only.
3. Cuts will be opened for one-half the roadway only, with flagmen on both sides of the work area, allowing one-way traffic through. This type of operation will be held to a minimum and all advance warning signs and barricades shall be as specified in the Texas Manual on Uniform Traffic Control Devices. These cuts will also be filled and entire roadway opened at night and on weekends.
4. Roadside work in ditches alongside the trenched surface may be left opened at night, only if they can be barricaded solidly between open ditch and traveled roadway leaving a minimum 6' of road shoulder between the pavement edge and the barricades. The barricades must be reflectorized and lighted with warning lights and conform to the requirements of the T.M.U.T.C.D. for nighttime use.
5. Any construction area to be maintained from dusk to dawn shall have Type B High Intensity Steady Burn Warning Lights to delineate the traveled way through and around obstructions in a construction or maintenance area. All warning lights shall be installed to a minimum mounting height of 36" to the bottom of the lense.
6. Construction work and road repair on County right-of-way will be done to Williamson County Standards and to the approval of the Williamson County Unified Road System.
7. I will notify the Williamson County Unified Road System and obtain approval prior to any changes from this agreement if required due to soil conditions or other problems.

9-2-03

DATE

Williamson County Unified Road System
1900 Georgetown Inner Loop, Ste. B
Georgetown, Texas 78626

 v.p.
SIGNED

Austin Engineering Co., Inc.
CONTRACTOR (PRINT NAME)

P. O. Box 342349
ADDRESS

Austin, Texas 78734-2349
CITY, STATE, ZIP CODE

(512) 327-1464
PHONE

Date- 9/2/03

To; Williamson county
Ref; street cut application

To whom it may concern;

Austin Engineering Company Inc. proposes to open cut C.R. 102 for the installation of a twelve inch water line underneath the asphalt. This would be daytime operation only with half of the street being shut down for the work area and the other half under traffic with flagmen on both ends of the lane closures as per the Texas Manual on Uniform Traffic Control Devices for this type of operation.

If you have any questions please call me at 512-327-1464 any time.

Thank you,

A handwritten signature in black ink, appearing to read "Glendon L Barrow", with a long, sweeping horizontal line extending to the right.

Glendon L Barrow
Vice President

**NOTICE OF PROPOSED INSTALLATION
UTILITY LINE ON WILLIAMSON COUNTY RIGHT-OF-WAY**

TO: Williamson County Unified Road System
3151 S. E. Inner Loop, Suite B
Georgetown, Texas 78626

DATE: 9-3-03

Formal notice is hereby given that JONAH WATER S.U.D.

Company proposes to place a ROAD BORE

Line within the right-of-way of County Rd. 130
as follows: (give location, length, general design, etc.)

Boring Across C.R. 130 AT Driveway to Sheriff's Dept. Gun Range -
Boring Across to North Side of Driveway - Installing Water Meter
Line to be 36" minimum depth in Drainage Ditches

The line will be constructed and maintained on the road right-of-way as directed by the Williamson County Unified Road System in accordance with governing laws.

Our firm further understands that the County considers proper traffic control measures as those complying with applicable portions of the Texas Manual of Traffic Control Devices required for adoption by the "Transportation Code" (V.C.T.A. CH.251)

The location and description of the proposed line and appurtenances is more fully shown by 1 copies of drawings attached to this notice.

Construction of this line is proposed to begin on or after the 12th day of September 2003.

APPROVAL

This application is hereby approved subject to the following understandings and restrictions.

It is expressly understood that the said County Commissioners' Court does not imply hereby to grant any right, claim, title or easement in or upon this County Road; and it is further understood that in the future, should Williamson County, for any reason, need to work, improve, relocate, widen, increase, add to, decrease, or in any manner change the structure of this road or right-of-way, this line, if affected, will be moved at the direction of the Williamson County Engineer or County Commissioner. This installation work shall not damage any part of the roadway and adequate provisions shall be made to cause a minimum of inconvenience to traffic and adjacent property owners.

APPROVED BY WILLIAMSON COUNTY COMMISSIONERS' COURT

BY: [Signature]
COUNTY ROAD ADMINISTRATOR

DATE: 9/8/03

Firm: JONAH WATER S.U.D.

[Signature]
Authorized Signature

KEN HALL

Printed Name

Address:

40 C.R. 126

Georgetown TX 78626

Phone: 512-863-2235

Fax: 512-869-5400

Pct. 4

received

9-4-03

9-4-03

Road Bore

Bc.

CONTRACTOR'S LIABILITY AGREEMENT

I, KEN HALL, ^{Employee of} ~~Contractor for~~ JONAH WATER S.U.D.
in Williamson County, Texas do hereby agree to the following schedules and conditions for doing work
within the right-of-way of County ROAD 130 which is a public
roadway maintained by Williamson County.

1. I will contact the Williamson County Unified Road System at least 48 hours prior to start of construction.
2. All work in the right-of-way will be done between the hours of 8:30 a.m. and 4:30 p.m. on Monday through Friday only.
3. Cuts will be opened for one-half the roadway only, with flagmen on both sides of the work area, allowing one-way traffic through. This type of operation will be held to a minimum and all advance warning signs and barricades shall be as specified in the Texas Manual on Uniform Traffic Control Devices. These cuts will also be filled and entire roadway opened at night and on weekends.
4. Roadside work in ditches alongside the trenched surface may be left opened at night, only if they can be barricaded solidly between open ditch and traveled roadway leaving a minimum 6' of road shoulder between the pavement edge and the barricades. The barricades must be reflectorized and lighted with warning lights and conform to the requirements of the T.M.U.T.C.D. for nighttime use.
5. Any construction area to be maintained from dusk to dawn shall have Type B High Intensity Steady Burn Warning Lights to delineate the traveled way through and around obstructions in a construction or maintenance area. All warning lights shall be installed to a minimum mounting height of 36" to the bottom of the lense.
6. Construction work and road repair on County right-of-way will be done to Williamson County Standards and to the approval of the Williamson County Unified Road System.
7. I will notify the Williamson County Unified Road System and obtain approval prior to any changes from this agreement if required due to soil conditions or other problems.

9-3-03

DATE



Williamson County Unified Road System
1900 Georgetown Inner Loop, Ste. B
Georgetown, Texas 78626


SIGNEDJONAH WATER S.U.D.
CONTRACTOR (PRINT NAME)40 C.R. 126
ADDRESSGeorgetown TX. 78626
CITY, STATE, ZIP CODE512-863-2235
PHONE

JONAH WATER S.U.D.

MATCH SHEET NO

MATCH SHEET NO. 48C



4"
P.R.S. NO. 2
83 IN
64 OUT

MATCH SHEET NO. 54C

Consent Agenda

The Consent Agenda includes non-controversial and routine items that the Court may act on with one single vote. The Judge or a Commissioner may pull any item from the Consent Agenda in order that the court discuss and act upon it individually as part of the Regular Agenda.

(Items 5- 15)

AGENDA ITEM 5

Consider approving a line item transfer for the Sheriff's Office and Jail:

From:	0100-0570-004000	Project Better Chance	20,000.00
	0100-0560-003900	Membership Dues	1,500.00
	0100-0560-004231	Travel	1,500.00
	0100-0560-004968	Care of Animals	2,500.00
	0100-0560-004544	Repairs to Office Equipment	1,500.00
	0100-0560-003530	Investigative Supplies	4,000.00
	0100-0560-003003	Radio Equipment	14,000.00
	0100-0570-003316	Medical/Hospital	30,000.00
	0100-0570-004231	Travel	4,000.00
	0100-0570-001111	Construction Overtime	6,000.00
	0100-0570-003003	Radio Equipment	1,000.00
	0100-0570-003006	Law Enforcement Equipment	1,000.00
	0100-0570-003010	Computer Equipment <5000	5,276.00
	0100-0570-004992	CSR Program	3,000.00
To:	0100-0570-001100	Overtime	95,276.00

Moved: **Commissioner Boatright**

Seconded: **Commissioner Limmer**

Motion: To approve a line item transfer for the Sheriff's Office and Jail:

From:	0100-0570-004000	Project Better Chance	20,000.00
	0100-0560-003900	Membership Dues	1,500.00
	0100-0560-004231	Travel	1,500.00
	0100-0560-004968	Care of Animals	2,500.00
	0100-0560-004544	Repairs to Office Equipment	1,500.00
	0100-0560-003530	Investigative Supplies	4,000.00
	0100-0560-003003	Radio Equipment	14,000.00
	0100-0570-003316	Medical/Hospital	30,000.00
	0100-0570-004231	Travel	4,000.00
	0100-0570-001111	Construction Overtime	6,000.00
	0100-0570-003003	Radio Equipment	1,000.00
	0100-0570-003006	Law Enforcement Equipment	1,000.00
	0100-0570-003010	Computer Equipment <5000	5,276.00
	0100-0570-004992	CSR Program	3,000.00
To:	0100-0570-001100	Overtime	95,276.00

Vote: **5 - 0**

< Attachment >