

**AGENDA ITEM 22****Consider approving contract for housekeeping at new Constable Pct. 4 office.**

Constable Precinct 4 Marty Ruble addressed the court concerning the proposed contract, which would allow one of Constable Ruble's clerks to clean the office space on Saturdays. Purchasing Director Bob Space stated that he had not had an opportunity to review the proposed contract. He also noted that first right of refusal is usually given to the firm that has been awarded the current county contract.

Moved: **Commissioner Heiligenstein**

Seconded: **Commissioner Boatright**

Motion: To table this agenda item pending further information.

Vote: 3 - 0

**AGENDA ITEM 23****Consider awarding bids received on various types of equipment for fleet services.**

Recommendations from the Auditor's office were as follows:

**One or more pickups (1/2 – 1 Ton)**

Two – ½ Ton Pickups – *Henna Chevrolet*

Two – ¾ Ton Pickups – *Henna Chevrolet*

Two – 1 Ton Trucks with Utility Bed – *Philpott Motors*

One – 1 Ton Truck with Dumping Flat Bed – *Henna Chevrolet*

**One or More Medium Heavy Trucks**

One – 35,000 GVWR 8 Yard Dump Truck – *Freightliner of Austin*

Three – 35,000 GVWR Water Tanker Truck – *Freightliner of Austin*

**One or More Equipment Haul Trailers**

One – 50 Ton Detachable Gooseneck Lowboy Trailer – *Cooper Equipment Co.*

**One or More Road Maintenance Equipment**

One – Roto-Mixer Reclaimer/Stabilizer – *Cooper Equipment Co.*

**One or More Heavy Equipment – Earth Moving**

One – 32,000 lb Articulated Motor Grader – *Holt Company of Texas*

Two – 2 ½ Cubic Yard 4 Wheel Drive Loader – *Holt Company of Texas*

**One or More All Terrain Loaders**

One – All Terrain Loader – *Holt Company of Texas*

**One or More Fork Lift Trucks**

One – 6,000 lb Capacity Pneumatic Tire Lift Truck – *Equipment Depot*

Moved: **Commissioner Hays**

Seconded: **Commissioner Heiligenstein**

Motion: To award bids for various types of equipment for Fleet Services as recommended by the County Auditor's office.

Vote: 3 – 0

< Attachment >

**NOTICE TO THE PUBLIC  
WILLIAMSON COUNTY COMMISSIONER'S COURT  
JANUARY 7, 2003**

23. Consider awarding bids received on various equipment for fleet services.

**One or More Pickups (1/2 – 1 Ton)**

- Two – 1/2 Ton Pickups - **Henna Chevrolet**
- Two – 3/4 Ton Trucks - **Henna Chevrolet**
- Two – 1 Ton Trucks with Utility Bed - **Philpott Motors**
- One – 1 Ton Truck with Dumping Flat Bed - **Henna Chevrolet**

**One or More Medium Heavy Trucks**

- One – 35,000 GVWR 8 Yard Dump Truck - **Freightliner of Austin**
- Three – 35,000 GVWR Water Tanker Truck - **Freightliner of Austin**

**One or More Equipment Haul Trailers**

- One – 50 Ton Detachable Gooseneck Lowboy Trailer - **Cooper Equipment Co.**

**One or More Road Maintenance Equipment**

- One – Roto-Mixer Reclaimer/Stabilizer - **Cooper Equipment Co.**

**One or More Heavy Equipment – Earth Moving**

- One – 32,000 LB Articulated Motor Grader - **Holt Company of Texas**
- Two – 2 1/2 Cubic Yard 4 Wheel Drive Loader - **Holt Company of Texas**

**One or More All Terrain Loaders**

- One – All Terrain Loader - **Holt Company of Texas**

**One or More Fork Lift Trucks**

- One – 6,000 LB Capacity Pneumatic Tire Lift Truck - **Equipment Depot**

See Attached for Bid Tabulations

24. Consider authorizing advertising and setting date of February 5, 2003 at 2:00 pm in the Commissioners Courtroom to receive bids for Georgetown Inner Loop East.
25. Consider authorizing Thursday January 23, 2003 at 2:00 pm as date to receive qualifications for Survey Services for the Williamson County Justice Center expansion project.
-



**WILLIAMSON COUNTY AUDITOR'S OFFICE  
PURCHASING DEPARTMENT  
710 MAIN STREET - SUITE 303  
GEORGETOWN, TEXAS 78626**

<http://www.williamson-county.org/Procurement>

**BID TABULATION**

**ONE OR MORE PICKUPS (1/2 - 1 TON) FOR FLEET SERVICES**

**BID NUMBER: 03WC505**


**RECOMMENDED AWARD: HENNA CHEVROLET  
PHILPOTT MOTORS**

	Vehicle Bid	Unit Cost	Cost for 2	Total Trade In	Net Cost for 2	Low Emission
1/2 Ton Extended Cab Pickup	HENNA CHEVROLET 2003 Chevy 1500 Silverado CC15753	\$15,979.00	\$31,958.00	\$5,200.00	\$26,758.00	Yes
	PHILPOTT MOTORS 2003 Ford F150 X-Cab	\$16,063.00	\$32,126.00	\$5,200.00	\$26,926.00	Yes
	MAXWELL AUTO GROUP 2003 Ford F150 X-Cab	\$18,469.00	\$36,938.00	\$2,750.00	\$34,188.00	Yes
	MAC HAIK FORD LINCOLN MERCURY 2003 Ford F150 X-Cab	\$19,495.60	\$39,011.20	\$6,500.00	\$32,511.20	Yes
	RED MCCOMBS DODGE 2003 Dodge X-Cab	\$20,487.75	\$40,975.50	\$8,000.00	\$32,975.50	Yes
	MAXWELL AUTO GROUP 2003 Dodge Ram 1500 Quad Cab	\$21,399.00	\$42,798.00	\$2,750.00	\$40,048.00	Yes
	LAWRENCE MARSHALL CHEVROLET 2003 Chevy 1500 Silverado CC15753	\$16,659.00	\$33,318.00	\$5,000.00	\$28,318.00	Yes

01/07/2003

	Vehicle Bid	Unit Cost	Cost for 2	Total Trade In	Net Cost for 2	Low Emission	
Heavy Duty 3/4 Ton Work Pickup	HENNA CHEVROLET	2003 Chevy 2500 Silverado CC25903	\$15,857.00	\$31,714.00	\$4,200.00	\$27,514.00	Yes
	PHILPOTT MOTORS	2003 Ford F250 Regular Cab	\$16,163.00	\$32,320.00	\$4,200.00	\$28,120.00	Yes
	MAXWELL AUTO GROUP	2003 Ford F250 Regular Cab	\$17,174.00	\$34,348.00	\$2,500.00	\$31,848.00	Yes
	MAC HAIK FORD LINCOLN MERCURY	2003 Ford F250 Regular Cab	\$17,995.48	\$35,990.96	\$4,350.00	\$31,640.96	Yes
	RED MCCOMBS DODGE	2003 Dodge Regular Cab	\$18,684.75	\$37,369.50	\$7,000.00	\$30,369.50	No
	MAXWELL AUTO GROUP	2003 Dodge Ram 2500 Regular Cab	\$19,399.00	\$36,798.00	\$2,500.00	\$36,298.00	Yes
	LAWRENCE MARSHALL CHEVROLET	2003 Chevy 2500 Silverado CC25903	\$15,976.00	\$31,952.00	\$2,000.00	\$29,952.00	Yes
Diesel Powered 1 Ton with Utility Bed	HENNA CHEVROLET	2003 Chevy Silverado 3500 CC36003	\$26,334.00	\$52,668.00	\$4,000.00	\$48,668.00	Yes
	PHILPOTT MOTORS	2003 Ford F350 Super Duty Knapheide Bed	\$25,633.00	\$51,266.00	\$5,000.00	\$46,266.00	Yes
	MAXWELL AUTO GROUP	2003 Ford F150 X-Cab	\$18,469.00	\$36,938.00	\$2,750.00	\$34,188.00	Yes
	MAC HAIK FORD LINCOLN MERCURY	2003 Ford F350 Super Duty XL	\$27,256.75	\$54,512.50	\$6,875.00	\$47,637.50	Yes
	RED MCCOMBS DODGE	2003 Dodge Ram 3500 Diesel	\$26,852.75	\$53,705.50	\$6,000.00	\$47,405.50	Yes
	MAXWELL AUTO GROUP	2003 Dodge Ram 1500 Quad Cab	\$21,399.00	\$42,798.00	\$2,750.00	\$40,048.00	Yes
	LAWRENCE MARSHALL CHEVROLET	2003 Ford F350 R/C # F32	\$25,829.00	\$51,658.00	\$3,000.00	\$48,658.00	Yes

		Vehicle Bid	Unit Cost	Total Trade In	Net Cost for 1	Low Emission
1 Ton DRW Cab Chassis with Hydraulic Dumping Flat Bed	HENNA CHEVROLET	2003 Chevy Silverado 3500 CC36003	\$20,159.00	\$4,000.00	\$16,159.00	Yes
	PHILPOTT MOTORS	2003 Ford F350 Super Duty	\$21,725.00	\$4,000.00	\$17,725.00	Yes
	MAXWELL AUTO GROUP	2003 Ford F150 X-Cab	\$18,469.00	\$2,750.00	\$34,188.00	Yes
	MAC HAIK FORD LINCOLN MERCURY	2003 Ford F150 X-Cab	\$19,495.60	\$6,500.00	\$32,511.20	Yes
	RED MCCOMBS DODGE	No Bid	_____	_____	_____	_____
	MAXWELL AUTO GROUP	No Bid	_____	_____	_____	_____
LAWRENCE MARSHALL CHEVROLET		2003 Chevy Silverado 3500 CC36003	\$20,486.00	\$1,500.00	\$18,986.00	Yes



**WILLIAMSON COUNTY AUDITOR'S OFFICE  
PURCHASING DEPARTMENT  
710 MAIN STREET - SUITE 303  
GEORGETOWN, TEXAS 78626**

<http://www.williamson-county.org/Procurement>

**BID TABULATION**

**ONE OR MORE MEDIUM HEAVY TRUCKS FOR FLEET SERVICES**


**BID NUMBER: 03WC506**

**RECOMMENDED AWARD: FREIGHTLINER OF AUSTIN**

	Vehicle Bid	Unit Cost	Total Trade In	Net Cost	
35,000 GVWR 8 Yard Dump Truck	FREIGHTLINER OF AUSTIN	2003 FL70 Freightliner with Ox Dump Bed	\$42,818.00	\$4,300.00	\$38,518.00
	LONE STAR TRUCK CENTER	2003 GMC TC7500 with Work Horse Ind. Dump Bed	\$44,400.00	\$5,000.00	\$39,400.00
	LONGHORN INTERNATIONAL	2003 INT. 7300 SFA with Davis Trailer & Equip. Bed	\$43,480.00	\$4,000.00	\$39,480.00
	HENNA CHEVROLET	2003 Chevy C7500 with Davis Trailer & Equip. Dump Bed	\$44,238.00	\$4,300.00	\$39,938.00
	BARRETT MOTOR COMPANY	2003 GMC TC7500 with David Trailer & Equip. Dump Bed	\$44,476.00	\$3,000.00	\$41,476.00
	LAWRENCE MARSHALL	2003 Ford F750 with Dump Bed	\$45,745.00	\$3,500.00	\$42,245.00
	TEMPLE FREIGHTLINER	2003 FL750 Freightliner with Ox Dump Bed	\$44,593.00	\$2,000.00	\$42,593.00
	ALLEN-JENSEN INC	2003 GMC TC7500 with SEI Stoval Dump Bed	\$49,346.00	\$5,500.00	\$43,846.00

01/07/2003

	Vehicle Bid	Unit Cost	Cost for 3	Total Trade In	Net Cost	
35,000 GVWR Water Tanker Truck	FREIGHTLINER OF AUSTIN	2003 FL70 Freightliner with Central Machine Tanker	\$41,817.00	\$125,451.00	\$3,700.00	\$121,751.00
	LONGHORN INTERNATIONAL	2003 INT. 7300 with Central Machine Water Tanker	\$42,640.00	\$127,920.00	\$5,500.00	\$122,420.00
	HENNA CHEVROLET	2003 Chevy C7500 with Central Machine Water Tanker	\$42,651.00	\$127,953.00	\$3,700.00	\$124,253.00
	LONE STAR TRUCK CENTER	2003 FL70 Freightliner with N.A. Trailer Central Tanker	\$43,994.00	\$131,982.00	\$6,000.00	\$125,982.00
	BARRETT MOTOR COMPANY	2003 GMC CC7H042 with Central Machine Tanker	\$44,803.00	\$134,409.00	\$5,000.00	\$129,409.00
	TEMPLE FREIGHTLINER	2003 Chevy CC7H042 with Ledwell Tanker	\$44,420.00	\$133,260.00	\$3,000.00	\$130,260.00
	ALLEN-JENSEN INC	2003 GMC TC7500 with Smith Tank & Equip Tanker	\$49,194.00	\$147,582.00	\$9,000.00	\$138,582.00
LAWRENCE MARSHALL	No Bid					



**WILLIAMSON COUNTY AUDITOR'S OFFICE**  
**PURCHASING DEPARTMENT**  
**710 MAIN STREET - SUITE 303**  
**GEORGETOWN, TEXAS 78626**

<http://www.williamson-county.org/Procurement>

**BID TABULATION**


**ONE OR MORE EQUIPMENT HAUL TRAILERS FOR FLEET SERVICES**

**BID NUMBER: 03WC507**

**RECOMMENDED AWARD: COOPER EQUIPMENT COMPANY**

	Vehicle Bid	Unit Cost
50 Ton Detachable Gooseneck Lowboy Trailer	COOPER EQUIPMENT COMPANY	
	2003 Etnyre PRTN55ETD3-PS Haul Trailer	\$45,978.00
	HOLT COMPANY OF TEXAS (DOES NOT MEET SPECS)	
	2003 Load King Model 553 SS Detachable Gooseneck	\$35,382.00
	PITTS TRAILERS (DOES NOT MEET SPECS)	
	2003 LB50-24 Paver Special Design	\$35,660.00
	FREIGHTLINER OF AUSTIN (DOES NOT MEET SPECS)	
	2003 T3DW-50-HRG-1-T1	\$39,952.00
	INTERSTATE TRAILERS, INC (DOES NOT MEET SPECS)	
	2003 Interstate 100SDGN/PS	\$43,572.00
	SUPERLINE TRAILERS (DOES NOT MEET SPECS)	
	2003 Evaco Superline DT50T	\$44,849.00
	CESA EQUIPMENT INC (DOES NOT MEET SPECS)	
	2003 Trail King TK110HDG	\$45,354.00
	HOLT COMPANY OF TEXAS	
	2003 Load King 503TDPS	\$50,566.00





WILLIAMSON COUNTY AUDITOR'S OFFICE  
PURCHASING DEPARTMENT  
710 MAIN STREET - SUITE 303  
GEORGETOWN, TEXAS 78626

<http://www.williamson-county.org/Procurement>


BID TABULATION

ONE OR MORE ROAD MAINTENANCE EQUIPMENT FOR FLEET SERVICES

BID NUMBER: 03WC508

RECOMMENDED AWARD: COOPER EQUIPMENT COMPANY

		Vehicle Bid	Unit Cost
Roto-Mixer Reclaimer Stabilizer	COOPER EQUIPMENT COMPANY	2003 CMI RS-425	\$281,989.00
	HOLT COMPANY OF TEXAS	2003 Caterpillar RM-350B	\$337,615.00



WILLIAMSON COUNTY AUDITOR'S OFFICE  
PURCHASING DEPARTMENT  
710 MAIN STREET - SUITE 303  
GEORGETOWN, TEXAS 78626

<http://www.williamson-county.org/Procurement>

BID TABULATION

ONE OR MORE HEAVY EQUIPMENT - EARTH MOVING FOR FLEET SERVICES

BID NUMBER: 03WC509


RECOMMENDED AWARD: HOLT COMPANY OF TEXAS

		Vehicle Bid	Unit Cost	Total Trade In	Net Cost for 1	Three Year Cost of Ownership ***
32,000 LB Articulated Motor Grader	HOLT COMPANY OF TEXAS (LOW BID MEETING SPECS)	2003 Caterpillar 140H Motor Grader	\$178,900.00	\$40,000.00	\$138,900.00	\$500.00
	TEXANA ONE MACHINERY	2003 Case 865 DPH Motor Grader	\$132,000.00	\$35,000.00	\$97,000.00	\$47,660.00
	ROMCO EQUIPMENT COMPANY	2003 Volvo G720B Motor Grader	\$168,855.00	\$26,000.00	\$143,855.00	\$9,400.00
	RDO EQUIPMENT COMPANY	No Bid	-----	-----	-----	-----

2 1/2 Cubic Yard Four Wheel Drive Loader	HOLT COMPANY OF TEXAS (LOW BID MEETING SPECS)	Vehicle Bid	Unit Cost	Cost for 2	Total Trade In	Net Cost for 2	Three Year Cost of Ownership ***
	TEXANA ONE MACHINERY	2003 Cat 924Gz Wheel Loader	\$82,500.00	\$165,000.00	\$20,000.00	\$145,000.00	\$17,444.00
	ROMCO EQUIPMENT COMPANY	No Bid	_____	_____	_____	_____	_____
	RDO EQUIPMENT COMPANY	2003 John Deere 444H Wheel Loader	\$88,200.00	\$176,400.00	\$36,000.00	\$140,400.00	No Bid

\*\*\* The Bids for the Heavy Equipment – Earth Moving were evaluated under the Life Cycle Cost Bid. The award is based on the “Three Year Cost of Ownership”.

This Cost of Ownership is calculated by taking the net cost of the machine (cost less trade-in) plus the guaranteed cost of repairs plus the cost of the performance bond minus the re-purchase price. The resulting total is the cost of ownership for that time period.



**WILLIAMSON COUNTY AUDITOR'S OFFICE**  
**PURCHASING DEPARTMENT**  
**710 MAIN STREET - SUITE 303**  
**GEORGETOWN, TEXAS 78626**

<http://www.williamson-county.org/Procurement>


**BID TABULATION**

**ONE OR MORE ALL TERRAIN LOADERS FOR FLEET SERVICES**

**BID NUMBER: 03WC510**

**RECOMMENDED AWARD: HOLT COMPANY OF TEXAS**

All Surface or Multi- Terrain Loader	Vehicle Bid		Unit Cost
	HOLT COMPANY OF TEXAS	2003 Caterpillar 247 Multi Terrain Loader	
	ALL WEATHER EQUIPMENT	2003 Posi-Track RC-50	
	TEXANA ONE MACHINERY LIMITED	2003 Takeuchi TL130 Rubber Track Loader	
			\$27,550.00
			\$30,700.00
			\$32,700.00



**WILLIAMSON COUNTY AUDITOR'S OFFICE  
PURCHASING DEPARTMENT  
710 MAIN STREET - SUITE 303  
GEORGETOWN, TEXAS 78626**

<http://www.williamson-county.org/Procurement>


**BID TABULATION**

**ONE OR MORE FORK LIFT TRUCKS FOR FLEET SERVICES**

**BID NUMBER: 03WC511**

**RECOMMENDED AWARD: EQUIPMENT DEPOT**

		Vehicle Bid	Unit Cost
6000 LB Capacity Pneumatic Tire Lift Truck	EQUIPMENT DEPOT (LOW BID MEETING SPECS)	2003 Clark CMP30 M Series	\$20,045.00
	ADD CUBE EQUIPMENT (DOES NOT MEET SPECS)	2003 Tailift FG30P	\$20,044.00
	STEWART & STEVENSON SERVICES INC	2003 Hyster H60XM	\$20,629.00
	BRIGGS EQUIPMENT	2003 Yale GP060TGNVAE091	\$21,627.00

COPY

**WILLIAMSON COUNTY AUDITOR'S OFFICE  
PURCHASING DEPARTMENT  
710 MAIN STREET - SUITE 303  
GEORGETOWN, TEXAS 78626**

<http://www.williamson-county.org/Procurement>

---

## WILLIAMSON COUNTY PURCHASING DEPARTMENT

---

### FORMAL REQUEST FOR BIDS

### ONE OR MORE PICKUPS FOR WILLIAMSON COUNTY FLEET SERVICES

**BID NUMBER: 03WC505**

**BID OPENING DATE & TIME: DECEMBER 17, 2002 - 2:00 PM**

PURCHASING CONTACT	TECHNICAL CONTACT
Ginny Atkinson 710 Main Street – Suite # 303 Georgetown, TX 78626 (512) 943-1554 <a href="mailto:gatkinson@williamson-county.org">gatkinson@williamson-county.org</a>	Mike Fox 3151 S. E. Innerloop – Suite B Georgetown, TX 78626 (512) 930-3349 <a href="mailto:mfox@williamson-county.org">mfox@williamson-county.org</a>

**FOR DETAILED SPECIFICATIONS AND QUESTIONS RELATING TO THE BIDDING PROCESS,  
CONTACT GINNY ATKINSON.**

**FOR TECHNICAL QUESTIONS CONTACT MIKE FOX.**

### Contents

<b>Bid Instructions/Requirements</b>	Page 1 to 5
<b>Public Notice</b>	Page 6
<b>Bid Check List</b>	Page 7
<b>Official Bid Form</b>	Page 8
<b>Bid Specification(s)/Bid Sheet(s)</b>	Attached Pages 1 to 11

---

---

## WILLIAMSON COUNTY PURCHASING DEPARTMENT

---

### BID INSTRUCTIONS/REQUIREMENTS

Bids must be received in the Williamson County Auditor's Office **prior to 2:00 PM on Tuesday, December 17, 2002**. At which time the Bids will be opened in the Commissioners' Courtroom on the 2nd floor of the County Courthouse. Bids received after that time will not be opened and will be considered void and unacceptable. As to each item bid, the Court may either reject all Bids or award a contract to the lowest and best Bid.

SEALED BIDS may be hand-delivered to:  
Williamson County Auditor's Office  
Attn: Ginny Atkinson - Purchasing  
Third (3rd) floor - Suite 303  
Williamson County Courthouse (on the square)  
710 Main Street, Georgetown, Texas

**OR**

SEALED BIDS may be mailed to:  
Williamson County Auditor's Office  
Attn: Ginny Atkinson - Purchasing  
710 Main Street - Suite 303  
Georgetown, Texas 78626

#### FACSIMILE AND ELECTRONIC MAIL TRANSMITTALS WILL BE ACCEPTED.

- ❖ PLEASE GO TO THE COUNTY PROCUREMENT WEB SITE FOR INSTRUCTIONS ON SUBMITTING A FACSIMILE OR ELECTRONIC MAIL BID. FAILURE TO FOLLOW THESE INSTRUCTIONS MAY CAUSE YOUR BID TO BE REJECTED.

<http://www.williamson-county.org/Procurement/info.html#EBids>

BIDS SUBMITTED BY FACSIMILE OR ELECTRONIC MAIL ARE NOT REQUIRED TO BE SUBMITTED IN TRIPLICATE OR A SEALED ENVELOPE.

ALL BIDS MUST BE SUBMITTED ON THE FORMS PROVIDED IN THIS BID DOCUMENT.

ALL INFORMATION REQUIRED BY THE BID FORM MUST BE FURNISHED OR THE BID MAY BE DEEMED NON RESPONSIVE. WHERE THERE IS AN ERROR IN THE EXTENSION OF PRICE, THE UNIT PRICE SHALL GOVERN.

ALL BIDS MUST BE SUBMITTED IN TRIPLICATE (1 ORIGINAL COMPLETE BID SET & 2 COPIES – BID SETS MUST BE MARKED ORIGINAL OR COPY) A BID SET CONSISTS OF COUNTY BID FORM, BID SPECIFICATIONS, BID SHEETS, & ANY OTHER DOCUMENTATION REQUIRED BY THE BID.

ALL BIDS MUST BE RETURNED IN A SEALED ENVELOPE, MARKED WITH THE BID NAME, BID NUMBER, AND BID OPENING DATE & TIME. IF AN OVERNIGHT DELIVERY SERVICE IS GOING TO DELIVER THE BID THE BID NAME, BID NUMBER, AND BID OPENING DATE & TIME MUST ALSO APPEAR ON THE OUTSIDE OF THE DELIVERY SERVICE ENVELOPE.

1. It is the intent of the Commissioners' Court to award contracts separately for each item, for each department, and for each distinct geographical area served by a department. However, any bidder who wishes to restrict his Bid to particular departments or areas must expressly do so. For purposes of this notice, each Commissioner or Justice Precinct is a separate department.

(1) Unless the Bid received expressly states that the bidder will accept only the award of all items proposed, each item in the Bid will be considered separately and will be rejected or awarded on a low item basis.

(2) Unless the Bid expressly states that the bidder will accept only an award for the entire county government, contracts will be awarded separately for the requirements of each county department to the bidder who is lowest and best for that individual department.

(3) Similarly, unless the notice or Bid expressly states otherwise, Bids will be considered separately for each distinct geographic area served by each department and will be awarded to the lowest and best bidder who can provide service to the department in that particular area. The definition of these geographic areas, unless expressly stated in this notice or the Bid, shall be at the discretion of Commissioners' Court at the time a Bid is awarded.

2. No more than one Bid will be awarded for any item for a single department and area. All Bids may be rejected for some items, departments or areas, even though awards are made for others. The convenience of having a single source for similar items will be taken into consideration together with price in determining the lowest and best Bid.
3. All of the items listed are to be Free On Board to final destination (FOB DESTINATION) with all transportation charges if applicable to be included in the price, unless otherwise specified in the Invitation for Bids. The title and risk of loss of the goods shall not pass to the County until receipt and acceptance takes place at the FOB point.
4. All of the items listed are to be on a "per unit" basis, stating a firm price per unit or unit quantity of each item. **This price must be good from the date of Bid opening for a fixed period of time. Unless the Bid expressly states otherwise, this period shall be until the end of the current fiscal year on September 30, 2003. Bids which do not state a fixed price, or which are subject to change without notice, will not be considered.** The Court may award a contract for the period implied or expressly stated in the lowest and best Bid, but for no longer than the current fiscal year.
5. At the end of the current fiscal year, the Commissioners Court reserves the right to extend this contract, by mutual agreement of both parties, as it deems to be in the best interest of the county. This extension will be in twelve (12) month increments for up to an additional twenty four (24) months, with the terms and conditions remaining the same; and with a price escalation at renewal time each year of no more than the consumer price index for that year. The total period of this contract, including all extensions will not exceed a maximum combined period of thirty-six (36) months. The extension of this contract is contingent on the appropriation of necessary funds by Commissioners Court for the fiscal year in question. Upon the failure of Commissioners Court to so appropriate in any year, the Contractor may elect to terminate this agreement, with no additional liability to the County. The County and the Contractor agree that termination shall be the Contractors sole remedy under this circumstance.
6. The estimated quantity of each item listed in the notice is only an estimate -- the actual quantity to be purchased may be more or less. The County will not be obligated to purchase any minimum amount, and it may purchase any reasonable amount greater than the estimate for the same unit price. Any limit on quantities available must be stated expressly in the Bid.



7. It is understood that the Commissioners Court of Williamson County, Texas, reserves the right to accept or reject any and/or all Bids for any or all materials and/or services covered in this Bid request, and to waive informalities or defects in the Bid or to accept such Bid it shall deem to be in the best interest of Williamson County.
  8. Awards should be made approximately thirty (30) days after the Bid opening date. To obtain results, or if you have any questions, please contact Ginny Atkinson at (512) 943-1554 or email at [gatkinson@willamson-county.org](mailto:gatkinson@willamson-county.org).
  9. Funding: Funds for payment have been provided through the Williamson County budget approved by Commissioners Court for the October 1, 2002/September 30, 2003 fiscal year.
  10. Late Bid: Bids received after submission deadline shall be unopened and will be considered VOID AND UNACCEPTABLE. Williamson County is not responsible for lateness of mail carrier, delivery services, couriers, etc.
  11. Altering Bid: Bids **cannot be altered or amended** after submission deadline.
  12. Sales Tax: Williamson County is by statute, exempt from the State Sales Tax and Federal Excise Tax.
  13. Contract: This Bid, when properly accepted by Williamson County, shall constitute a contract equally binding between the successful bidder and Williamson County. No different or additional terms will become part of this contract.
  14. Changes: No oral statement of any person shall modify or otherwise change, or affect the terms, conditions, plans and/or specifications stated in the various Bid Packages and or Bid Instructions/Requirements.
  15. Delivery Times and Locations: The commodity and/or service covered by this Bid shall be as stated in the various Bid Packages.
  16. Payments: Payment shall be made by check from the County upon satisfactory completion and acceptance of items and submission of the Invoice to the ordering department for work specified by this Contract Document. All payments owed will be paid no later than thirty (30) days after the goods or services are received **OR** the date that the invoice is received by the Auditor's Office **whichever is later**. As a minimum, invoices shall include:
    - (1) Name, address, and telephone number of Contractor and similar information in the event the payment is to be made to a different address
    - (2) County contract, Purchase Order, and/or delivery order number
    - (3) Identification of items or service as outlined in the contract
    - (4) Quantity or quantities, applicable unit prices, total prices, and total amount
    - (5) Any additional payment information which may be called for by the contract
- Payment inquiries should be directed to the Auditor's Office, Accounts Payable Department: Donna McKittrick, 943-1558 or Kathy Blankenship, 943-1557.
17. Conflict of Interest: No public official shall have interest in a contract, in accordance with Vernon's Texas Codes Annotated, Local Government Code Title 5, Subtitle C, Chapter 171.
  18. Ethics: The bidder shall not accept or offer gifts or anything of value nor enter into any business arrangement with any employee, official or agent of Williamson County.

19. Minimum Standards for Responsible Bidders: A prospective bidder must affirmatively demonstrate bidder's responsibility. A prospective bidder must meet the following requirements:
- have adequate financial resources, or the ability to obtain such resources as required;
  - be able to comply with the required or proposed delivery schedule;
  - have a satisfactory record of performance;
  - be otherwise qualified and eligible to receive an award.

Williamson County may request representation and other information sufficient to determine bidder's ability to meet these minimum standards listed above.

20. **REFERENCES:** Williamson County **REQUIRES** bidder to supply with this Bid, a list of at least **three (3) references** where like services have been supplied by their firm. Include name of firm, address, telephone number and name of representative.
21. Bidder shall: provide with this Bid response, all documentation required by this Bid. Failure to provide this information may result in rejection of the Bid.
22. Termination for Default: Williamson County reserves the right to enforce the performance of this contract in any manner prescribed by law or deemed to be in the best interest of the County in the event of breach or default of this contract. Non-Performance of the bidder in terms of specifications shall be a basis for the termination of the contract by the County. The County shall not pay for commodities/services which are unsatisfactory. Vendors will be given a reasonable opportunity before termination to correct the deficiencies. This, however, shall in no way be construed as negating the basis for termination for non-performance.
23. Contract Administration: Under this contract, Ginny Atkinson, Assistant Purchasing Director, Williamson County Auditor's Office, shall be the contract administrator with designated responsibility to ensure compliance with contract requirements, such as but not limited to, acceptance, inspection and delivery. The contract administrator will serve as liaison between Williamson County Commissioners Court and the successful bidder.
24. Purchase Order: A purchase order(s) shall be generated by Williamson County to the successful bidder as products and/or services are required. The purchase order number must appear on all itemized invoices and/or request for payment.
25. Silence of Specifications: The apparent silence of these specifications as to any detail or to the apparent omission from it of a detailed description concerning any point, shall be regarded as meaning that only the best practices are to prevail. All interpretations of these specifications shall be made on the basis of this statement.
26. **BIDS MUST BE:** legible and of a quality that can be reproduced.
27. Bid forms that are included in the Bid package shall be used. **CHANGES to Bid forms made by bidders shall DISQUALIFY THE BID.** Exceptions to the Bid forms and or specifications shall be made on an **attachment** to the Bid package. **Call Ginny Atkinson (512) 943-1554 for explanation if exceptions are needed.**

**PUBLIC NOTICE  
WILLIAMSON COUNTY  
INVITATION FOR BIDS**

The Williamson County Commissioners Court invites the submission of sealed Bids for:

**VARIOUS HEAVY EQUIPMENT FOR WILLIAMSON COUNTY FLEET SERVICES**

**INCLUDING BUT NOT LIMITED TO:**

Pickups (1/2 –1 Ton), Medium Heavy Trucks, Gooseneck Lowboy Trailer, Roto-mixer Reclaimer/stabilizer, Articulated Motor Grader, Four Wheel Drive Loader, All Terrain Loader, and Fork Lift Truck.

Sealed Bids will be publicly opened and read aloud in the County Commissioners Court Room, 2nd Floor, Williamson County Courthouse, Georgetown, Texas on Tuesday, December 17, 2002 at 2:00 PM.

Detailed specifications may be obtained by calling Ginny Atkinson at (512) 943-1554 or by visiting the Williamson County Procurement web site.

<http://www.williamson-county.org/Procurement>

The Williamson County Commissioners Court reserves the right to accept the lowest and best Bid as deemed by the Court, or reject any and/or all Bids.

Issued by order of the Williamson County Commissioners Court on November 26, 2002.  
John C. Doerfler, County Judge.

**BID CHECK LIST**

Please check the following prior to sealing and submitting your Bid.

1. Official Williamson County Bid Form Completed, signed, and enclosed?  
YES ✓ NO
2. All Bid specification sheets completed (including company name at bottom of each sheet) and attached?  
YES ✓ NO
3. Have you included and marked (original or copy) three (3) complete Bid sets as required?  
YES        NO
4. Have you written the name of your business on the front of the sealed envelope?  
YES ✓ NO
5. Have you written the Bid name, Bid number, and Bid opening date & time on the front of the sealed envelope?  
YES ✓ NO
6. Are you using an overnight delivery service to deliver your bid? If you are have you written the Bid name, Bid number, and Bid opening date & time on the outside of the delivery service envelope?  
YES        NO ✓

**WILLIAMSON COUNTY BID FORM****ONE OR MORE PICKUPS FOR WILLIAMSON COUNTY FLEET SERVICES**

BID NUMBER: 03WC505      BID OPENING DATE &amp; TIME: DECEMBER 17, 2002 - 2:00 PM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: HENNA CHEVROLET, LPMailing Address: P.O. BOX 15347City: AUSTIN State: TX Zip: 78761Email Address: dheath@henna.comTelephone: (512) 832-2338 Fax: (512) 339-0573Date of Bid: 12/16/02

Signature of Person Authorized to Sign Bid

Name and Title of Signer: DAVID HEATH - FLEET SALES  
(Please Print or Type)**PLEASE COMPLETE THE FOLLOWING:**Prompt Payment Discount: 0 % 30 days. (If no discount is offered, Net 30 will apply.)☐ "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)☒ Low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

# ONE OR MORE PICKUPS FOR WILLIAMSON COUNTY FLEET SERVICES

**BID NUMBER: 03WC505**

**BID OPENING DATE & TIME: DECEMBER 17, 2002 - 2:00 PM**

**NOTICE TO BIDDERS:**

**TRUCK DELIVERY:** ALL TRUCKS MUST BE DELIVERED TO WILLIAMSON COUNTY  
CENTRAL MAINTENANCE FACILITY, 3151 S. E. INNER LOOP,  
GEORGETOWN, TEXAS.

TRUCKS MUST BE DELIVERED CLEAN, ALL FLUID LEVELS  
CORRECT INCLUDING FUEL AND FULLY SERVICED.

**TRADE-INS:** CONTACT MIKE FOX AT (512) 930-3349 TO MAKE AN  
APPOINTMENT TO SEE TRADE-INS.

TRADE-INS MAY BE PICKED UP WHEN THE NEW TRUCK IS  
DELIVERED.

BIDDER MUST SUBMIT DETAILED SPECIFICATIONS ON EACH TRUCK BID.

BIDDER MUST PROVIDE AN APPROXIMATE DELIVERY DATE FOR EACH TRUCK BID.

DO NOT INCLUDE TAX IN PRICE BID, WILLIAMSON COUNTY IS BY STATUTE, EXEMPT FROM  
THE STATE SALES TAX AND FEDERAL EXCISE TAX.

TRUCKS SHALL BE DESIGNATED BY MANUFACTURER AS LOW EMISSION  
VEHICLES.

PLEASE MARK ALL THAT APPLY:

☒ LEV  
☐ U-LEV  
☒ CLEAN FUEL FLEET VEHICLE

**SPECIFICATIONS FOR TWO (2) NEW AND LATEST MODEL  
HALF (½) TON EXTENDED CAB PICKUPS**

# 1

2WD MODEL AUTOMATIC 4-SPEED TRANSMISSION

6050 GVWR MINIMUM

UNLEADED FUEL, V8 ENGINE WITH 231 HP 293 LB FT TORQUE MINIMUM

FLEETSIDE OR STYLESIDE 6 ½ FOOT BOX BED

LIMITED SLIP REAR DIFFERENTIAL WITH STANDARD GEAR RATIO

AIR CONDITIONING PACKAGE

CLOTH BENCH SEAT

VINYL TRIM DOOR PANELS

PAINT - WHITE WITH BASE COAT-CLEAR COAT

FUEL TANK CAPACITY - 25 GALLON MINIMUM

DUAL OUTSIDE FOLD BACK REAR VIEW MIRRORS

AM/FM STEREO RADIO WITH CLOCK

FACTORY INSTALLED POWER DOOR LOCKS AND ELECTRIC WINDOWS

TILT STEERING WHEEL

STANDARD TIRES - FIVE (5) 235/70R16SL BSW OR 235/75R16 BSW

TRAILERING HARNESS, 4 WIRE

INTERMITTENT WINDSHIELD WIPERS

ENGINE - UNLEADED FUEL INJECTED V8 WITH A MIN. 4.6 LITERS

FRONT AND REAR CHROME BUMPERS WITH REAR STEP

FRONT LICENSE PLATE BRACKET

FRONT AND REAR POWER DISC BRAKES WITH FRONT AND REAR ANTI-LOCK

STANDARD GAUGES, WHICH SHALL INCLUDE OIL PRESSURE, VOLTMETER, COOLANT TEMPERATURE, FUEL LEVEL, AND SPEEDOMETER WITH TRIP.

DRIVER AND PASSENGER SIDE SUN VISORS

RESTRAINT SYSTEM, DUAL AIR BAGS

RANCH HAND STYLE FRONT BUMPER GUARD (STATE SPEC "HEAVY DUTY")

**SPECIFICATIONS FOR TWO (2) NEW AND LATEST MODEL  
HALF (½) TON EXTENDED CAB PICKUPS - CONTINUED**

ALL GLASS SHALL BE SOLAR TINTED

STANDARD FACTORY WARRANTY SHALL APPLY: 3-YEAR/36,000-MILE BUMPER-TO-BUMPER AND  
EXTENDED CORROSION PROTECTION.

**TRADE-INS:**

UNIT # 658: 1997 DODGE 1500 XCAB SHORT BED, VIN # 3B7HC13YXVG809459, 5.2L  
V8 GAS ENGINE, AUTOMATIC WITH OVERDRIVE, P245/75R16 TIRES, REAR AXLE  
3.5:1, SOLID COLOR - WHITE, APPROXIMATE MILES - 145,000.

UNIT # 659: 1997 DODGE 1500 XCAB SHORT BED, VIN # 3B7HC13Y6VG809460, 5.2L  
V8 GAS ENGINE, AUTOMATIC WITH OVERDRIVE, P245/75R16 TIRES, REAR AXLE  
3.5:1, SOLID COLOR - WHITE, APPROXIMATE MILES - 148,000.



505  
#2

**SPECIFICATIONS FOR TWO (2) NEW AND LATEST MODEL  
HEAVY DUTY THREE-QUARTER (¾) TON WORK PICKUPS**

2WD MODEL AUTOMATIC 4 - SPEED TRANSMISSION

PAYLOAD PACKAGE 3600 LB MINIMUM WITH 8600 LB GVWR MINIMUM

AIR CONDITIONING PACKAGE

WORK SERIES VINYL BENCH SEAT

VINYL DOOR TRIM PANELS

PAINT - WHITE WITH BASE COAT-CLEAR COAT

FUEL TANK CAPACITY - 34 GALLON MINIMUM

DUAL FOLD BACK REAR VIEW MIRRORS

AM/FM STEREO RADIO WITH CLOCK

TIRES - ALL SEASON 16" BSW RADIALS RATED FOR GVWR PACKAGE

SPARE MATCHING TIRE ON 16" WHEEL

HEAVY DUTY TRAILER TOWING PACKAGE WITH TRAILERING HARNESS

~~CLASSIC~~ CLASS V RECEIVER HITCH (FACTORY OPTION CLASSIC HITCH RATED TO 10,000 #S + TRUCK WITH 6.0 LITER + 3.73 AXLE ONLY RATED 8800 TOWING) D. Heath

INTERMITTENT WINDSHIELD WIPERS WITH WASHERS

ENGINE - UNLEADED FUEL INJECTED V8 WITH A MINIMUM OF 260 HP AND 350 LB/FT TORQUE

HEAVY DUTY FRONT & REAR STEP BUMPER WITH LICENSE PLATE BRACKETS D. Heath

GRILL GUARD (EXAMPLE: RANCH HAND) AND FRONT TOW HOOKS (HEAVY DUTY STATE #63)

FRONT AND REAR POWER DISC BRAKES WITH ANTI-LOCK BRAKE SYSTEM

STANDARD GAUGES - WHICH SHALL INCLUDE OIL PRESSURE, VOLTMETER, TEMPERATURE, FUEL AND SPEEDOMETER

DRIVER AND PASSENGER SIDE AIR BAGS

FACTORY INSTALLED SOLAR TINTED GLASS

CUP HOLDERS

FULL VINYL FLOOR COVERING

POWER STEERING

DRIVERS SIDE AND PASSENGER SIDE SUNVISORS

DUAL ELECTRIC HORNS

FULL SIZE 8 FOOT PICK UP BOX

PICKUPS FOR WMSN CNTY FLEET SERVICES  
PAGE 4 of 11

VENDOR HENNA CHEVROLET, LP

**SPECIFICATIONS FOR TWO (2) NEW AND LATEST MODEL  
HEAVY DUTY THREE-QUARTER (¾) TON WORK PICKUPS - CONTINUED**

LIMITED SLIP REAR DIFFERENTIAL WITH 3.73 AXLE RATIO

STANDARD FACTORY WARRANTY SHALL APPLY - 3-YEAR /36,000- MILE BUMPER-TO-BUMPER WITH EXTENDED COVERAGE ON SHEET METAL CORROSION OR RUST THROUGH

**TRADE-INS:**

UNIT # 648: 1996 FORD F150 XLT REGULAR CAB, VIN # 2FTEF15N6TCA50753, 5.0L V8, AUTOMATIC WITH OVERDRIVE, P235/75R15 TIRES, 8' FLEET SIDE BED, SOLID COLOR - WHITE BASE COAT CLEAR COAT, APPROXIMATE MILES - 172,000.

UNIT # 649: 1996 FORD F150 XLT REGULAR CAB, VIN # 2FTEF15N1TLB34324, 5.0L V8, AUTOMATIC WITH OVERDRIVE, P235/75R15 TIRES, 8' FLEET SIDE BED, SOLID COLOR - WHITE BASE COAT CLEAR COAT, APPROXIMATE MILES - 172,000.

**SPECIFICATIONS FOR ONE (1) NEW 1-TON DRW CAB CHASSIS  
WITH HYDRAULIC DUMPING FLAT BED**

#3

MINIMUM GVWR 11,400 LBS. WITH 137" WB AND USABLE 60" CA

REGULAR CAB CHASSIS, TWO WHEEL DRIVE WITH DUAL REAR WHEELS AND CARPET DELETE.

HEAVY-DUTY HANDLING/TRAILERING SUSPENSION PACKAGE.

GASOLINE V-8 ENGINE WITH MIN. 260 H.P.

MINIMUM FUEL TANK CAPACITY OF 34 GALLONS.

HEAVY-DUTY AUTOMATIC TRANSMISSION WITH OVERDRIVE

HEAVY DUTY LOCKING REAR DIFFERENTIAL WITH STANDARD AXLE RATIO.

LT 16" ON/OFF ROAD BLACKWALL TIRES WITH FULL SIZE SPARE TIRE AND WHEEL

STANDARD VINYL FRONT SEAT FOR THREE PASSENGER SEATING.

PAINT SHALL BE SOLID COLOR, WHITE IN BASE COAT CLEAR COAT FINISH.

FACTORY INSTALLED SOLAR-RAY LIGHT TINTED GLASS ON ALL WINDOWS

FACTORY INSTALLED AIR CONDITIONING.

DUAL WIPERS, WASHERS WITH INTERMITTENT CONTROL

AM/FM STEREO RADIO DIGITAL CLOCK WITH 2 OR 4 SPEAKERS.

INSTRUMENTATION: SPEEDOMETER, ODOMETER WITH TRIP ODOMETER, FUEL LEVEL, VOLTMETER, ENGINE TEMPERATURE AND OIL PRESSURE.

INSIDE REARVIEW MIRROR, MANUAL DAY/NIGHT.

DRIVERS SIDE AND PASSENGER SIDE SUN VISORS.

DUAL OUTSIDE CAMPER STYLE FOLD BACK REAR VIEW MIRRORS.

TWO FRONT FRAME MOUNTED RECOVERY HOOKS.

DEALER MOUNTED HYDRAULIC DUMPING FLAT BED 10'X 96" (OR LESS TO MATCH TRUCK WIDTH)

DECK SHALL BE 3/16" SMOOTH STEEL.

TAPER HEADACHE RACK TO MATCH CAB PROFILE, WITH EXPANDED METAL TO GUARD REAR GLASS.

6" SIDE BOARDS, 6" RUNSILLS FOR DUMP HOIST SUPPORT.

OMAHA STANDARD ELECTRIC OVER HYDRAULIC HOISTING SYSTEM OR APPROVED EQUAL.

FLAT BED TO BE CLEANED PRIMED AND PAINTED BLACK.

**SPECIFICATIONS FOR ONE (1) NEW 1-TON DRW CAB CHASSIS  
WITH HYDRAULIC DUMPING FLAT BED - CONTINUED**

BED LIGHTING SHALL MEET APPLICABLE FMVSS # 108 AND SHALL INCLUDE TWO AMBER FRONT RECESSED COMBINATION REFLECTOR AND CLEARANCE LIGHTS, TWO AMBER RECESSED COMBINATION REFLECTOR AND SIDE MARKER LIGHTS. REAR OF BED SHALL INCLUDE TWO RED RECESSED COMBINATION REFLECTOR AND CLEARANCE LIGHTS, TWO RED RECESSED COMBINATIONS REFLECTOR AND SIDE MARKER LIGHTS AND THREE RED RECESSED REAR IDENTIFICATIONS LIGHTS.

WARRANTY: 3-YEAR/36,000-MILES BUMPER TO BUMPER.

**TRADE-IN:**

UNIT # 635: 1992 FORD F350 CAB CHASSIS WITH CRYSTEEL MFG 11' DUMPING FLAT BED 5.8LITER GAS ENGINE, VIN # 1FDCKF37H1NNA45409, WHITE CAB/BLACK BED, AIR CONDITIONING, AUTOMATIC TRANS, 215/85R16 TIRES, APPROXIMATE MILES - 130,000.

505

# 4

**SPECIFICATIONS FOR TWO (2) NEW AND CURRENT MODEL  
1 TON TRUCKS WITH UTILITY BEDS**

REGULAR CAB, BED DELETE, 137" WB WITH 56" CA, TWO-WHEEL DRIVE WITH DUAL REAR WHEELS.

DIESEL ENGINE 300 HP MINIMUM, WITH 520 LB FT OF TORQUE MINIMUM WITH CLEAN FUEL FLEET LEV EMISSION CERTIFICATION.

FIVE SPEED AUTOMATIC TRANSMISSION, POWER STEERING AND POWER BRAKES.

MINIMUM GVWR OF 11,400 LBS.

HEAVY-DUTY SUSPENSION PACKAGE, HANDLING/TRAILERING.

SIX - 16" TIRES AND WHEELS WITH ALL SEASON RADIAL TIRES

ONE FULL SIZE SPARE TIRE AND WHEEL.

HEAVY-DUTY, LOCKING REAR DIFFERENTIAL WITH STANDARD GEAR RATIO FOR DIESEL.

FUEL TANK CAPACITY OF 34 GALLONS MINIMUM.

THREE PASSENGER VINYL FRONT SEAT.

VINYL FLOOR COVERING.

COLOR, SOLID WHITE BASE COAT/CLEAR COAT FINISH.

FACTORY INSTALLED AIR CONDITIONING.

FACTORY INSTALLED SOLAR-RAY LIGHT TINTED GLASS ON ALL WINDOWS

DUAL WIPERS WASHERS WITH INTERMITTENT CONTROL.

AM/FM STEREO RADIO, DIGITAL CLOCK WITH TWO OR MORE SPEAKERS.

DUAL, CAMPER STYLE, OUTSIDE FOLD BACK REAR VIEW MIRRORS.

INSIDE REARVIEW MIRROR, MANUAL DAY/NIGHT.

TWO FRONT FRAME MOUNTED RECOVERY HOOKS.

INSTRUMENTATION: SPEEDOMETER, ODOMETER WITH TRIP ODOMETER, FUEL LEVEL, VOLTMETER, ENGINE TEMPERATURE, OIL PRESSURE AND TACHOMETER.

DRIVER SIDE AND PASSENGER SIDE SUN VISORS

ELECTRIC HORN.

TRAILERING WIRING HARNESS AND PLUG.

565

**SPECIFICATIONS FOR TWO (2) NEW AND CURRENT MODEL  
1 TON TRUCKS WITH UTILITY BEDS - CONTINUED**

**UTILITY TYPE SERVICE BODY:**

A SERVICE BODY SHALL BE SUPPLIED AND INSTALLED ON THIS VEHICLE. THE PAINT ON THE BODY SHALL MATCH THE PAINT ON THE TRUCK CAB. ALL CUSTOMARY LIGHTS AND REFLECTORS SHALL BE INSTALLED. THE CHOICE OF SERVICE BODY IS A KNAPHEIDE 96" SERIES BODY FOR 56" CA MODEL 696D54LPJ OR APPROVED EQUAL.

**WARRANTY:** STANDARD FACTORY WARRANTY SHALL APPLY, PLEASE STATE THIS UNIT'S WARRANTY COVERAGE.

**TRADE-INS:**

UNIT # 620: 1997 GMC 3500 DIESEL 10,000 GVWR, VIN # 1GDHC34F7VF044894, 6.5L TURBO DIESEL 195 HP 4-SPEED AUTOMATIC, LT225/75R16 LRD, AIR CONDITIONING, MODEL 96VVDL-54 STAHL CHALLENGER UTILITY BED, APPROXIMATE MILES - 220,000.

UNIT # 621: 1997 GMC 3500 DIESEL, 10,000 GVWR, VIN # 1GDHC34F2VF046133, 6.5L TURBO DIESEL 195 HP 4-SPEED AUTOMATIC, LT225/75R16 LRD, AIR CONDITIONING, MODEL 96VVDL-54 STAHL CHALLENGER UTILITY BED, APPROXIMATE MILES - 238,000.

ONE OR MORE PICKUPS FOR WILLIAMSON COUNTY  
FLEET SERVICES

## BID SHEETS

## ½ TON EXTENDED CAB PICKUP:

IS THE PICKUP BID A LOW EMISSION VEHICLE: YES ☒ NO ☐PRICE OF ONE PICKUP \$15,979<sup>00</sup>Price of one pickup \$15,979<sup>00</sup> times 2 equals \$31,958<sup>00</sup>

## AMOUNT ALLOWED FOR TRADE-INS:

UNIT # 658 \$2600<sup>00</sup>UNIT # 659 \$2600<sup>00</sup>TOTAL TRADE-IN AMOUNT \$5200<sup>00</sup>NET PRICE OF TWO (2) PICKUPS \$26758<sup>00</sup>ESTIMATED DELIVERY DATE 90 DAYS ARO

## HEAVY DUTY ¾ TON WORK PICKUPS:

IS THE PICKUP BID A LOW EMISSION VEHICLE: YES ☒ NO ☐PRICE OF ONE PICKUP \$15857<sup>00</sup>Price of one pickup \$15857<sup>00</sup> times 2 equals \$31,714<sup>00</sup>

## AMOUNT ALLOWED FOR TRADE-INS:

UNIT # 648 \$2100UNIT # 649 \$2100TOTAL TRADE-IN AMOUNT \$4200<sup>00</sup>NET PRICE OF TWO (2) PICKUPS \$27514<sup>00</sup>ESTIMATED DELIVERY DATE 90 DAYS ARO

**ONE (1) TON DRW CAB CHASSIS WITH HYDRAULIC DUMPING FLAT BED:**IS THE TRUCK BID A LOW EMISSION VEHICLE: YES ☒ NO ☐PRICE OF ONE TRUCK \$20,159.00

AMOUNT ALLOWED FOR TRADE-IN:

UNIT # 635 \$4,000.00TOTAL TRADE-IN AMOUNT \$4,000.00NET PRICE OF ONE (1) TRUCK \$16,159.00ESTIMATED DELIVERY DATE 100 DAYS ARO**ONE (1) TON TRUCK WITH UTILITY BED:**IS THE TRUCK BID A LOW EMISSION VEHICLE: YES ☒ NO ☐PRICE OF ONE TRUCK \$26,334.00Price of one truck \$26,334.00 times 2 equals \$52,668.00

AMOUNT ALLOWED FOR TRADE-INS:

UNIT # 620 \$2,000.00UNIT # 621 \$2,000.00TOTAL TRADE-IN AMOUNT \$4,000.00NET PRICE OF TWO TRUCKS \$48,668.00ESTIMATED DELIVERY DATE 100 DAYS ARO



## WILLIAMSON COUNTY BID FORM

COPY

## ONE OR MORE PICKUPS FOR WILLIAMSON COUNTY FLEET SERVICES

BID NUMBER: 03WC505

BID OPENING DATE &amp; TIME: DECEMBER 17, 2002 - 2:00 PM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Phelpotts Motors, Inc.Mailing Address: P.O. Box 876City: Port Neches State: TX Zip: 77651Email Address: AWILEY0845@AOL.COMTelephone: (888) 858-7801 Fax: (956) 412-9199Signature of Person Authorized to Sign Bid: Alan Wiley Date of Bid: 12-17-02Name and Title of Signer: ALAN WILEY  
(Please Print or Type)

## PLEASE COMPLETE THE FOLLOWING:

Prompt Payment Discount: \_\_\_\_\_% \_\_\_\_\_days. (If no discount is offered, Net 30 will apply.)

[ ] "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)

[x] low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

**SPECIFICATIONS FOR TWO (2) NEW AND LATEST MODEL  
HALF (½) TON EXTENDED CAB PICKUPS**

2WD MODEL AUTOMATIC 4-SPEED TRANSMISSION

6050 GVWR MINIMUM

UNLEADED FUEL, V8 ENGINE WITH 231 HP 293 LB FT TORQUE MINIMUM

FLEETSIDE OR STYLESIDE 6 ½ FOOT BOX BED

LIMITED SLIP REAR DIFFERENTIAL WITH STANDARD GEAR RATIO

AIR CONDITIONING PACKAGE

CLOTH BENCH SEAT

VINYL TRIM DOOR PANELS

PAINT - WHITE WITH BASE COAT-CLEAR COAT

FUEL TANK CAPACITY - 25 GALLON MINIMUM

DUAL OUTSIDE FOLD BACK REAR VIEW MIRRORS

AM/FM STEREO RADIO WITH CLOCK

FACTORY INSTALLED POWER DOOR LOCKS AND ELECTRIC WINDOWS

TILT STEERING WHEEL

STANDARD TIRES – FIVE (5) 235/70R16SL BSW OR 235/75R16 BSW

TRAILERING HARNESS, 4 WIRE

INTERMITTENT WINDSHIELD WIPERS

ENGINE – UNLEADED FUEL INJECTED V8 WITH A MIN. 4.6 LITERS

FRONT AND REAR CHROME BUMPERS WITH REAR STEP

FRONT LICENSE PLATE BRACKET

FRONT AND REAR POWER DISC BRAKES WITH FRONT AND REAR ANTI-LOCK

STANDARD GAUGES, WHICH SHALL INCLUDE OIL PRESSURE, VOLTMETER, COOLANT TEMPERATURE, FUEL LEVEL, AND SPEEDOMETER WITH TRIP.

DRIVER AND PASSENGER SIDE SUN VISORS

RESTRAINT SYSTEM, DUAL AIR BAGS

~ RANCH HAND STYLE FRONT BUMPER GUARD

PICKUPS FOR WMSN CNTY FLEET SERVICES  
PAGE 2 of 11

VENDOR

*Phil Port Molder*

**SPECIFICATIONS FOR TWO (2) NEW AND LATEST MODEL  
HALF (½) TON EXTENDED CAB PICKUPS - CONTINUED**

ALL GLASS SHALL BE SOLAR TINTED

STANDARD FACTORY WARRANTY SHALL APPLY: 3-YEAR/36,000-MILE BUMPER-TO-BUMPER AND  
EXTENDED CORROSION PROTECTION.

**TRADE-INS:**

UNIT # 658: 1997 DODGE 1500 XCAB SHORT BED, VIN # 3B7HC13YXVG809459, 5.2L  
V8 GAS ENGINE, AUTOMATIC WITH OVERDRIVE, P245/75R16 TIRES, REAR AXLE  
3.5:1, SOLID COLOR - WHITE, APPROXIMATE MILES - 145,000.

UNIT # 659: 1997 DODGE 1500 XCAB SHORT BED, VIN # 3B7HC13Y6VG809460, 5.2L  
V8 GAS ENGINE, AUTOMATIC WITH OVERDRIVE, P245/75R16 TIRES, REAR AXLE  
3.5:1, SOLID COLOR - WHITE, APPROXIMATE MILES - 148,000.

**SPECIFICATIONS FOR TWO (2) NEW AND LATEST MODEL  
HEAVY DUTY THREE-QUARTER (¾) TON WORK PICKUPS**

2WD MODEL AUTOMATIC 4 - SPEED TRANSMISSION

PAYLOAD PACKAGE 3600 LB MINIMUM WITH 8600 LB GVWR MINIMUM

AIR CONDITIONING PACKAGE

WORK SERIES VINYL BENCH SEAT

VINYL DOOR TRIM PANELS

PAINT - WHITE WITH BASE COAT-CLEAR COAT

FUEL TANK CAPACITY - 34 GALLON MINIMUM

DUAL FOLD BACK REAR VIEW MIRRORS

AM/FM STEREO RADIO WITH CLOCK

TIRES - ALL SEASON 16" BSW RADIALS RATED FOR GVWR PACKAGE

SPARE MATCHING TIRE ON 16" WHEEL

HEAVY DUTY TRAILER TOWING PACKAGE WITH TRAILERING HARNESS

CLASS V RECEIVER HITCH

INTERMITTENT WINDSHIELD WIPERS WITH WASHERS

ENGINE - UNLEADED FUEL INJECTED V8 WITH A MINIMUM OF 260 HP AND 350 LB/FT TORQUE

HEAVY DUTY FRONT & REAR STEP BUMPER WITH LICENSE PLATE BRACKETS

✓ GRILL GUARD (EXAMPLE: RANCH HAND) AND FRONT TOW HOOKS

FRONT AND REAR POWER DISC BRAKES WITH ANTI-LOCK BRAKE SYSTEM

STANDARD GAUGES - WHICH SHALL INCLUDE OIL PRESSURE, VOLTMETER, TEMPERATURE, FUEL AND SPEEDOMETER

DRIVER AND PASSENGER SIDE AIR BAGS

FACTORY INSTALLED SOLAR TINTED GLASS

CUP HOLDERS

FULL VINYL FLOOR COVERING

POWER STEERING

DRIVERS SIDE AND PASSENGER SIDE SUNVISORS

DUAL ELECTRIC HORNS

FULL SIZE 8 FOOT PICK UP BOX

PICKUPS FOR WMSN CNTY FLEET SERVICES  
PAGE 4 of 11

VENDOR

*Phil Pott Motors*

**SPECIFICATIONS FOR TWO (2) NEW AND LATEST MODEL  
HEAVY DUTY THREE-QUARTER (¾) TON WORK PICKUPS - CONTINUED**

LIMITED SLIP REAR DIFFERENTIAL WITH 3.73 AXLE RATIO

STANDARD FACTORY WARRANTY SHALL APPLY - 3-YEAR /36,000- MILE BUMPER-TO-BUMPER WITH EXTENDED COVERAGE ON SHEET METAL CORROSION OR RUST THROUGH

**TRADE-INS:**

UNIT # 648: 1996 FORD F150 XLT REGULAR CAB, VIN # 2FTEF15N6TCA50753, 5.0L V8, AUTOMATIC WITH OVERDRIVE, P235/75R15 TIRES, 8' FLEET SIDE BED, SOLID COLOR - WHITE BASE COAT CLEAR COAT, APPROXIMATE MILES - 172,000.

UNIT # 649: 1996 FORD F150 XLT REGULAR CAB, VIN # 2FTEF15N1TLB34324, 5.0L V8, AUTOMATIC WITH OVERDRIVE, P235/75R15 TIRES, 8' FLEET SIDE BED, SOLID COLOR - WHITE BASE COAT CLEAR COAT, APPROXIMATE MILES - 172,000.

**2003 Ford F-250 4x2 SD Regular Cab 137" WB HD XL (F20)**  
Engine: 5.4L EFI V8  
Transmission: HD 6-Speed Manual w/OD (Gas)  
EXTERIOR Oxford White Clearcoat  
INTERIOR Medium Flint

**Ford**  
**TRUCKS**

**Standard Equipment**

Items Featured Below are Included at NO EXTRA CHARGE in the Standard Vehicle Price Shown at Right

- Triton 5.4L V-8 SOHC w/SMPI 260hp
- 6 speed manual trans w/OD
- 4-wheel ABS,
- LT235/85R16.0 BSW AS tires
- Firm suspension
- Tinted glass
- AM/FM stereo
- Variable intermittent wipers
- Wheels, hub wheel covers 16" x 7" wheel:
- Dual airbags w/passenger cancel
- Tachometer
- Front bench seats
- Vinyl seats
- 38.0gal. fuel tank
- 750 Amp single battery
- 130 Amp alternator
- 8,800lbs. GVWR
- 3,800lbs. front GAWR
- 6,084lbs. rear GAWR
- 4,850lbs. front axle capacity
- 6,830lbs. rear axle capacity
- 3,500lbs. front spring rating
- 6,830lbs. rear spring rating
- 5,60cu.in. frame section modulus
- 36,000 frame yield strength (psi)
- 137.0" wheelbase
- 56.2" cab to axle
- 226.6" overall length
- Left mounted muffler, left mounted tailpipe


**STANDARD VEHICLE PRICE \$21,275.00**

**OPTIONAL EQUIPMENT**

- Order Code 600A N/C
- Engine: 5.4L EFI V8 Included
- Transmission: Electronic 4-Speed Auto 1,095.00
- Limited Slip w/3.73 Axle Ratio 300.00
- GVWR: 8,800 lb Payload Package (#1) Included
- Tires: LT235/85R16E BSW AS Included
- Wheels: Argent Painted Steel (5) Included
- HD Vinyl Full Bench Seat Included
- 137" Wheelbase N/C
- Air Conditioning 805.00
- Monotone Paint N/C
- Built Ford Tough Trailer Hitch Receiver 175.00
- Radio: ETR AM/FM Stereo w/Clock Included

*Pickup*

CITY MPG  
N/A



HWY MPG  
N/A

Other Accessories and Incentives 0.00

Sub Total \$23,650.00

Destination Charge 740.00

Air Excise Tax

**TOTAL PRICE \$24,390.00**

**SPECIFICATIONS FOR ONE (1) NEW 1-TON DRW CAB CHASSIS  
WITH HYDRAULIC DUMPING FLAT BED**

MINIMUM GVWR 11,400 LBS. WITH 137" WB AND USABLE 60" CA

REGULAR CAB CHASSIS, TWO WHEEL DRIVE WITH DUAL REAR WHEELS AND CARPET DELETE.

HEAVY-DUTY HANDLING/TRAILERING SUSPENSION PACKAGE.

GASOLINE V-8 ENGINE WITH MIN. 260 HP.

MINIMUM FUEL TANK CAPACITY OF 34 GALLONS.

HEAVY-DUTY AUTOMATIC TRANSMISSION WITH OVERDRIVE

HEAVY DUTY LOCKING REAR DIFFERENTIAL WITH STANDARD AXLE RATIO.

LT 16" ON/OFF ROAD BLACKWALL TIRES WITH FULL SIZE SPARE TIRE AND WHEEL

STANDARD VINYL FRONT SEAT FOR THREE PASSENGER SEATING.

PAINT SHALL BE SOLID COLOR, WHITE IN BASE COAT CLEAR COAT FINISH.

FACTORY INSTALLED SOLAR-RAY LIGHT TINTED GLASS ON ALL WINDOWS

FACTORY INSTALLED AIR CONDITIONING.

DUAL WIPERS, WASHERS WITH INTERMITTENT CONTROL

AM/FM STEREO RADIO DIGITAL CLOCK WITH 2 OR 4 SPEAKERS.

INSTRUMENTATION: SPEEDOMETER, ODOMETER WITH TRIP ODOMETER, FUEL LEVEL,  
VOLTMETER, ENGINE TEMPERATURE AND OIL PRESSURE.

INSIDE REARVIEW MIRROR, MANUAL DAY/NIGHT.

DRIVERS SIDE AND PASSENGER SIDE SUN VISORS.

DUAL OUTSIDE CAMPER STYLE FOLD BACK REAR VIEW MIRRORS.

TWO FRONT FRAME MOUNTED RECOVERY HOOKS.

DEALER MOUNTED HYDRAULIC DUMPING FLAT BED 10'X 96" (OR LESS TO MATCH TRUCK WIDTH)

DECK SHALL BE 3/16" SMOOTH STEEL.

TAPER HEADACHE RACK TO MATCH CAB PROFILE, WITH EXPANDED METAL TO GUARD REAR  
GLASS.

6" SIDE BOARDS, 6" RUNSILLS FOR DUMP HOIST SUPPORT.

OMAHA STANDARD ELECTRIC OVER HYDRAULIC HOISTING SYSTEM OR APPROVED EQUAL.

FLAT BED TO BE CLEANED PRIMED AND PAINTED BLACK.

**SPECIFICATIONS FOR ONE (1) NEW 1-TON DRW CAB CHASSIS  
WITH HYDRAULIC DUMPING FLAT BED - CONTINUED**

BED LIGHTING SHALL MEET APPLICABLE FMVSS # 108 AND SHALL INCLUDE TWO AMBER FRONT RECESSED COMBINATION REFLECTOR AND CLEARANCE LIGHTS, TWO AMBER RECESSED COMBINATION REFLECTOR AND SIDE MARKER LIGHTS. REAR OF BED SHALL INCLUDE TWO RED RECESSED COMBINATION REFLECTOR AND CLEARANCE LIGHTS, TWO RED RECESSED COMBINATIONS REFLECTOR AND SIDE MARKER LIGHTS AND THREE RED RECESSED REAR IDENTIFICATIONS LIGHTS.

WARRANTY: 3-YEAR/36,000-MILES BUMPER TO BUMPER.

**TRADE-IN:**

UNIT # 635: 1992 FORD F350 CAB CHASSIS WITH CRYSTEEL MFG 11' DUMPING FLAT BED 5.8LITER GAS ENGINE, VIN # 1FDDKF37H1NNA45409, WHITE CAB/BLACK BED, AIR CONDITIONING, AUTOMATIC TRANS, 215/85R16 TIRES, APPROXIMATE MILES - 130,000.

*Phil Pitt Motors*



**2003 Ford F-350 Chassis 4x2 SD Regular Cab 141" WB DRW HD XL (F36) / 60" Cab to Axle**  
Engine: 6.8L EFI V10  
Transmission: HD 6-Speed Manual w/OD (Gas)

EXTERIOR Oxford White Clearcoat  
INTERIOR Medium Flint

**Ford**  
**TRUCKS**

**Standard Equipment**

Items Featured Below are included at NO EXTRA CHARGE in the Standard Vehicle Price Shown at Right

- Triton 6.8L V-10 SOHC w/SMPi 310hp
- 6 speed manual trans w/OD
- 4-wheel ABS,
- LT235/85R16.0 BSW AS tires
- Firm suspension
- Tinted glass
- AM/FM stereo
- Variable intermittent wipers
- Wheels, 16" x 6" wheels,
- Dual airbags w/passenger cancel
- Tachometer
- Front bench seats
- Vinyl seats
- 40.0gal. fuel tank
- 750 Amp single battery
- 130 Amp alternator
- 11,200lbs. GVWR
- 3,650lbs. front GAWR
- 9,750lbs. rear GAWR
- 4,850lbs. front axle capacity
- 11,000lbs. rear axle capacity
- 3,650lbs. front spring rating
- 9,750lbs. rear spring rating
- 8,70cu.in. frame section modulus
- 36,000 frame yield strength (psi)
- 141.0" wheelbase
- 60.0" cab to axle
- 47.5" axle to end of frame
- 225.7" overall length
- Left mounted muffler, left mounted tailpipe

**STANDARD VEHICLE PRICE**

**\$22,765.00**

**OPTIONAL EQUIPMENT**

- Order Code 640A
- Engine: 5.4L EFI V8 (350.00)
- Transmission: Electronic 4-Speed Auto
- Limited Slip w/4.10 Axle Ratio 1,095.00
- GVWR: 11,200 lb Payload Package (#1) 300.00
- Tires: LT235/85R16E BSW AS Included
- Tires: LT235/85R16E BSW AT Included
- Wheels: Steel (6) 125.00
- Spare Tire & Wheel AT Included
- HD Vinyl Full Bench 295.00
- Monotone Paint Application Included
- 141" Wheelbase/60" Cab to Axle N/C
- Heavy Service Suspension Package 125.00
- Trailer Towing Package 155.00
- Air Conditioning 805.00
- Ambulance Prep Package Not Required N/C
- Radio: ETR AM/FM Stereo w/Clock Included
- Priced DORA N/C

*Dump Body*  
*K967*  
*Garage Truck Body*

CITY MPG  
N/A



HWY MPG  
N/A

Other Accessories and Incentives	0.00
<b>Sub Total</b>	<b>\$25,315.00</b>
Destination Charge	740.00
Air Excise Tax	
<b>TOTAL PRICE</b>	<b>\$26,055.00</b>

**SPECIFICATIONS FOR TWO (2) NEW AND CURRENT MODEL  
1 TON TRUCKS WITH UTILITY BEDS**

REGULAR CAB, BED DELETE, 137" WB WITH 56" CA, TWO-WHEEL DRIVE WITH DUAL REAR WHEELS.

DIESEL ENGINE 300 HP MINIMUM, WITH 520 LB FT OF TORQUE MINIMUM WITH CLEAN FUEL FLEET LEV EMISSION CERTIFICATION.

FIVE SPEED AUTOMATIC TRANSMISSION, POWER STEERING AND POWER BRAKES.

MINIMUM GVWR OF 11,400 LBS.

HEAVY-DUTY SUSPENSION PACKAGE, HANDLING/TRAILERING.

SIX - 16" TIRES AND WHEELS WITH ALL SEASON RADIAL TIRES

ONE FULL SIZE SPARE TIRE AND WHEEL.

HEAVY-DUTY, LOCKING REAR DIFFERENTIAL WITH STANDARD GEAR RATIO FOR DIESEL.

FUEL TANK CAPACITY OF 34 GALLONS MINIMUM.

THREE PASSENGER VINYL FRONT SEAT.

VINYL FLOOR COVERING.

COLOR, SOLID WHITE BASE COAT/CLEAR COAT FINISH.

FACTORY INSTALLED AIR CONDITIONING.

FACTORY INSTALLED SOLAR-RAY LIGHT TINTED GLASS ON ALL WINDOWS

DUAL WIPERS WASHERS WITH INTERMITTENT CONTROL.

AM/FM STEREO RADIO, DIGITAL CLOCK WITH TWO OR MORE SPEAKERS.

DUAL, CAMPER STYLE, OUTSIDE FOLD BACK REAR VIEW MIRRORS.

INSIDE REARVIEW MIRROR, MANUAL DAY/NIGHT.

TWO FRONT FRAME MOUNTED RECOVERY HOOKS.

INSTRUMENTATION: SPEEDOMETER, ODOMETER WITH TRIP ODOMETER, FUEL LEVEL, VOLTMETER, ENGINE TEMPERATURE, OIL PRESSURE AND TACHOMETER.

DRIVER SIDE AND PASSENGER SIDE SUN VISORS

ELECTRIC HORN.

TRAILERING WIRING HARNESS AND PLUG.

**SPECIFICATIONS FOR TWO (2) NEW AND CURRENT MODEL  
1 TON TRUCKS WITH UTILITY BEDS - CONTINUED**

**UTILITY TYPE SERVICE BODY:**

A SERVICE BODY SHALL BE SUPPLIED AND INSTALLED ON THIS VEHICLE. THE PAINT ON THE BODY SHALL MATCH THE PAINT ON THE TRUCK CAB. ALL CUSTOMARY LIGHTS AND REFLECTORS SHALL BE INSTALLED. THE CHOICE OF SERVICE BODY IS A KNAPHEIDE 96" SERIES BODY FOR 56" CA MODEL 696D54LPJ OR APPROVED EQUAL.

**WARRANTY:** STANDARD FACTORY WARRANTY SHALL APPLY, PLEASE STATE THIS UNIT'S WARRANTY COVERAGE.

**TRADE-INS:**

UNIT # 620: 1997 GMC 3500 DIESEL, 10,000 GVWR, VIN # 1GDHC34F7VF044894, 6.5L TURBO DIESEL 195 HP 4-SPEED AUTOMATIC, LT225/75R16 LRD, AIR CONDITIONING, MODEL 96VVDL-54 STAHL CHALLENGER UTILITY BED, APPROXIMATE MILES - 220,000.

UNIT # 621: 1997 GMC 3500 DIESEL, 10,000 GVWR, VIN # 1GDHC34F2VF046133, 6.5L TURBO DIESEL 195 HP 4-SPEED AUTOMATIC, LT225/75R16 LRD, AIR CONDITIONING, MODEL 96VVDL-54 STAHL CHALLENGER UTILITY BED, APPROXIMATE MILES - 238,000.

*PhzPatt Motors*

**2003 Ford F-360 4x2 SD Regular Cab 137" WB DRW HD XL (F32)**  
Engine: 5.4L EFI V8  
Transmission: HD 6-Speed Manual w/OD (Gas)  
EXTERIOR Oxford White Clearcoat  
INTERIOR Medium Flint

**Ford**  
**TRUCKS**

**Standard Equipment**

Items Featured Below are Included at NO EXTRA CHARGE in the Standard Vehicle Price Shown at Right

- Triton 5.4L V-8 SOHC w/SMP1 260hp
- 6 speed manual trans w/OD
- 4-wheel ABS,
- LT235/85R16.0 BSW AS tires
- Firm suspension
- Tinted glass
- AM/FM stereo
- Variable intermittent wipers
- Wheels, 16" x 6" wheels,
- Dual airbags w/passenger cancel
- Tachometer
- Front bench seats
- Vinyl seats
- 38.0gal. fuel tank
- 750 Amp single battery
- 130 Amp alternator
- 11,200lbs. GVWR
- 3,950lbs. front GAWR
- 8,250lbs. rear GAWR
- 4,850lbs. front axle capacity
- 8,250lbs. rear axle capacity
- 3,500lbs. front spring rating
- 8,250lbs. rear spring rating
- 5,60cu.in. frame section modulus
- 36,000 frame yield strength (psi)
- 137.0" wheelbase
- 56.2" cab to axle
- 226.6" overall length
- Left mounted muffler, left mounted tailpipe

**STANDARD VEHICLE PRICE \$22,750.00**

**OPTIONAL EQUIPMENT**

- Order Code 620A N/C
- Clean Fuel Fleet LEV Option N/C
- Engine: 6.0L DI Power Stroke V8 5,085.00
- Transmission: Electronic 5-Speed Auto 1,480.00
- Limited Slip w/4.10 Axle Ratio 300.00
- GVWR: 11,500 lb Payload Package (#1) Included
- Tires: LT235/85R16E BSW AS Included
- Wheels: Argent Painted Steel (7) Included
- Tire: All Season Spare w/Pickup Box 295.00
- HD Vinyl Full Bench Seat Included
- 137" Wheelbase N/C
- Heavy Service Suspension Package 125.00
- Air Conditioning 805.00
- Monotone Paint Application N/C
- Radio: ETR AM/FM Stereo w/Clock Included
- Engine Block Heater (LPO) Included
- Pickup Box Delete (LPO) (665.00)
- Priced DORA N/C

*Service Body*  
*KnappH&P*

**CITY MPG**  
**N/A**



**HWY MPG**  
**N/A**

Other Accessories and Incentives	0.00
<b>Sub Total</b>	<b>\$30,175.00</b>
Destination Charge	740.00
Air Excise Tax	
<b>TOTAL PRICE</b>	<b>\$30,915.00</b>

**ONE OR MORE PICKUPS FOR WILLIAMSON COUNTY  
FLEET SERVICES**

**BID SHEETS**

**½ TON EXTENDED CAB PICKUP:**

IS THE PICKUP BID A LOW EMISSION VEHICLE: YES ☒ NO ☐

PRICE OF ONE PICKUP \$16,063.00

Price of one pickup 16,063.00 times 2 equals \$32,126.00

**AMOUNT ALLOWED FOR TRADE-INS:**

UNIT # 658 -2600.00

UNIT # 659 -2600.00

TOTAL TRADE-IN AMOUNT -5200.00

NET PRICE OF TWO (2) PICKUPS \$26,926.00

ESTIMATED DELIVERY DATE 75-100 DAYS ARO

*FORD F150*

**HEAVY DUTY ¾ TON WORK PICKUPS:**

IS THE PICKUP BID A LOW EMISSION VEHICLE: YES ☒ NO ☐

PRICE OF ONE PICKUP \$16,160.00

Price of one pickup 16,160.00 times 2 equals \$32,320.00

**AMOUNT ALLOWED FOR TRADE-INS:**

UNIT # 648 -2100.00

UNIT # 649 -2100.00

TOTAL TRADE-IN AMOUNT -4200.00

NET PRICE OF TWO (2) PICKUPS \$28,120.00

ESTIMATED DELIVERY DATE 75-100 DAYS ARO

*FORD F250*

*PHILPOTT MOTORS*

## ONE (1) TON DRW CAB CHASSIS WITH HYDRAULIC DUMPING FLAT BED:

IS THE TRUCK BID A LOW EMISSION VEHICLE: YES ☒ NO ☐PRICE OF ONE TRUCK \$21,725.00

AMOUNT ALLOWED FOR TRADE-IN:

UNIT # 635 -4000.00FORD F350  
RUGBYTOTAL TRADE-IN AMOUNT -4,000.00NET PRICE OF ONE (1) TRUCK \$17,725.00ESTIMATED DELIVERY DATE 100-150 DAYS ARO

## ONE (1) TON TRUCK WITH UTILITY BED:

IS THE TRUCK BID A LOW EMISSION VEHICLE: YES ☒ NO ☐PRICE OF ONE TRUCK \$25,633.00Price of one truck 25,633.00 times 2 equals \$51,266.00

AMOUNT ALLOWED FOR TRADE-INS:

UNIT # 620 -2500.00FORD F350  
KnapheideUNIT # 621 -2500.00TOTAL TRADE-IN AMOUNT -5,000.00NET PRICE OF TWO TRUCKS \$46,266.00ESTIMATED DELIVERY DATE 120-180 DAYS ARODelete \$500.00 For Rawson-Koenig

10/16/02

2003 F-150

REGULAR CAB / SUPERCAB / SUPERCREW

**MAJOR STANDARD EQUIPMENT**

	XL	XLT	LARIAT
<b>EXTERIOR</b>			
<b>BUMPER, FRONT</b> — Chrome	•	•	•
<b>BUMPER, REAR STEP</b> — Chrome	•	•	•
<b>CARGO LIGHT</b> — Integrated with high mount stop light	•	•	•
<b>DOORS</b> — Four (SuperCab only)	•	•	•
Four full size (SuperCrew only)		•	•
<b>FOG LAMPS</b> — 4x4 only		•	•
<b>GRILLE/HEADLAMP SURROUNDS</b>			
Chrome (all XL and 4x2 XLT)	•	•	
Body colored (4x4 XLT and all Lariat)		•	•
<b>GRILLE INSERT</b>			
Grey "Egg Crate" (all XL and 4x2 XLT)	•	•	
Grey "Mesh" (4x4 XLT and all Lariat)		•	•
<b>HANDLE, TAILGATE</b> — Black	•	•	•
<b>HANDLES, DOOR</b> — Black	•		
Body colored		•	•
<b>KEYLESS ENTRY, REMOTE</b> — With 2 key fobs and illuminated entry		•	•
Driver side keypad entry			•
<b>MIRRORS</b> — Black, manual	•		
Black, power (4x2 only)		•	
Body colored, power (4x4 only)		•	
Body colored, power and signal			•
<b>MOLDINGS</b> — Body colored door (N/A on flareside)		•	•
Wheel lip, Black (4x4 only)	•		
Wheel lip, Body colored (4x4 XLT and all Lariat)		•	•
<b>PICKUP BOX</b> — Tie down hooks	•	•	•
Box rail/tailgate moldings	•	•	•
<b>SPARE TIRE LOCK</b>	•	•	•
<b>TAILGATE</b> — Removable	•	•	•
With key lock		•	•
<b>TAPE STRIPE</b>			•
<b>TIRES</b> — P235/70Rx16SL BSW all-season (Regular Cab and SuperCab)	•	•	
P255/70Rx16SL BSW all-season (4x2 SuperCrew)		•	
P275/60R17 OWL all-season (4x2)			•
P265/70R17 OWL all-terrain (4x4)			•
<b>TOW HOOKS, FRONT</b> — 4x4 only		•	•
<b>TRAILER TOW WIRING</b> — 4-Pin	•	•	•
<b>UNDER HOOD LIGHT</b>	•	•	•
<b>WHEELS</b> — 16" Grey styled steel wheels (4) with chrome hub	•		
16" Polished aluminum wheels (4) with chrome hub		•	
17" Chromed steel wheels (4) with chrome hub			•
<b>WINDOWS, REAR/DOOR</b> — Flip-out rear door glass (SuperCab only)		•	•
Privacy glass		•	•
Rear window defroster/defogger (fixed glass and SuperCrew only)			•
<b>INTERIOR</b>			
<b>AIR BAGS</b> — Driver and passenger	•	•	•
Passenger bag deactivation switch (for child seat)	•	•	•
<b>AIR CONDITIONING</b>	•	•	•
Electronic Air and Temperature Control (EATC)			•
<b>AUTOLAMP</b> — Automatic on/off headlamps			•
<b>BACK PANEL COVER</b> (Regular Cab only)	•	•	
<b>CHILD SEAT TETHERS</b> — One with captain's chair and SuperCab with 40/60 bench. Two with bench front seating positions (non-SIR seats). Three rear tethers with SuperCab and SuperCrew	•	•	•
<b>LATCH</b> — (Lower Anchors and Tethers for Children)	•	•	•

**LEGEND:** ★ = New for this model year.

10/16/02

2003 F-150

REGULAR CAB / SUPERCAB / SUPERCREW

**MAJOR STANDARD EQUIPMENT**

	XL	XLT	LARIAT
<b>INTERIOR (Continued)</b>			
<b>CONSOLE, OVERHEAD</b> — Includes compass, outside air temperature indicator (XLT only), storage for sunglasses and garage door opener (replaced by mini console when moonroof is ordered)		•	•
<b>CUPHOLDERS/ASH CUP</b> — Dual I/P cupholders with removable ash cup	•	•	•
<b>DOVE LIGHT</b> — With dual map lights (and rear reading lamps with SuperCrew)	•	•	•
<b>DOOR TRIM</b> — Vinyl upper with integral armrest and door pull handle	•	•	•
Map pockets (front and rear with SuperCrew)	•	•	•
<b>FLOOR COVERING</b> — Black vinyl	•		
Color coordinated carpet and carpeted floor mats (unique on Lariat)		•	•
<b>GRAB HANDLES</b> — Front, A-pillar, driver and passenger sides (and rear roof mounted on SuperCrew)	•	•	•
<b>INSTRUMENTATION</b> — Voltmeter, oil pressure gauge, engine coolant temperature gauge, speedometer, fuel gauge	•	•	•
Tachometer		•	•
<b>MIRROR</b> — Rear view, day/night flip	•	•	
Electrochromic rear view			•
<b>PEDALS, POWER ADJUSTABLE</b> — Accelerator and brake (std. on SuperCrew XLT)		•	•
<b>POWER DRIVER SEAT</b>			•
<b>POWER POINT, AUXILIARY</b> — One on Regular Cab and SuperCab, two on SuperCrew	•	•	•
<b>POWER WINDOWS/LOCKS</b> — With delayed accessory power and one-touch down on driver side		•	•
<b>RADIO</b> — AM/FM stereo cassette and 4-speakers	•		
AM/FM premium CD with clock		•	
Dual media radio (single cassette and single CD)			•
<b>SAFETY BELTS</b> — Shoulder belt height adjusters for outboard seating positions	•	•	•
<b>SEATS, FRONT</b> — Cloth bench	•		
Cloth 40/60 split bench with recliners, armrest/storage and manual lumbar support (driver and passenger sides)		•	
- Includes Seat Integrated Restraints on SuperCab			
Leather seating surfaces: 40/60 split bench with recliners, armrest/storage manual lumbar support (driver and passenger) and power driver's seat			•
- Includes Seat Integrated Restraints on SuperCab			
<b>SEAT, REAR SPLIT BENCH</b> — Flip-up (SuperCab), fold down with head restraints (SuperCrew)	•	•	• <sup>1</sup>
<b>SPEED CONTROL/TILT STEERING</b>		•	•
<b>STEERING WHEEL</b> — Black, polyurethane	•		
Color-coordinated, leather wrapped tilt wheel		•	•
<b>SUNVISORS</b> — Cloth with LH strap and RH mirror	•		
Cloth with LH and RH covered mirrors		•	
Cloth with LH and RH lighted covered mirrors			•
HomeLink® and TravelNote®			•
<b>WIPERS</b> — Interval	•		
Speed dependent interval		•	•

<sup>1</sup> Lariat rear seat is vinyl on SuperCab or leather seating surfaces on SuperCrew.

**LEGEND:** ★ = New for this model year.



10/16/02

2003 F-150

REGULAR CAB / SUPERCAB / SUPERCREW

**MAJOR STANDARD EQUIPMENT**

	4x2			4x4		
FUNCTIONAL	Regular Cab	SuperCab	SuperCrew	Regular Cab	SuperCab	SuperCrew
<b>ALTERNATOR</b>	130-Amp	130-Amp	130-Amp	130-Amp	130-Amp	130-Amp
<b>AXLE, FRONT</b> — Twin forged SLA	3450#	3450#	3450#	3900#	3900#	3900#
<b>AXLE, REAR</b>	3800#	3800#	3800#	3800#	3800#	3800#
<b>BATTERY</b> — Maintenance free	58-AH (540 C.C.A.)	58-AH (540 C.C.A.)	58-AH (540 C.C.A.)	58-AH (540 C.C.A.)	58-AH (540 C.C.A.)	58-AH (540 C.C.A.)
Battery saver	Incl.	Incl.	Incl.	Incl.	Incl.	Incl.
<b>BRAKES</b>	Power/ front disc/rear disc 4-wheel ABS	Power/ front disc/rear disc 4 -wheel ABS	Power/ front disc/rear disc 4 - Wheel ABS	Power/ front disc/rear disc 4 -Wheel ABS	Power/ front disc/rear disc 4 -wheel ABS	Power/ front disc/rear disc 4-Wheel ABS
<b>ENGINE</b> — XL, XLT	4.2L EFI V6	4.2L EFI V6	4.6L EFI V8	4.2L EFI V6	4.6L EFI V8	4.6L EFI V8
Lariat	NA	4.6L EFI V8	4.6L EFI V8	NA	4.6L EFI V8	4.6L EFI V8
<b>FUEL TANK</b> — 6½'-box (5 ½' SuperCrew)	25.0 gal	25.0 gal	25.0 gal	24.5 gal	25.0 gal	25.0 gal
8 foot box	30.0 gal	30.0 gal	NA	30.0 gal	30.0 gal	NA
<b>4x4 SYSTEM</b>				Center discnct shift-on-the-fly	Center discnct shift-on-the-fly	Electronic shift- on-the-fly
<b>SECURILOCK™</b> — Anti-theft ignition	Incl.	Incl.	Incl.	Incl.	Incl.	Incl.
<b>SHOCK, ABSORBER S</b>	Gas	Gas	Gas	Gas	Gas	Gas
<b>SPRINGS, FRONT</b>	2850# Coil	2650# Coil	2650# Coil	3200# Torsion bar	3400# Torsion bar	3400# Torsion bar
<b>SPRINGS, REAR</b>	2900# Leaf	3200# Leaf	3600# Leaf	3550# Leaf	3550# Leaf	3660# Leaf
<b>STEERING</b>	Power	Power	Power	Power	Power	Power
<b>TIRES</b> — XL/XLT	P235/70Rx16S L BSW all- season <sup>2</sup>	P235/70Rx16S L BSW all- season	P255/70Rx16S L BSW all- season	P235/70Rx16S L BSW all- season <sup>2</sup>	P235/70Rx16S L BSW all- season	P255/70Rx16S L OWL all- season
Lariat	NA	P275/70Rx17 OWL all- season	P275/60Rx17S L OWL all- season	NA	P265/70Rx17 OWL all-terrain	P265/70Rx17S L OWL all- terrain
<b>TIRES, SPARE</b> — Full service (steel wheel) <sup>3</sup>	Incl.	Incl.	Incl.	Incl.	Incl.	Incl.
<b>TRANSFER CASE</b>				2-Speed	2-Speed	2-Speed
<b>TRANSMISSION</b> — XL, XLT	5-Spd man O/D	5-Spd man O/D	4-Spd auto O/D	5-Spd man O/D	5-Spd man O/D	4-Spd-auto O/D
Lariat	NA	4-Spd auto O/D	4-Spd auto O/D	NA	4-Spd auto O/D	4-Spd auto O/D
<b>WHEELS</b> — Five	7.0J 5-Stud	7.0J 5-Stud	7.0J 5-Stud	7.0J 5-Stud	7.0J 5-Stud	7.0J 5-Stud

<sup>2</sup> N/A on 4.2L 120" wheelbase 4x2 or 4x4 Regular Cab<sup>3</sup> Some OWL road tires have BSW spare.**LEGEND:** ★ = New for this model year.

10/16/02		2003 F-150			
		REGULAR CAB / SUPERCAB / SUPERCREW			
		SERIES/OPTIONS			
ORDER CODE		XL	XLT	Lariat	
		502A	507A	508A	
BODY CODE	Regular Cab 4x2 Styleside	F17	F17	—	
	Regular Cab 4x2 Flareside	F07	F07	—	
	Regular Cab 4x4 Styleside	F18	F18	—	
	Regular Cab 4x4 Flareside	F08	F08	—	
	SuperCab 4x2 Styleside	X17	X17	X17	
	SuperCab 4x2 Flareside	X07	X07	X07	
	SuperCab 4x4 Styleside	X18	X18	X18	
	SuperCab 4x4 Flareside	X08	X08	X08	
	SuperCrew 4x2 Styleside	—	W07	W07	
	SuperCrew 4x4 Styleside	—	W08	W08	
WHEELBASE	120"	X	X	—	6 1/2' Box (Reg Cab Only)
	139"	X	X	X	8' Box w/Reg. Cab, 6 1/2' Box w/SuperCab or 5 1/2' Box w/SuperCrew (NA w/Reg Cab Flareside)
	157"	X	X	X	8' Box (SuperCab Styleside Only)
	CODE				
MAJOR STANDARD EQUIPMENT					
MAJOR STANDARD EQUIPMENT					
AM/FM Stereo/Clock/Cassette.....		S			Incl. 4-speakers.
Mirrors, Outside, Manual Black Cap.....		S			
Wheels, Styled Steel - 16" (Four).....		S			Incl. chrome hub, except w/772 Work Truck Group.
4.2L EFI V6 5-Spd. Manual O/D.....		S	S		ULEV compliant. NA w/SuperCab 4x4, SuperCab 4x2 w/157" wheelbase or SuperCrew.
4.6L EFI V8 5-Spd. Manual O/D.....		S	S		Std. on SuperCab 4x4 & req. on SuperCab 4x2 w/157" wheelbase. NA w/SuperCrew.
4.6L EFI V8/Electronic 4-spd. Auto O/D.....			S	S	Std. on SuperCab Lariat (99W) & SuperCrew XLT & Lariat (996).
Fail-Safe Cooling.....		S	S	S	
Air Conditioning.....		S	S	S	
4-Wheel ABS / 4-Wheel Disc Brakes.....		S	S	S	
Bumper, Chrome Rear Step.....		S	S	S	
Cargo Light.....		S	S	S	Integrated w/high mount stoplight.
Child Seat Tethers rear seat (SuperCab & SuperCrew).....		S	S	S	Integrated into vehicle. Three in SuperCrew and SuperCab w/rear bench seat.
LATCH (Lower Anchors and Tethers for Children).....		S	S	S	
Rear Seat, SuperCab, & SuperCrew, 40/60 Split Bench.....		S	S	S	Flip-up SuperCab. Fold-down SuperCrew. Seat trim matches front seat. Vinyl seat in Lariat SuperCab. Leather seating surfaces in Lariat SuperCrew.
SecuriLock™.....		S	S	S	Anti-theft ignition.
Spare Tire, Wheel & Underframe Crank Carrier.....		S	S	S	Steel spare wheel. Includes spare tire lock.
Mirrors, Outside, Power, Black.....			S		4x2 only.
Mirrors, Outside, Power, Body colored.....			S		4x4 only.
Wheels, Polished Aluminum 16" (Four).....			S		
AM/FM Premium Single CD w/Clock.....			S	S	Incl. prem. sound and 4 speakers.
Floor mats, Carpeted, Color-coordinated.....			S	S	Incl. front and rear mats on SuperCab and SuperCrew. NA w/16G Carpet Delete.
Fog Lamps.....			S	S	4x4.
Pedals, Adjustable, Power.....			S	S	Brake and accelerator. Std. on XLT and Lariat SuperCrew. NA w/manual transmission
Power Windows/Locks.....			S	S	Incl. delayed accessory power/one-touch driver side down.
Remote Keyless Entry.....			S	S	Incl. 2 key fobs, illuminated entry.
Speed Control/Tilt Steering Wheel.....			S	S	Incl. w/XL Convenience Group (60B).
Tailgate Lock.....			S	S	Incl. w/XL Convenience Group (60B).
Tow Hooks.....			S	S	4x4 only. Incl. 2 cast iron front tow hooks.
Windows, Rear Privacy Glass.....			S	S	Manual flip open rear quarter SuperCab. Power roll down SuperCrew.
Mirrors, Outside Power/Signal. Body Colored.....				S	Power/Signal mirror w/control switch.
Driver Side Keypad Entry.....				S	
Electronic Air and Temp. Control (EATC).....				S	
Dual Media Radio.....				S	Single cassette w/single CD. Incl. premium sound, 4-speakers, integrated amp. & equalizer.
HomeLink® and TravelNote®.....				S	
Power Driver Seat/Autolamp.....				S	6-Way power captain's chair NA w/manual transmission
Rear Window, Defroster/Defogger.....				S	Std. on SuperCrew w/fixd glass only
Wheels, Chromed Steel 17" (Four).....				S	
<p><b>LEGEND:</b> 0 = Optional S = Standard — = Not Available U = Upgraded I = Included in another option or group option.          ♦ = May not be available at Job #1. ★ = New for this model year.</p>					

10/16/02

2003 F-150

REGULAR CAB / SUPERCAB / SUPERCREW

## SERIES/OPTIONS

ORDER CODE		XL	XLT	Lariat	REMARKS/RESTRICTIONS
		502A	507A	508A	
BODY CODE	Regular Cab 4x2 Styleside	F17	F17	—	
	Regular Cab 4x2 Flareside	F07	F07	—	
	Regular Cab 4x4 Styleside	F18	F18	—	
	Regular Cab 4x4 Flareside	F08	F08	—	
	SuperCab 4x2 Styleside	X17	X17	X17	
	SuperCab 4x2 Flareside	X07	X07	X07	
	SuperCab 4x4 Styleside	X18	X18	X18	
	SuperCab 4x4 Flareside	X08	X08	X08	
	SuperCrew 4x2 Styleside	—	W07	W07	
	SuperCrew 4x4 Styleside	—	W08	W08	
WHEELBASE	120"	X	X	—	6 1/2' Box (Reg Cab only)
	139"	X	X	X	8' Box w/Reg. Cab, 6 1/2' Box w/SuperCab or 5 1/2' Box w/SuperCrew (NA w/Reg Cab Flareside)
	157"	X	X	X	8' Box (SuperCab Styleside only)
CODE					
AVAILABLE OPTION GROUPS					
GROUPS					
Work Truck Group .....	772	0			NA w/Flareside or SuperCrew. Deletes standard air conditioning. See Group/Misc. page for content.
7700 Payload Group A (V8) .....	627	0	0	0	NA on SuperCrew. See Group/Misc. page for content.
7700 Payload Group B (V8) .....	628	0	0	0	NA on 4x4 or SuperCrew. See Group/Misc. page for content.
Payload Group #3 (V8) .....	623	0	0		Avail. only on Reg. Cab 4x2 styleside w/139" wheelbase w/a V8 engine and auto trans. Incl. 3.55 rear axle & P255 BSW Tires (T54), HD springs & shock absorbers.
Snow Plow Prep .....		1	1	1	Included with 4x4 (627) 7700# Payload Group A. NA w/SuperCrew. See Group/Misc. page for content.
Trailer Towing Group, Class III .....	535	0	0	0	See Group/Misc. page for content.
Convenience Group .....	60B	0			NA w/bench seat. (A and C) or Work Truck Group (772). See Group/Misc. page for content.
FX4 Off-Road 4x4 Equipment Group .....	55R		0	0	Req. V8 engine. NA w/Payload Groups (623, 627 & 628) XL/XLT Sport Groups (94S/94T) or King Ranch (63K). See Group/Misc. page for content.
XL Sport Group .....	94S	0			See Group/Misc. page for content.
XLT Sport Group .....	94T		0		NA on SuperCrew. See Group/Misc. page for content.
"Top 3" Accessories Group .....	473	0	0	0	NA on SuperCrew. See Group/Misc. page for content.
Lariat Upgrade Accessories Group .....	63L			0	Available on SuperCrew only. See Group/Misc. page for content.
King Ranch F-150 .....	63K			0	SuperCab (Flareside) & SuperCrew only. See Group/Misc. page for content.
Harley-Davidson™ .....	63H			0	SuperCrew Lariat 4x2 only. See Group/Misc. page for content. (Late Availability)
Heritage Edition .....	47H		0		SuperCab (Styleside), 139" wheelbase, 6' box only. See Group/Misc. page for content.
STX Edition .....	47Y	0	0	—	Regular & SuperCab only. See Group/Misc page for content.
LPO					
5.4L Bi-Fuel Prep Engine/Elect. 4-Spd. Auto O/D .....	99Z/44E	0	0	—	ULEV compliant. Avail. to certified dealers only. Gasoline/Propane (LPG) or Gasoline/Natural Gas (CNG). NA w/SuperCrew. See Group/Misc. page for content.
5.4L Natural Gas/Electronic Auto O/D .....	99M/44E	0	—	—	SULEV compliant. Avail. to certified dealers only. Dedicated Natural Gas (CNG) only. NA w/SuperCrew. See Group/Misc. page for content.
Bi-Fuel Prep, Natural Gas (CNG) .....	66N	0	0	—	NA w/SuperCrew. See Group/Misc. page for content. (Late Availability)
Bi-Fuel Prep, Propane (LPG) .....	66P	0	0	—	NA w/SuperCrew. See Group/Misc. page for content.
Fuel Tank, Low Profile (LPG only) .....	653	0	0		Lower fuel capacity. NA w/SuperCrew. See Group/Misc. page for content.
Carpet/Floor Mat Delete .....	16G	—	0	0	Replace w/black vinyl mat. NA w/SuperCrew.
40/60 Split Bench w/Driver/Passenger Lumbar .....	M	0	—	—	Fleet only. Also available with Work Truck Group (772).
Power windows, locks black exterior mirrors (remote keyless entry) .....	85A	0	—	—	Fleet only. Also available with Work Truck Group (772). NA w/XL Sport Group (94S) or STX Edition (47Y).
Daytime Running Lights .....	942	0	0	0	Fleet only.
License Plate Bracket (front) .....	153	0	0	0	Req. & generated in states issuing two license plates.
LT245/75R16D OWL All-Terrain (Five) .....	T3P	0	0	—	Fleet only on 4x4 applications. NA w/SuperCrew.
P255/70R16SL OWL All-Terrain (Five) .....	T65	0	0	—	Fleet only on 4x4 applications.
LT245/75R16D BSW All-Season (Five) .....	T34	0	0	0	Fleet only on 4x2 applications; only w/627 Payload Group on Lariat. NA w/SuperCrew.
P255/70R16SL OWL All-Season (Five) .....	T54	0	0	—	Fleet only on 4x4 applications.
Engine Block Heater (Fleet Only) .....	41H	0	0	0	Available in all states. Req. valid FIN code.
<b>LEGEND:</b> 0 = Optional S = Standard — = Not Available U = Upgraded I = Included in another option or group option. ♦ = May not be available at Job #1. ★ = New for this model year.					

10/16/02

2003 F-150

REGULAR CAB / SUPERCAB / SUPERCREW  
SERIES/OPTIONS

ORDER CODE		XL	XLT	Lariat	
BODY CODE	Regular Cab 4x2 Styleside	F17	F17	—	
	Regular Cab 4x2 Flareside	F97	F97	—	
	Regular Cab 4x4 Styleside	F18	F18	—	
	Regular Cab 4x4 Flareside	F98	F98	—	
	SuperCab 4x2 Styleside	X17	X17	X17	
	SuperCab 4x2 Flareside	X97	X97	X97	
	SuperCab 4x4 Styleside	X18	X18	X18	
	SuperCab 4x4 Flareside	X98	X98	X98	
WHEELBASE	120"	X	X	—	6 1/2' Box (Reg Cab only)
	139"	X	X	X	8' Box w/Reg. Cab, 6-1/2' Box w/SuperCab or 5 1/2' foot box w/SuperCrew. (NA w/Reg Cab Flareside)
	167"	X	X	X	8' Box (SuperCab Styleside only)
CODE					
AVAILABLE OPTIONS					
4.2L EFI V8/5-Spd. Manual O/D	992/44M	S	S	—	ULEV Compliant. NA SuperCab 4x4, SuperCab 4x2 w/157" wheelbase or SuperCrew.
4.2L EFI V8/Electronic 4-Spd. Auto O/D	992/44U	0	0	—	ULEV Compliant. NA SuperCab 4x4, SuperCab 4x2 w/157" wheelbase or SuperCrew.
4.8L EFI V8/5-Spd. Manual O/D	99V/44M	0	0	—	Std. On SuperCab 4x4. Req. on SuperCab 4x2 w/157" wheelbase. NA w/SuperCrew.
4.8L EFI V8/Electronic 4-Spd. Auto O/D	99V/44U	0	0	S	Std. On Lariat SuperCab. NA on SuperCrew.
4.8L EFI V8/Electronic 4-Spd. Auto O/D	99S/44U	—	S	S	Std. on SuperCrew. NA on Reg. Cab or SuperCab.
5.4L EFI V8/Electronic 4-Spd. Auto O/D	99L/44U	0	0	0	Incl. Auxiliary trans. Oil cooler.
5.4L EFI V8/Electronic 4-Spd. Auto O/D	99L/44E	0	0	0	Only available w/627 7700# Payload Group A & 628 7700# Plus Payload Group B.
California Emissions System	422	0	0	0	Also req. on units at 6000 lbs. GVWR or below for California registration. See Group/Misc. page for content.
High Altitude Principal Use	428	0	0	0	Req. for areas over 4,000 feet elevation. Req. minimum 3.55 axle ratio.
P235/70R16SL BSW All-Season (Five)	T52	S	S	—	4x2 & 4x4. NA w/4x2 or 4x4 SuperCrew & Reg. Cab w/V8 engine and 120" wheelbase.
P235/70R16SL OWL All-Season (Four)	T53	0	0	—	4x2 & 4x4. BSW all-season spare. NA w/4x2 or 4x4 SuperCrew & Reg. Cab w/V8 engine and 120" wheelbase. NA w/Work Truck Group (772)
P255/70R16SL BSW All-Season (Five)	T54	I	I	—	4x2 only. Incl. in Payload Group #3 (623). Std. w/4x2 SuperCrew XLT, 4x4 SuperCab w/V8 engine and 157" WB and 4x2 Reg Cab w/V8 engine and 120" wheelbase.
P265/70R17 OWL All-Terrain (Five)	T5N	—	I	S	4x4 only. Incl. in XLT Sport Group (94T) with FX4 Off-Road Equip. Group (55R), & Heritage Edition (47H) - 4x4 only.
P255/70R16SL OWL All-Terrain (Five)	T65	0	0	—	4x4 only. Std. on 4x4 Reg Cab w/V8 engine and 120" wheelbase.
LT245/75R16D BSW All-Season (Five)	T34	I	I	I	4x2 only. Incl. in 7700# Payload Groups A & B (627 and 628). NA w/SuperCrew or Polished Aluminum wheel (641).
P275/60R17 OWL All-Season (Five)	T5S	—	I	S	4x2 only. Incl. in XLT Sport Group (94T) and Heritage Edition (47H) - 4x2 only.
LT285/70R17 OWL All-Terrain (Five)	T5E	—	0	0	4x4 only. Avail. only in the FX4 Off-Road Equip. Group (55R).
P255/70R16SL OWL All-Season (Four)	T55	I	0	—	4x2 only, except incl. in 4x2 & 4x4 XL Sport Group (94S). Std. w/4x4 SuperCrew XLT. Incl. BSW all-season spare.
LT245/75R16D OWL All-Terrain (Five)	T3P	0	0	I	4x4 only. Incl. in 7700# Payload Group A (627) NA w/Polished Aluminum wheel (641).
Wheels, Styled Steel 16" 5 Lug (Four)	642	S	—	—	Incl. Chrome hub, except Grey hub w/772 Work Truck Group.
Wheels, Polished Aluminum 16" (Four)	641	I	S	—	Incl. w/94S Sport Group on XL. NA w/T34 or T3P tires.
Wheels, Cast Aluminum 16" 5 Spoke (Four)	646	—	0	—	
Wheels, Chromed Styled Steel 17" (Four)	64B	—	—	S	NA w/7700# Payload Group (627).
Wheels, Cast Aluminum 17" 5 Spoke (Four)	64F	—	I	I	Incl. in FX4 Off-Road Equip. Group (55R) only.
Wheels, Grey Styled Steel 16" 7 Lug (Four)	64V	I	—	—	Incl. w/XLT Sport Group (94T) Regular Cab & SuperCab. Req. 17" OWL all-terrain tires.
Wheels, Chrome Styled Steel 16" 7 Lug (Four)	643	—	I	I	Avail. only w/7700# Payload Groups A & B (627/628). Incl. Chrome hub on XL. Grey hub w/772 Work Truck Option Group. NA w/SuperCrew.
Vinyl Bench	A	0	—	—	Incl. w/Work Truck Group (772). NA w/Convenience Group (60B).
Cloth Bench	C	S	—	—	Optional w/Work Truck Group (772). NA w/Convenience Group (60B).
40/60 Split Bench w/Driver/Passenger Lumber	M	0	S	—	Incl. overhead console on XL and XLT SuperCab. Also optional w/Fleet Work Truck Group (772).
Captain's Chairs, Cloth w/Console & Driver/Passenger Lumber	F	—	0	—	
40/60 Leather Split Bench w/Driver/Passenger Lumber	E	—	—	S	Incl. leather seating surfaces in front; vinyl in rear w/SuperCab. Incl. seat center storage.
40/60 Leather Split Bench w/Driver/Passenger Lumber	G	—	—	S	SuperCrew only. Incl. leather seating surfaces in front & rear. Incl. seat center storage.
Captain's Chairs, Leather w/Console & Driver/Passenger Lumber	H	—	—	0	Two colors. Incl. leather seating surfaces in front, vinyl in rear w/SuperCab.
Captain's Chairs, Leather w/Console & Driver/Passenger Lumber	J	—	—	0	SuperCrew only. Two colors. Incl. leather seating surfaces in front & rear.
40/60 (Castano) King Ranch Leather Split Rear Bench	87B	—	—	0	Opt. w/King Ranch SuperCrew (63K) only.
Heated Seats, Driver & Passenger	90H	—	0	0	Req. 40/60 split bench seats or captain's chairs and power driver seat.
Power Driver Seat	90P	—	0	S	Auto trans. req. when captain's chairs are chosen. Incl. autolamp.
Air Conditioning	972	S	S	—	Not included but optional on Work Truck Group (772). EATC standard on Lariat.
Axle, Limited Slip Rear	X19	0	0	0	See Powertrain page for details. Included w/FX4 Off Road Equipment Group (55R)
Axle, Rear Higher Ratio	—	0	0	0	See Powertrain page for details.
Cab Steps	18E	0	0	0	Black platform type w/Styleside 4x2. Black tubular type w/Styleside 4x4s & all flaresides (deletes front fender flaps on flareside). NA w/86P Bi-Fuel (LPG) or Work Truck Group (772).
Carpeting, Color-coordinated	168	0	S	S	Black Platform all SuperCrew.
Chrome Tubular Running Boards	18C	—	0	0	Incl. color-coordinated carpeted floor mats. NA w/Work Truck Group (772). NA w/Carpet delete (16G)
Electric Shift-On-The-Fly 4x4	215	—	0	0	4x4 only. Req. V8 eng. & auto trans. Std. on SuperCrew.
Fog Lamps	595	0	S	S	4x4 and optional on ALL 4x2.
Moonroof, Power	43M	—	0	0	Only available on SuperCrew & SuperCab. Overhead console is replaced by mini console.
Pedals, Adjustable - Power Driver	17P	0	0	S	Req. auto. Trans. Incl. brake & accelerator adjustable pedals. Also Std. w/XLT SuperCrew.
Paint, Lower Two-tone	954	—	0	0	NA w/94T XLT Sport Group.
Pickup Bed Extender	63E	—	0	0	Only available w/SuperCrew.
Skid Plates	413	0	0	0	4x4 only. Incl. front cross member, transfer case & fuel tank skid plates. Fuel tank skid plate std. on 120" WB. Included w/FX4 Off Road Equipment Group (55R)
Speed Control/Tilt Steering Wheel	52N	0	S	S	Optional on XL with bench seat only. Also optional on XL w/Work Truck Group (772)
Tow Hooks	53T	0	S	S	w/bench seat or 40/60 split bench seat.
Window, Sliding Rear	433	0	0	—	4x4 only. Incl. 2 cast iron front tow hooks. XL 4x4 Req. Fog Lamps (595). NA on 4x4 STX (47Y).
Window, Power Sliding Rear	435	—	—	0	Manual operation.
AM/FM Stereo/Clock/Cassette	589	S	—	—	Power operation, automatically deletes rear window defroster.
Premium AM/FM Stereo/Clock/Single CD	585	0	S	—	Incl. 4-speakers. NA on SuperCrew.
Dual Media Radio	586	0	0	S	NA w/Work Truck Group (772). Incl. Prem. Sound and 4-speakers.
AM/FM Stereo/Clock/6-CD In-Dash	98X	—	0	0	Single cassette w/single CD, 4 prem. speakers, RDS, integ. amplifier and equalizer. NA w/Work Truck Group (772)
Rear Seat Entertainment System	915	—	0	0	Only available w/SuperCrew. NA w/front split bench seats or w/moonroof (43M). See Group/Misc. page for contents.

LEGEND: 0 = Optional S = Standard — = Not Available U = Upgraded I = Included in another option or group option. ♦ = May not be available at Job #1.  
\* = New for this model year.

10/16/02

2003 F-150

REGULAR CAB / SUPERCAB / SUPERCREW

**GROUP/MISCELLANEOUS OPTIONS****PAYLOAD PACKAGE SELECTOR CHART (STYLESIDE)**

WB INCH	ENG.	OPT. CODE	MAX. PAY- LOAD LBS	GVWR LBS
<b>Regular Cab 4X2</b>				
120	4.2L		2015	6050
	4.6L		1965	6050
	5.4L		1835	6050
139	4.2L		1940	6050
	4.6L		1855	6050
	5.4L		1720	6050
	4.6L	623	2325	6600
	5.4L <sup>2</sup>	627	3105	7700
<b>SuperCab 4X2</b>				
139	4.2L		1780	6050
	4.6L		1695	6050
	5.4L		1810	6300
	5.4L	627	2970	7700
157	4.6L		1520	6050
	5.4L		1630	6300
<b>SuperCrew 4X2</b>				
139	4.6L		1660	6350
	5.4L		1810	6600
<b>Regular Cab 4X4</b>				
120	4.2L		1705	6050
	4.6L		1850	6250
	5.4L		1735	6300
139	4.2L		1590	6050
	4.6L		1705	6250
	5.4L		1620	6300
	5.4L	627	2770	7700
<b>SuperCab 4X4</b>				
139	4.6L		1565	6250
	5.4L		1680	6500
	5.4L	627	2625	7700
157	4.6L		1400	6250
	5.4L		1515	6500
<b>SuperCrew 4X4</b>				
139	4.6L		1460	6500
	5.4L		1605	6750

**PAYLOAD PACKAGE SELECTOR CHART (FLARESIDE)**

WB INCH	ENG.	OPT. CODE	MAX. PAY- LOAD LBS	GVWR LBS
<b>Regular Cab 4X2</b>				
120	4.2L		2005	6050
	4.6L		1955	6050
	5.4L		1820	6050
<b>SuperCab 4X2</b>				
139	4.2L		1770	6050
	4.6L		1685	6050
	5.4L		1800	6300
<b>Regular Cab 4X4</b>				
120	4.2L		1690	6050
	4.6L		1805	6250
	5.4L		1720	6300
<b>SuperCab 4X4</b>				
139	4.6L		1555	6250
	5.4L		1670	6500

<sup>2</sup> NGV Vehicle payload is 2645 lbs. and GVWR is 7650 lbs.**CALIFORNIA EMISSIONS STATES/CROSS-BORDER STATES\*\*\*****CALIFORNIA EMISSIONS SYSTEM ..... 422**

Required on units for California, Maine and Massachusetts registration. Optional for Cross-Border States. NA with 428 High Altitude Principle Use. California Emissions System (422) w/5.4L engine and electronic 4-speed auto. O/D (44U) now ULEV

**CALIFORNIA EMISSIONS SYSTEM NOT REQUIRED ... 423**

Control code for units either shipped to California Emissions States dealers or ordered by California Emissions States dealers for registration in non-California States locations.

**CALIFORNIA PUBLIC SERVICE/EMERGENCY****VEHICLE EXCEPTION ..... 936**

Only available on units sold to authorized governmental units and privately-owned ambulance companies. Must also use Code 423 when ordering.

**NON-CALIFORNIA EMISSIONS/NON-CROSS-****BORDER STATES DEALER ORDER FOR****CALIFORNIA STATES REGISTRATION..... 93N**

Required on all units ordered by dealers for California Emissions States registrations when the vehicles are being delivered to non-California Emissions, non-Cross-Border States locations. Also requires 422 California Emissions System.

**ENGINE BLOCK HEATER**

Standard and only available in AK, MN, ND, SD, MT, WI and WY states. Other states available via FCSD.

**NOTE: Fleet Only** – Engine block heater optional in all states with valid FIN code.

**\*\*\*CROSS-BORDER STATES (Over 6,000 GVWR)**

Cross-Border States are Arizona, Connecticut, New Hampshire, New York, Nevada, Oregon, Rhode Island and Vermont.

**VEHICLES DESTINED FOR HIGH ALTITUDE AREAS****HIGH ALTITUDE PRINCIPAL USE..... 428**

Control code for all units sold for principal use in high altitude counties. This will ensure that appropriate equipment, as described in the order guide, is installed on the vehicle to permit satisfactory performance in such high altitude regions.

**NON-HIGH ALTITUDE PRINCIPAL USE ..... 429**

Control code on units shipped to high altitude areas or units ordered by high altitude area dealers for registration in a non-high altitude area.

**SNOW PLOW USAGE**

SuperCrew is not recommended for snow plowing.

09/01/02			2003 F-150		
REGULAR CAB / SUPERCAB / SUPERCREW			COLOR & TRIM		
INTERIOR TRIM TYPE AND COLOR SELECTOR NOTE: First letter denotes type, second letter denotes color.			INTERIOR TRIM COLORS		
			Medium Graphite	Medium Parchment	Dark Graphite
<b>XL</b>					
Vinyl Bench					AT
Cloth Bench				CH	
40/60 Split Bench with Driver/Passenger Lumbar			M2	MH	
<b>XL WORK TRUCK GROUP (772)</b>					
Vinyl Bench					AT
Cloth Bench				CH	CT
40/60 Split Bench with Driver/Passenger Lumbar				MH	MT
<b>XL SPORT GROUP (94S)</b>					
40/60 Split Bench, Sport with Driver/Passenger Lumbar					ST
<b>XLT</b>					
40/60 Split Bench with Driver/Passenger Lumbar			M2	MH	MT
Captain's Chairs, Cloth with Console and Driver/Passenger Lumbar			F2	FH	FT
<b>XLT SPORT GROUP (94T)</b>					
40/60 Split Bench, Sport with Driver/Passenger Lumbar					ST
Captain's Chairs, Sport with Driver/Passenger Lumbar					TT
<b>LARIAT</b>					
40/60 Leather Seating Surfaces Split Bench with Driver/Passenger Lumbar			E2	EH	
40/60 Leather Seating Surfaces Split Bench with Driver/Passenger Lumbar (SuperCrew only)			G2	GH	
Captain's Chairs, Leather Seating Surfaces with Console and Driver/Passenger Lumbar			H2	HH	
Captain's Chairs, Leather Seating Surfaces with Console and Driver/Passenger Lumbar (SuperCrew only)			J2	JH	
EXTERIOR COLOR			AVAILABILITY		
COLOR	CODE				
<b>XL/XLT</b>					
Arizona Beige Clearcoat Metallic	AQ	—		•	
Dark Shadow Grey Clearcoat Metallic	CX	—	•		•
/Silver Clearcoat Metallic	CX	YN	•		•
Bright Red Clearcoat	E4	—	•	•	•
/Arizona Beige Clearcoat Metallic	E4	AQ		•	
/Silver Clearcoat Metallic	E4	YN	•		•
★Burgundy Red Clearcoat Metallic	FX	—	•	•	•
/Arizona Beige Clearcoat Metallic	FX	AQ		•	
/Silver Clearcoat Metallic	FX	YN	•		•
True Blue Clearcoat Metallic	L2	—	•	•	•
/Arizona Beige Clearcoat Metallic	L2	AQ		•	
/Silver Clearcoat Metallic	L2	YN	•		•
Dark Highland Green Clearcoat Metallic	PX	—	•	•	•
/Arizona Beige Clearcoat Metallic	PX	AQ		•	
/Silver Clearcoat Metallic	PX	YN	•		•
Estate Green Clearcoat Metallic (XLT Reg. and Super Cab only)	ST	—		•	
Black Clearcoat	UA	—	•	•	•
/Arizona Beige Clearcoat Metallic	UA	AQ		•	
/Silver Clearcoat Metallic	UA	YN	•		•
Silver Clearcoat Metallic	YN	—	•		•
Oxford White Clearcoat		—	•	•	•
/Arizona Beige Clearcoat Metallic	YZ	AQ		•	
/Silver Clearcoat Metallic	YZ	YN	•		•
<b>XL/XLT Sport Group (94S/94T)</b>					
Bright Red Clearcoat	E4	—			•
Black Clearcoat	UA	—			•
Silver Clearcoat Metallic	YN	—			•
Oxford White Clearcoat	YZ	—			•
Note: Lower Two-tone Paint (954) - Available with XLT and Lariat Styleside/Flareside. Accent color applied to lower rocker panel.					
Note: Two-tone paint incl. lower tape stripe on XLT and lower/upper tape stripe on Lariat. Color chart for interior components incl. in Color & Upholstery Book.					
Note: Please see Group/Misc. page for King Ranch paint and trim availability.					
Note: Dark Shadow Grey (CX) lower two tone only available on XLT with FX4 Off Road Equipment Group (55R)					
<b>LEGEND: ★ = New for this model year.</b>					

10/16/02

2003 F-150

# REGULAR CAB / SUPERCAB/SUPERCREW

## POWERTRAIN AVAILABILITY

			50 STATES			
ENGINE	TRANSMISSION	CODE	REGULAR			LS
REGULAR CAB 120-139 WB 4x2			REGULAR			LS
		AXLE TYPE				
		AXLE RATIO	3.08	3.31	3.55	3.55
		AXLE CODE	X18 <sup>1</sup>	X27	X19	XH9
4.2L EFI V6	— 5-Spd Manual O/D	99Z/44M <sup>2</sup>	Std.	—	Opt. <sup>3</sup>	Opt. <sup>3</sup>
	— Electronic 4-Spd Auto O/D	99Z/44U	—	Std. <sup>1,3</sup>	Opt. <sup>3</sup>	Opt. <sup>3</sup>
4.6L EFI V8	— 5-Spd Manual O/D	99W/44M	Std.	Opt.	Opt.	Opt.
	— Electronic 4-Spd Auto O/D	99W/44U	Std.	Opt.	Opt.	Opt.
5.4L EFI V8	— Electronic 4-Spd Auto O/D	99L/44U <sup>4,5</sup>	—	Std.	Opt.	Opt.
REGULAR CAB 120-139 WB 4x4			REGULAR			LS
		AXLE TYPE				
		AXLE RATIO	3.31	3.55		3.55
		AXLE CODE	X27	X19		XH9
4.2L EFI V6	— 5-Spd Manual O/D	99Z/44M <sup>2</sup>	—	Std.		Opt.
	— Electronic 4-Spd Auto O/D	99Z/44U	—	Std.		Opt.
4.6L EFI V8	— 5-Spd Manual O/D	99W/44M <sup>2</sup>	Std.	Opt.		Opt.
	— Electronic 4-Spd Auto O/D	99W/44U	Std.	Opt.		Opt.
5.4L EFI V8	— Electronic 4-Spd Auto O/D	99L/44U <sup>4,5</sup>	Std.	Opt.		Opt.
SUPERCAB 139-157 WB 4x2			REGULAR			LS
		AXLE TYPE				
		AXLE RATIO	3.08	3.31	3.55	3.55
		AXLE CODE	X18 <sup>1</sup>	X27	X19	XH9
4.2L EFI V6	— 5-Spd Manual O/D	99Z/44M <sup>2</sup>	Std.	—	Opt. <sup>3</sup>	Opt. <sup>3</sup>
	— Electronic 4-Spd Auto O/D	99Z/44U	—	Std.	Opt. <sup>3</sup>	Opt. <sup>3</sup>
4.6L EFI V8	— 5-Spd Manual O/D	99W/44M <sup>2</sup>	Std.	Opt.	Opt.	Opt.
	— Electronic 4-Spd Auto O/D	99W/44U	Std.	Opt.	Opt.	Opt.
5.4L EFI V8	— Electronic 4-Spd Auto O/D	99L/44U <sup>4</sup>	—	Std.	Opt.	Opt.
SUPERCAB 139-157 WB 4x4			REGULAR			LS
		AXLE TYPE				
		AXLE RATIO	3.31	3.55		3.55
		AXLE CODE	X27	X19		XH9
4.6L EFI V8	— 5-Spd Manual O/D	99W/44M <sup>2</sup>	Std.	Opt. <sup>6</sup>		Opt.
	— Electronic 4-Spd Auto O/D	99W/44U	Std.	Opt. <sup>6</sup>		Opt.
5.4L EFI V8	— Electronic 4-Spd Auto O/D	99L/44U <sup>4</sup>	Std.	Opt.		Opt.
SUPERCREW 4x2			REGULAR			LS
		AXLE TYPE				
		AXLE RATIO	3.55			3.55
		AXLE CODE	X19			XH9
4.6L EFI V8	— Electronic 4-Spd Auto O/D	996/44U	Std.			Opt.
5.4L EFI V8	— Electronic 4-Spd Auto O/D	99L/44U	Std.			Opt.
SUPERCREW 4x4			REGULAR			LS
		AXLE TYPE				
		AXLE RATIO	3.55	3.73	3.55	3.73
		AXLE CODE	X19	X26	XH9	XB6
4.6L EFI V8	— Electronic 4-Spd Auto O/D	996/44U	Std. <sup>7</sup>	Std. <sup>8</sup>	Opt. <sup>7</sup>	Opt. <sup>8</sup>
5.4L EFI V8	— Electronic 4-Spd Auto O/D	99L/44U	Std. <sup>7</sup>	Std. <sup>8</sup>	Opt. <sup>7</sup>	Opt. <sup>8</sup>

## NOTES:

- (a) 7700 Payload Group (627) includes 3.73 axle (X26) with optional LS (XB6).
- (b) 5.4L natural gas/elect. 4-spd. auto O/D (99M/44E) is available only with 7700 lb. Payload Group (627) and 3.73 axle (X26) with LS (XB6) optional.
- (c) 5.4L Bi-Fuel Prep (99Z/44E) is only available with 7700 lb. Group A (627) and 3.73 axle on Regular and SuperCab with 139" WB.
- (d) Please note the following recommendation: for 4x2 models with a 4.6L V8 engine and 157" wheelbase, the 3.31 axle is recommended for demanding conditions; for 4x4 models with 4.6L V8 engine and 157" wheelbase, the 3.55 axle is recommended for demanding conditions.

<sup>1</sup> Only with P235 tires, except on the 4x2 Reg. Cab with 120" wheelbase.

<sup>2</sup> 3.90 first gear.

<sup>3</sup> 3.55 is required with 4.2L V6 and P255 or larger tires.

<sup>4</sup> 44E automatic transmission is included and only available with 7700 Payload Group A and B (627 and 628) or Bi-Fuel/Dedicated CNG. 7700 lbs. Payload Group A (627) includes 3.73 axle ratio and 7700 lbs. Payload Group B (628) includes 4.10 Limited Slip axle ratio.

<sup>5</sup> 7700 lbs. Payload Group B (628) is available on 4x2 only.

<sup>6</sup> 3.55 axle is required with 157" WB, 4x4 SuperCab and select 4x4 Lariat powertrain/tire configurations.

<sup>7</sup> 3.55 axle is standard on SuperCrew 4x4 with 16" wheels (Limited Slip optional). 3.55 axle not available on SuperCrew with 17" wheels.

<sup>8</sup> 3.73 axle is standard on SuperCrew 4x4 with 17" wheels (Limited Slip optional).

10/16/02

2003 F-150  
REGULAR CAB / SUPERCAB/SUPERCREW  
**FUEL ECONOMY**

		50 STATES			
		F.E. LABEL ADJUSTED		ESTIMATED ANNUAL FUEL COST	MEMO: UNADJUSTED COMBINED
ENGINE DISPL.	TRANSMISSION	CITY	HIGHWAY		
4X2					
4.2L EFI V6	5-Spd Manual O/D	17	20	\$1,293	21.2
	4-Spd Auto O/D	16	20	\$1,367	20.1
4.6L EFI V8	5-Spd Manual O/D	15	19	\$1,367	19.7
	4-Spd Auto O/D	15	20	\$1,367	20.1
5.4L EFI V8	4-Spd Auto O/D	14	19	\$1,453	16.1
4X4					
4.2L EFI V6	5-Spd Manual O/D	16	20	\$1,293	20.7
	4-Spd Auto O/D	15	19	\$1,367	19.5
4.6L EFI V8	5-Spd Manual O/D	14	18	\$1,551	18.0
	4-Spd Auto O/D	15	19	\$1,453	19.1
5.4L EFI V8	4-Spd Auto O/D	14	18	\$1,551	17.8

**ENGINE HORSEPOWER AND TORQUE RATINGS**

		NOMINAL COMPRESSION RATIO	50 STATES	
			HORSEPOWER	TORQUE
ENGINE DISPL.	TRANSMISSION		H.P. @ RPM	LB. FT. @ RPM
ALL				
4.2L EFI V6	5-Spd Manual O/D	9.2	202 @ 4800	252 @ 3400
	4-Spd Auto O/D	9.2	202 @ 4800	252 @ 3400
4.6L EFI V8	5-Spd Manual O/D	9.3	231 @ 4750	293 @ 3500
	4-Spd Auto O/D	9.3	231 @ 4750	293 @ 3500
5.4L EFI V8	4-Spd Auto O/D	9.0	260 @ 4500	350 @ 2500



# WILLIAMSON COUNTY BID FORM

## ONE OR MORE MEDIUM HEAVY TRUCKS FOR WILLIAMSON COUNTY FLEET SERVICES

BID NUMBER: 03WC506      BID OPENING DATE & TIME: DECEMBER 17, 2002 - 2:00 PM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Freightliner of Austin

Mailing Address: 1701 Smith Rd

City: Austin State: TX Zip: 78721

Email Address: sales@freightlinerofaustin.com

Telephone: (512) 389-0000 Fax: (512) 389-2663

Dave A Holt Date of Bid: 12.17.02  
Signature of Person Authorized to Sign Bid

Name and Title of Signer: DAVE A HOLT V.P.  
(Please Print or Type)

### PLEASE COMPLETE THE FOLLOWING:

Prompt Payment Discount: 0 % 0 days. (If no discount is offered, Net 30 will apply.)

☐ "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)

☒ low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

Freightliner of Austin

**ONE OR MORE MEDIUM HEAVY TRUCKS FOR WILLIAMSON COUNTY  
FLEET SERVICES****BID SHEETS****35,000 LB 8 YARD DUMP TRUCK**PRICE OF ONE DUMP TRUCK 42,818.00

## AMOUNT ALLOWED FOR TRADE-INS:

ONE 1988 INTERNATIONAL 4300.00AMOUNT ~~38,518.00~~ TOTAL TRADE-IN 4300TRUCK NET PRICE OF ONE (1) DUMP 38,518.00DATE ESTIMATED DELIVERY 90 to 120 days**35,000 GVWR WATER TANKER TRUCKS**PRICE OF THREE (3) WATER TANKER 125,451.00  
TRUCKSPrice of one truck 41,817.00 times 3  
equals 125,451.00

## AMOUNT ALLOWED FOR TRADE-INS:

UNIT # 800 1600.00UNIT # 803 2100.00AMOUNT ~~121,751.00~~ TOTAL TRADE-IN 3700.00TRUCKS NET PRICE OF THREE (3) WATER TANKER 121,751.00DATE ESTIMATED DELIVERY 90 to 120 days

Freightline or Aerial

(Please Print or Type)

**PLEASE COMPLETE THE FOLLOWING:**

Prompt Payment Discount: 0 % 0 days. (If no discount is offered, Net 30 will apply.)

☐ "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)

☒ low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable:

---

---

---

---

---

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED**  
**WITH BID**

*Freightline of Asher*

December 17, 2002

Exceptions to bid 03WC506;

6 speed transmission with overdrive ~~IL~~ 7 speed with over drive

Freightliner of Ashli

---

and Bid opening date & time on the outside of the delivery service envelope?

YES ✓NO       **WILLIAMSON COUNTY BID FORM****ONE OR MORE EQUIPMENT HAUL TRAILERS FOR  
WILLIAMSON COUNTY  
FLEET SERVICES****BID NUMBER: 03WC507  
17, 2002 - 2:00 PM****BID OPENING DATE & TIME: DECEMBER**

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

**NAME OF BIDDER:**Freightliner of Austin**Mailing Address:**1701 Smith Rd**Zip:** 78721**City:**Austin**State:**Texas**Email Address:**DAVE HOLT@FREIGHTEROFAUSTIN.COM**Telephone:** (512) 389-0000**Fax:** (512) 389-266317 Dec. 2002  
Dave A Holt V.P.  
Signature of Person Authorized to Sign Bid**Date of Bid:****Name and Title of Signer:**DAVE HOLT V.P.

# Business Class Trucks

Prepared for Williamson County  
3151 SE Inner Loop

Georgetown, TX 78102  
512 943 1554

Prepared by FREIGHTLINER OF AUSTIN  
1701 SMITH ROAD  
(HWY 183 SOUTH)  
78721  
CARLTON HEMPEL  
Quote ID: FL70 Dump  
December 16, 2002

## SPECIFICATION PROPOSAL

SpecPro Version: V4.01

Data Book Code	Specifications	Weight (+/-) Front	Weight (+/-) Rear	Sugg. Retail Price (\$)
<b>MODEL</b>				
001-056	FL70 CONVENTIONAL CHASSIS	5060	3100	65,851.00
002-004	SET BACK AXLE - TRUCK			STD
019-002	STRAIGHT TRUCK PROVISION			STD
003-001	LH PRIMARY STEERING LOCATION			STD
<b>GENERAL SERVICE</b>				
AA1-002	TRUCK CONFIGURATION			STD
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			N/C
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA3-004	END DUMP BODY			N/C
AA4-010	DIRT/SAND/ROCK COMMODITY			N/C
AA5-002	100% ON HIGHWAY/CITY TERRAIN			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT ROAD SURFACE			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AA6-002	DOMICILED, USA 49 STATES(W/O CALIFORNIA)			N/C
995-059	MEDIUM TRUCK WARRANTY II			STD
A66-99D	EXPECTED FRONT AXLE LOAD	12000	LBS	
A68-99D	EXPECTED REAR AXLE LOAD	23000	LBS	
A63-99D	EXPECTED GVW CAPACITY	35000	LBS	
<b>TRUCK SERVICE</b>				
A88-99D	TRUCK BODY LENGTH	10	FT	
A89-99D	CAB TO TRUCKBODY CLEAR	4	IN	
<b>ENGINE</b>				
101-1YP	CAT 3126 210 HP @ 2200 RPM; 2500 GOV RPM 605 LB/FT @ 1440 RPM	460	-30	3,397.00
<b>ENGINE EQUIPMENT</b>				
99C-002	2002 EPA/CARB EMISSION CERTIFICATION			N/C
105-001	ENGINE MOUNTED OIL CHECK & FILL			STD
014-008	FRONTAL AIR INTAKE W/DONALDSON AIR CLEANER - RAIL MOUNTED			STD
190-001	AIR CLEANER: DONALDSON ONE-STAGE			STD
124-080	DR 12V 130 AMP 22-SI ALTERNATOR			STD



**FREIGHTLINER OF AUSTIN**

The company that does things right.

# Business Class Trucks

Prepared for Williamson County  
3151 SE Inner Loop

Georgetown, TX 78102  
512 943 1554

Prepared by FREIGHTLINER OF AUSTIN  
1701 SMITH ROAD  
(HWY 183 SOUTH)  
78721  
CARLTON HEMPEL  
Quote ID: FL70 Dump  
December 16, 2002

Data Book Code	Specifications	Weight (+/-) Front	Weight (+/-) Rear	Sugg. Retail Price (\$)
292-100	(2) ALLIANCE 1031 GRP31 12V MF 1520 CCA THREADED STUD BATTERIES			STD
290-017	BATTERY BOX FRAME MTD			STD
291-001	FRAME GROUND RETURN FOR BATTERY CABLES			STD
180-025	EATON FULLER 14" DAMPENED CERAMIC CLUTCH, 1 PLATE - STAMPED COVER			32.00
181-002	ZERK FITTING W/EXTENSION HOSE AT CLUTCH RELEASE BEARING			12.00
107-015	BW 13.2 CFM COMPRESSOR (SERIES 550)			N/C
131-002	TEFLON COMPRESSOR DISCHARGE LINE			N/C
152-041	ELEC ENG INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-998	NO RETARDER			STD
016-011	STATIONARY CAB MOUNTED SINGLE RIGHT- HAND VERTICAL EXHAUST			454.00
242-011	ALUMINUM MUFFLER/TAILOPIPE SHIELD			N/C
273-004	EATON VISCOUS FAN DRIVE			STD
110-004	CAT SPIN ON FUEL FILTER			N/C
118-001	FULL FLOW OIL FILTER			STD
266-030	720 SQ-IN RADIATOR - ALUMINUM			STD
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT			STD
171-003	RUBBER COOLANT HOSES			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
134-002	IRON FLYWHEEL HOUSING			N/C
132-001	AIR INTAKE WARMER			N/C
155-029	DELCO 12V 41MT 400 SERIES STARTER			N/C
TRANSMISSION AND EQUIPMENT				
342-1CC	EATON FULLER FSO-6406A TRANSMISSION	60	20	-3,769.00
347-002	ALUMINUM CLUTCH HOUSING			N/C
341-017	MAGNETIC PLUGS, ENG DRAIN, TRANSMISSION FILL & DRAIN, AXLE(S) FILL & DRAIN			N/C
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			N/C
FRONT AXLE AND SUSPENSION				
400-003	MERITOR FF-961 FRONT AXLE @ 12,000#	90		261.00
402-020	MERITOR 15 X 4 Q+ CAM FRONT BRAKES			N/C
419-021	GUNITE CAST IRON FRONT BRAKE DRUMS			N/C
427-001	FRONT BRAKE DUST SHIELDS	5		25.00



**FREIGHTLINER OF AUSTIN**

The company that does things right.

# Business Class Trucks

Prepared for Williamson County  
3151 SE Inner Loop

Georgetown, TX 78102  
512 943 1554

Prepared by FREIGHTLINER OF AUSTIN  
1701 SMITH ROAD  
(HWY 183 SOUTH)  
78721  
CARLTON HEMPEL  
Quote ID: FL70 Dump  
December 16, 2002

Data Book Code	Specifications	Weight (+/-) Front	Weight (+/-) Rear	Sugg. Retail Price (\$)
409-021	CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT OIL SEALS			11.00
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
408-001	VENTED FRONT HUB CAPS - OIL			STD
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTRS			N/C
536-013	TRW TAS-65 POWER STEERING			N/C
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
620-015	12,000# TAPERLEAF FRONT SUSPENSION	80		88.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD
<b>REAR AXLE AND SUSPENSION</b>				
420-051	MERITOR RS-23-160 R-SRS SINGLE REAR AXLE @ 23,000#		250	1,147.00
421-563	5.63 AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER HOUSING			STD
386-013	17T MERITOR MAIN DRIVELINE W/HALF ROUND YOKES	20	20	N/C
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRKS, DBLE ANCHOR, FAB'D SHOES			N/C
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			N/C
451-021	CAST IRON OUTBOARD REAR BRAKE DRUMS			N/C
425-002	REAR BRAKE DUST SHIELDS		5	55.00
440-001	CHICAGO RAWHIDE SCOTSEAL REAR OIL SEALS			STD
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			N/C
622-087	23,000# FLAT LEAF SPRING REAR SUSPENSION W/HELPER, WITH RADIUS LEAF		90	157.00
621-001	SPRING SUSPENSION - NO AXLE SPACERS			STD
431-001	STANDARD U-BOLT PAD			STD
623-007	FORE/AFT RADIUS LEAF			N/C
<b>BRAKE SYSTEM EQUIPMENT</b>				
018-002	AIR BRAKE PACKAGE	125	200	438.00
490-100	WABCO 4S/4M ABS W/O TRACTION CONTROL ENHANCEMENT			N/C
871-001	REINFORCED NYLON, FABRIC BRAID & WIREBRAID CHASSIS AIR LINES			N/C
432-003	RELAY VALVE W/ 5-8 PSI CRACK PRESSURE NO REAR PROPORTIONING VALVE			N/C
480-009	BW AD-9 BRAKE LINE AIR DRYER W/HEATER	40		557.00



**FREIGHTLINER OF AUSTIN**

The company that does things right.



# Business Class Trucks

Prepared for Williamson County  
3151 SE Inner Loop

Georgetown, TX 78102  
512 943 1554

Prepared by FREIGHTLINER OF AUSTIN  
1701 SMITH ROAD  
(HWY 183 SOUTH)  
78721  
CARLTON HEMPEL  
Quote ID: FL70 Dump  
December 16, 2002

Data Book Code	Specifications	Weight (+/-) Front	Weight (+/-) Rear	Sugg. Retail Price (\$)
460-001	STEEL AIR BRAKE RESERVOIRS			N/C
477-004	PULL CABLES ON ALL AIR RESERVOIRS			N/C
	<b>WHEELBASE</b>			
545-380	150"/3800MM WHEELBASE			STD
	<b>FRAME</b>			
546-030	11/32" X 3-1/2" X 10-15/16" STEEL FRAME (8.73MM X 277.8/344" X 10.94") 110KSI	130	160	676.00
565-001	STANDARD SUSPENSION CROSSMEMBER			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
553-001	SQUARE END OF FRAME			STD
	<b>CHASSIS EQUIPMENT</b>			
556-095	12" PAINTED STEEL BUMPER - THREE PIECE WITH COLLAPSIBLE ENDS			STD
558-001	FRONT TOW HOOKS - FRAME MOUNTED	10		113.00
574-003	SINGLE LICENSE PLATE BRKT BELOW BUMPER			STD
	<b>FUEL TANKS AND EQUIPMENT</b>			
206-107	45 GALLON / 170 LITER LONG RECTANGULAR STEEL FUEL TANK - RH	25	25	87.00
204-998	NO LH FUEL TANK			STD
218-005	RECTANGULAR FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/ HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
205-001	FUEL TANK CAP(S)			STD
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-003	REINFORCED NYLON FUEL HOSE			STD
	<b>FRONT TIRES, HUBS, WHEELS</b>			
093-526	MICHELIN XZE.....11R 22.5 14 PLY	8		184.00
418-018	CONMET PRE-SET BEARING ALUMINUM FRONT HUBS			N/C
502-411	ACCURIDE 28408 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC FRONT WHEELS			STD
	<b>REAR DRIVE TIRES, HUBS, WHEELS</b>			
094-0DH	MICHELIN XDE M/S.....11R 22.5 14 PLY		20	392.00
450-001	CONMET ALUMINUM REAR HUBS			STD
505-411	ACCURIDE 28408 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS			STD
	<b>CAB EXTERIOR</b>			
829-010	106" BBC STEEL CONVENTIONAL CAB			STD
650-009	RUBBER CAB MOUNTS			STD



**FREIGHTLINER OF AUSTIN**

The company that does things right.

# Business Class Trucks

Prepared for Williamson County  
3151 SE Inner Loop

Georgetown, TX 78102  
512 943 1554

Prepared by FREIGHTLINER OF AUSTIN  
1701 SMITH ROAD  
(HWY 183 SOUTH)  
78721  
CARLTON HEMPEL  
Quote ID: FL70 Dump  
December 16, 2002

Data Book Code	Specifications	Weight (+/-) Front	Weight (+/-) Rear	Sugg. Retail Price (\$)
678-001	GRABHANDLES LH/RH	4		107.00
646-009	PAINTED PLASTIC GRILLE			STD
644-004	FIBERGLASS HOOD			STD
727-001	DUAL 14" ROUND GROVER AIR HORNS	4		107.00
726-001	SINGLE ELECTRIC HORN			STD
657-001	ALL LOCKS KEYED THE SAME			STD
312-001	SINGLE RECTANGULAR SEALED BEAM HEADLITS			STD
302-001	(5) AMBER MARKER LIGHTS			STD
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-006	DUAL PTD WEST COAST MIRRORS			STD
797-001	DOOR MOUNTED MIRRORS			STD
796-002	96" EQUIPMENT WIDTH			STD
743-202	LH/RH 6" CONVEX MIRRORS, BRIGHT FINISH, MTD UNDER PRIMARY MIRRORS			42.00
74A-001	RIGHT HAND DOWN VIEW MIRROR			N/C
74B-998	NO AUXILIARY MIRROR			STD
729-001	STANDARD SIDE/REAR REFLECTORS			STD
768-001	29"X13" DUAL CLEAR REAR WINDOWS			STD
661-003	TINTED DOOR GLASS LH & RH WITH TINTED NON- OPERATING WING WINDOWS			N/C
654-003	MANUAL DOOR WINDOW REGULATORS			STD
663-013	TINTED WINDSHIELD			N/C
659-004	2.5 GALLON WINDSHIELD WASHER RESERVOIR MTD UNDER RH DECK			STD
<b>CAB INTERIOR</b>				
707-1AK	OPAL GRAY VINYL INTERIOR			STD
706-037	VINYL DOOR TRIM			STD
708-037	VINYL DOOR TRIM			STD
772-006	BLACK MATS W/SINGLE INSULATION			STD
785-001	DASH MOUNTED ASH TRAYS & LIGHTER			54.00
694-001	CENTER STORAGE CONSOLE, FLOOR			STD
742-008	(1) CUP HOLDER, LH DASH			STD
720-003	5 LB. FIRE EXTINGUISHER	10		70.00
700-002	HEATER, DEFROSTER AND AIR CONDITIONER	60		1,030.00
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			N/C
170-015	STANDARD HEATER PLUMBING			STD
739-001	CAB INSULATION			STD

**FREIGHTLINER OF AUSTIN**



The company that does things right.

# Business Class Trucks

Prepared for Williamson County  
3151 SE Inner Loop

Georgetown, TX 78102  
512 943 1554

Prepared by FREIGHTLINER OF AUSTIN  
1701 SMITH ROAD  
(HWY 183 SOUTH)  
78721  
CARLTON HEMPEL  
Quote ID: FL70 Dump  
December 16, 2002

Data Book Code	Specifications	Weight (+/-) Front	Weight (+/-) Rear	Sugg. Retail Price (\$)
285-001	AUTOMATIC SELF-RESET CIRCUIT BREAKERS			25.00
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-008	DOMELITE W/3-WAY SWITCH ACTIVATED BY LEFT HAND DOOR(S)			STD
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
756-033	FULL WIDTH BENCH SEAT			STD
758-036	VINYL W/VINYL INSERT, DRIVER'S SEAT			STD
763-006	3 POINT DRIVER & PASSENGER (OUTSIDE) W/ SEAT BELT RETR. 2 POINT (INSIDE)			STD
532-001	FIXED STEERING COLUMN			STD
540-006	TWO-SPOKE 475MM (19") STEERING WHEEL			STD
765-002	DRVR/PASS INTER SUN VISORS			STD
<b>INSTRUMENT PANEL AND CONTROLS</b>				
017-076	BUSINESS CLASS GAUGE CLUSTER			STD
732-004	GRAY INSTRUMENT PANEL-DRIVER			STD
486-001	LOW AIR PRESSURE LIGHT AND BUZZER			N/C
840-002	PRIMARY & SECONDARY AIR PRESSURE GAUGES			N/C
198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			7.00
721-001	97 DB BACKUP ALARM		2	151.00
149-013	PROGRAMMABLE RPM CONTROL FOR 3126 (FS65 ONLY)			STD
156-001	DASH MOUNTED START CONTROL			STD
811-011	ODO/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY 1X7 CHAR, 26 WRNG LAMPS, DATA LINKED ICU3			14.00
844-001	ELECTRIC FUEL GAUGE			STD
856-001	ELECTRICAL ENGINE COOLANT TEMP GAUGE			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			N/C
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-067	F/L XTA-2100 AM/FM/WB CASSETTE RADIO BY DELCO	10		605.00
747-002	ROOF/OVERHEAD CONSOLE MOUNTED RADIO			N/C
750-002	(2) RADIO SPEAKERS (CAB ONLY)			N/C
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			N/C
748-001	POWER & GROUND STUDS IN/UNDER DASH			25.00
810-027	ELECTRONIC MPH SPEEDOMETER W/ SECONDARY KPH SCALE, W/O ODOMETER			STD
812-001	ELECTRONIC TACHOMETER 3000 RPM			102.00
482-998	NO TRACTOR PROTECTION VALVE			STD
883-998	NO TRAILER HAND CONTROL BRAKE VALVE			STD



**FREIGHTLINER OF AUSTIN**

The company that does things right.

# Business Class Trucks

Prepared for Williamson County  
3151 SE Inner Loop  
  
Georgetown, TX 78102  
512 943 1554

Prepared by FREIGHTLINER OF AUSTIN  
1701 SMITH ROAD  
(HWY 183 SOUTH)  
78721  
CARLTON HEMPEL  
Quote ID: FL70 Dump  
December 16, 2002

Data Book Code	Specifications	Weight (+/-) Front	Weight (+/-) Rear	Sugg. Retail Price (\$)
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY ICU3			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W/DELAY			28.00
304-001	MARKER LIGHT SWITCH INTEGRAL W/HEADLIGHT SWITCH			STD
299-009	GROTE SELF CANCEL TURN SIGNAL SWITCH W/DIMMER & HAZARD			STD
298-001	THERMAL TURN SIGNAL FLASHER			STD
PAINT DESIGNS				
065-000	PAINT: ONE SOLID COLOR			STD
980-3F6	Cab Color A: IMRON N0006 WHITE			
986-020	Chassis: BLACK HIGH SOLIDS POLYURETHANE			
962-970	Front Wheels: FRONT WHEEL PAINT VENDOR WHITE			
966-970	Rear Wheels: REAR WHEEL PAINT VENDOR WHITE			
TOTALS				
		6201	3862	\$ 72,535.00
EXTENDED WARRANTY				
WAG-003	TOWING EXTENDED/ROADSIDE SERVICE WARRANTY 2 YEARS/UNLIMITED			200.00
PMP-202	2002 EPA ENGINE PRICE ESCALATOR			N/C
TOTAL WARRANTY				
				\$ 200.00

FREIGHTLINER OF AUSTIN



The company that does things right.

# Business Class Trucks

Prepared for Williamson County  
3151 SE Inner Loop

Georgetown, TX 78102  
512 943 1554

Prepared by FREIGHTLINER OF AUSTIN  
1701 SMITH ROAD  
(HWY 183 SOUTH)  
78721  
CARLTON HEMPEL  
Quote ID: FL70 Dump  
December 16, 2002

## TOTAL VEHICLE SUMMARY

### Total Weight

Front Weight Total..... 6201 LBS  
Rear Weight Total..... 3862 LBS  
Total Weight..... 10063 LBS

### Total Price

Suggested Price Total..... \$72,535.00  
Extended Warranty ..... \$200.00  
Std Destination Charge..... \$1,593.00  
Total Vehicle Price ..... \$74,328.00

(+) Weights shown are estimates only.

If weight is critical, contact sales application engineering.



**FREIGHTLINER OF AUSTIN**

The company that does things right.

**FREIGHTLINER OF AUSTIN****Trade References:**

- City of Austin  
6400 Bolm Rd.  
Austin, Texas 78721  
Rick Fudge  
Phone: (512) 974-2822  
Austin, Texas 78721
- LCRA  
P.O. Box 679000  
Austin, Texas 78767-9000  
Troy Folmar  
Phone: (512) 482-6247
- State of Texas  
125 E. 11<sup>th</sup> St.  
Austin, Texas 78701  
Wayne Heikkila  
Phone: (512) 416-2080

**WILLIAMSON COUNTY BID FORM****ONE OR MORE EQUIPMENT HAUL TRAILERS FOR WILLIAMSON COUNTY  
FLEET SERVICES**

BID NUMBER: 03WC507

BID OPENING DATE &amp; TIME: DECEMBER 17, 2002 - 2:00 PM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: COOPER EQUIPMENT COMPANYMailing Address: 17474 JUDSON RD.City: SAN ANTONIO State: TX Zip: 78247Email Address: G40R6X@COOPER EQUIP.COM/CBLACK60SA@X.RR.COMTelephone: (210) 657-5151 Fax: (210) 657-5871  
Signature of Person Authorized to Sign Bid Date of Bid: 12-17-02Name and Title of Signer: ED BLACK - SALES REP.  
(Please Print or Type)**PLEASE COMPLETE THE FOLLOWING:**

Prompt Payment Discount: \_\_\_\_\_ % \_\_\_\_\_ days. (If no discount is offered, Net 30 will apply.)

☐ "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)☒ low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

# ONE OR MORE EQUIPMENT HAUL TRAILERS FOR WILLIAMSON COUNTY FLEET SERVICES

**BID NUMBER: 03WC507**

**BID OPENING DATE & TIME: DECEMBER 17, 2002 - 2:00 PM**

## **SPECIFICATIONS FOR ONE NEW AND CURRENT MODEL 50-TON DETACHABLE GOOSENECK LOWBOY**

### **GENERAL:**

This unit shall be new and unused, current production model, manufactured for sale in the U.S. and sold by an authorized or franchised factory dealer or distributor. Unit shall be furnished with all the latest changes and features offered as standard whether called for in these specifications or not, except where specifications call for a substitute feature or item in lieu of the manufacturers standard.

The intent of this specification is to describe a three axle, non-ground bearing hydraulic detachable gooseneck, lowboy trailer. The unit will be designed and constructed specifically for the transportation on a continuous basis of heavy construction equipment.

Drop deck (lowboy) semi-trailer, 8 feet-6 inches wide, (3) axle air ride suspension, rubber mounted sealed beam lights, air brakes, tubeless radial tires, tubular axles with oil seal wheels.

### **LOAD REQUIREMENTS (CAPACITY):**

Minimum 50 tons concentrated payload in 16 feet of deck space, rated at highway speeds of 60 mph.

### **GOOSENECK TYPE:**

Hydraulic removable, non-ground engaging, pin and stirrup connection, high lift scraper neck design.

### **GOOSENECK TRAVEL:**

Minimum of 42" gooseneck travel required, (26" up, 16" down) with built in adjustable travel height feature for fifth wheel or road clearance adjustment (2" up or 2" down). No shimming or blocking required.

### **GOOSENECK SUPPORT CYLINDER:**

One (1) 4" diameter, 10" stroke adjustable hydraulic support cylinder required to support gooseneck when detaching to eliminate blocking, with control on drivers side.

### **FIFTH WHEEL HEIGHT:**

50" Loaded; adjustable 48", 50", 52" without shim blocks

### **SWING CLEARANCE:**

84" Radius minimum, 16" King Pin setting.

### **HYDRAULIC POWER:**

From the tractor wet kit (PTO) Maximum operating pressure 2500 p.s.i..

### **HYDRAULIC LIFT CYLINDERS:**

Two (2) 8" diameter, 20" stroke double acting hydraulic cylinders mounted horizontally in gooseneck upper frame work with control on driver's side.

### **KINGPIN:**

Standard 2" SAE approved mounted in 5/16" 5<sup>th</sup> wheel plate.

COOPER EQUIP. CO.

EB



**SPECIFICATIONS FOR ONE NEW AND CURRENT  
MODEL 50-TON DETACHABLE GOOSENECK LOWBOY – CONTINUED**

**GOOSENECK TO DECK CONNECTION:**

(2) Vertical teardrop castings on gooseneck to accept (2) 3-1/2" diameter horizontal pins at front of deck. Cross shaft to be 3" diameter stress proof (100,000 min. yield). Deck to have alignment guide for gooseneck self-alignment to deck. Air actuated vertical lock pin gooseneck to deck w/manual safety lock.

**PLATFORM LENGTH & WIDTH:**

24' -0" Of clear and unobstructed deck, does not include 18 degree ramp to rear bridge. Platform width 8'-6" (102")

**DROP DECK CONSTRUCTION:**

(1) 16" deep/full length one piece (no splices) I-Beams; complete 100,000 p.s.i. construction (including web material) fully cambered beams). Tapered top and bottom first 9'.

**CROSSMEMBERS:**

One (1) piece junior I-beams M10"X9# pierced through main beams on 20" centers.

**DECK HEIGHT:**

22" Loaded, adjustable 20", 22", 24"

**ROAD CLEARANCE:**

6" Loaded; adjustable 4", 6", 8".

**LASH RINGS:**

Sixteen total (16) 6 each side of deck, bent style, 2 each side at rear on bolster ends, flat style.

**LASHING SLOTS:**

Four (4) One (1) on each end of bolsters and half bolsters.

**FLAG HOLDER SLOTS:**

Six (6) One (1) on each end of bolsters and half bolsters.

**DECKING:**

Full 1-1/2" apitong hardwood complete covering deck, rear slope, and bridge, attached by self-tapping screws.

**RAMPS:**

41" Long, 7.2 degree load angle adjustable width to 56" inside to inside, inside double hinged, wood filled.

**REAR LOADING FEATURES:**

18 degree or 3:1 sloped ramp ahead of tries, full 1-1/2" apitong hard wood complete covering deck, rear slope, and bridge, attached by self-tapping screws.

**SUSPENSION:**

Ridewell air ride suspension with manual +3" / -3" height adjustment in 1-1/2" increments and manual exhaust valve. Over-ride chains on all axles.

**AXLES:**

Three (3) 22,500# capacity (full width) with 5/8" wall on 55" axle centers.

**WHEELS:**

Steel disc, 22.5 x 8.25, hub piloted type, painted white, outboard mount with oil seals.

COOPER EQUIP. CO. (E13)

**SPECIFICATIONS FOR ONE NEW AND CURRENT  
MODEL 50-TON DETACHABLE GOOSENECK LOWBOY – CONTINUED**

**TIRES:**

12-255/70R22.5 (H) 16 P.R. Radials.

**BRAKES:**

16-1/2" x 7" air with automatic slack adjusters and spring brake chambers on center axle. Brakes to be rated at a minimum of 20,000# per axle.

**LIGHTS AND WIRING:**

Truck lite "Easy Seal" sealed system with third tail light package and flasher kit with rechargeable battery (wired to marker light circuit).

**PAINT:**

Shot blast, clean, prime, paint with (2-part urethane) black enamel finish or manufacturers standard color.

**STORAGE COMPARTMENTS:**

Two (2) BASKETS ONE (1) in rear of gooseneck base, one (1) in rear of deck.

**OUTRIGGERS:**

None (weldments included for later installation).

**MUDFLAPS:**

Rubber type rear of axle #3

**OPTIONAL FEATURES:**

Reinforced top flanged/side members

Spare tire and wheel (standard tire/loose)

Hubometer

**LITERATURE:**

Operation, maintenance, repair and parts book shall be supplied at the time of delivery.

**WARRANTY:**

Dealer shall provide twelve (12) months of warranty that shall include parts, labor, travel time and mileage for any warranted repair.

**DESTINATION:**

Unit must be delivered completely assembled and ready for work to Williamson County Central Maintenance Facility, 3151 S. E. Inner Loop, Georgetown, Texas.

**BID SHEET****ETNYEK PRTN55ETD3-PS****50-TON DETACHABLE GOOSENECK LOWBOY TRAILER**PRICE OF ONE TRAILER \$ 45,978.<sup>00</sup>ESTIMATED DELIVERY DATE 30 to 45 DAYS AROCOOPER EQUIP. CO. (913)



17474 Judson Road San Antonio, TX 78247  
Phone (210) 657-5151 Fax (210) 657-5871


## **ETNYRE HAUL TRAILER REFERENCES**

CITY OF SAN ANTONIO  
FRANK RAMIREZ, JR. 210-359-3143  
SAN ANTONIO, TEXAS

MGMC  
CHESTER MAPLES 210-889-4694  
CASTROVILLE, TEXAS

AUSTIN ROAD AND BRIDGE  
JERRY SELLMAN 512-835-1608  
AUSTIN, TEXAS






**WILLIAMSON COUNTY BID FORM****ONE OR MORE ROAD MAINTENANCE EQUIPMENT FOR WILLIAMSON COUNTY  
FLEET SERVICES**

BID NUMBER: 03WC508

BID OPENING DATE &amp; TIME: DECEMBER 17, 2002 - 2:00 PM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: COOPER EQUIPMENT COMPANYMailing Address: 17474 JUDSON RD.City: SAN ANTONIO State: TX Zip: 78247Email Address: G.BORCK@COOPEREQVIP.COM/C.BLACK@SATX.RR.COMTelephone: (210) 657-5151 Fax: (210) 657-5871  
Signature of Person Authorized to Sign Bid Date of Bid: 12-17-02Name and Title of Signer: ED BLACK - SALES REP.  
(Please Print or Type)**PLEASE COMPLETE THE FOLLOWING:**

Prompt Payment Discount: \_\_\_\_\_% \_\_\_\_\_days. (If no discount is offered, Net 30 will apply.)

☐ "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)☒ low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

# ONE OR MORE ROAD MAINTENANCE EQUIPMENT FOR WILLIAMSON COUNTY FLEET SERVICES

**BID NUMBER: 03WC508**

**BID OPENING DATE & TIME: DECEMBER 17, 2002 - 2:00 PM**

## **SPECIFICATIONS FOR ONE NEW AND LATEST MODEL ROTO-MIXER RECLAIMER/STABILIZER**

### **GENERAL:**

This machine shall be an all-wheel drive, all-wheel steer, highly maneuverable, self-propelled reclaimer/stabilizer for cold-mix reclamation and soil stabilization. The unit shall be capable of doing cold in-place recycling using existing, in place materials such as hot-mix asphalt or chip-seal wearing courses, pulverizing and mixing them with the underlying flexible base material. During this pulverizing/mixing, one or more stabilizing agents (water or emulsion) shall be added through a liquid additive system so they can be mixed to provide enhanced strength and durability to the new base.

### **WEIGHT:**

Machine shall have a minimum published operating weight of 51,000 lbs.

### **ENGINE:**

Diesel engine direct injected, turbo charged, aftercooled with wet sleeve replaceable liners.

Minimum horsepower is 425 with 1,350 lb.ft. of torque @ 1400 rpm.

Engine shall meet or exceed Tier II emission standards.

Dry-type air cleaner with primary and secondary elements, automatic dust ejector and visual restriction indicator.

24-volt direct-electric starting and charging system.

### **ROTOR CUTTER ASSEMBLY:**

The cutter drum shall be a minimum of 8' in width and 50" in diameter and can be used for either reclamation or soil stabilization.

Cutter drum shall have a minimum of 200 point-attack carbide-tipped tools mounted in drive-in, knock-out tool holders arranged in a chevron pattern for maximum breakout force.

Cutting depth 16" minimum.

### **CUTTER SYSTEM:**

Center mounted, detachable, cutter housing assembly consisting of a heavy-duty steel housing, hydraulically suspended from the main chassis frame, with hydraulically positioned front and rear strike-off gates.

COOPER EQUIPMENT COMPANY  
SB

**SPECIFICATIONS FOR ONE NEW AND LATEST MODEL  
ROTO-MIXER RECLAIMER/STABILIZER - CONTINUED**

**ROTOR CUTTER DRIVE SYSTEM:**

Rotor drive engagement shall be controlled with an on/off switch at the operator control console.

Rotor drive power shall be taken from the engine flywheel through a three-speed transmission, to allow cutter speed selection providing optimum gradation and blending control while maintaining maximum production.

Overload protection shall be provided by a continuously engaged friction-type torque limiter between the transmission and differential. Power flows from the torque limiter to high capacity transaxle, then to dual ultra strength roller chain final drives enclosed in sealed oil bath heavy-duty chain cases attached to the cutter drum.

**PROPEL SYSTEM:**

System design shall provide 4-travel speeds

Hydrostatic drive shall provide infinitely variable speed by an electronic displacement control with load sensing to match propel speed to load on the rotor.

Rear wheels shall have hydrostatic drive motors providing all wheel drive.

Propel system shall include a back-up alarm.

**STEERING:**

Operator controlled four wheel steering shall provide different selections of coordinated steering, allowing crab steering and steering of either pair of wheels.

**BRAKES:**

Brakes shall meet both service and parking requirements for rubber tired construction equipment.

**LIGHTS:**

Lighting systems shall include work lights, rotating beacon, instrument, tail and headlights.

**MIRROR PACKAGE:**

Mirror group shall provide improved visibility to the rear and sides of the machine.

**TIRES:**

Machine shall be equipped with the standard tires and wheels.

**VANDALISM PACKAGE:**

Lockable guards, engine panels, console cover and fluid reservoirs shall be provided.

**COMBINATION LIQUID ADDITIVE SYSTEM:**

System shall include a hydraulic driven 300 GPM pump with variable controls and GPM read out, motor, spray bar and hoses, radar ground speed with FPM read out and all other equipment needed for use with emulsion or water.

**LITERATURE:**

At the time of delivery two operation-maintenance guides, one parts book and one service manual (manual shall include all machine systems including engine and liquid additive system).

COOPER EQUIPMENT COMPANY  
SR

**SPECIFICATIONS FOR ONE NEW AND LATEST MODEL  
ROTO-MIXER RECLAIMER/STABILIZER - CONTINUED**

**WARRANTY:**

Machine shall have twelve (12) months of warranty that shall include travel time, mileage, parts and labor for entire machine.

Please list machine extended warranty plans and prices for consideration.

**TRAINING:**

Dealer shall provide two (2) days of on site training that shall include operation and maintenance and on job site operation of unit with additive system.

**DESTINATION:**

Unit must be delivered to Williamson County Central Maintenance Facility, 3151 S. E. Inner Loop, Georgetown, Texas, completely assembled, fluid levels correct and ready for work.

**BID SHEET**

CMI RS-425B

**ROTO-MIXER RECLAIMER/STABILIZER**

PRICE OF ONE ROTO-MIXER RECLAIMER/STABILIZER \$ 201,898.<sup>00</sup>

ESTIMATED DELIVERY DATE 30 to 35 DAYS ARO

COOPER EQUIPMENT COMPANY

(9B)





17474 Judson Road San Antonio, TX 78247  
Phone (210) 657-5151 Fax (210) 657-5871

WILLIAMSON COUNTY  
PURCHASING DEPT.  
GEORGETOWN, TEXAS

December 17, 2002

Re: Bid No. 03WC508  
ROTO-MIXER

**OPTIONAL EXTENDED WARRANTY**

CMI RS-425B

3 Year or 5000 hour (total) warranty.....\$ 13,950.00

1<sup>st</sup> year is full warranty

2<sup>nd</sup> and 3<sup>rd</sup> year are power train warranty including rotor drive system.

All warranties exclude normal wear items.

  
Ed Black - Sales representative





17474 Judson Road San Antonio, TX 78247  
Phone (210) 657-5151 Fax (210) 657-5871

### CMI RS-425 REFERENCES

LINDSEY CONTRACTING  
WACO, TEXAS 254-752-7557

AMARILLO ROAD  
LUBBOCK, TEXAS 806-335-2922

AUSTIN ROAD AND BRIDGE  
DALLAS, TEXAS 972-241-0699




**WILLIAMSON COUNTY BID FORM****ONE OR MORE HEAVY EQUIPMENT – EARTH MOVING FOR WILLIAMSON  
COUNTY FLEET SERVICES**

BID NUMBER: 03WC509

BID OPENING DATE &amp; TIME: DECEMBER 17, 2002 - 2:00 PM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Holt CatMailing Address: P.O. Box 1604City: Austin State: TX Zip: 78767Email Address: Jeff.Kell@HoltCat.ComTelephone: (512) 282-2011 Fax: (512) 282-5615  
(292)  
Signature of Person Authorized to Sign Bid Date of Bid: 12-17-02Name and Title of Signer: Jeff Kell Sales  
(Please Print or Type)**PLEASE COMPLETE THE FOLLOWING:**

Prompt Payment Discount: \_\_\_\_\_% \_\_\_\_\_days. (If no discount is offered, Net 30 will apply.)

[ ] "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)

[X] low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

# ONE OR MORE HEAVY EQUIPMENT – EARTH MOVING FOR WILLIAMSON COUNTY FLEET SERVICES

**BID NUMBER: 03WC509**

**BID OPENING DATE & TIME: DECEMBER 17, 2002 - 2:00 PM**

## **LIFE CYCLE COST BID PROVISION**

**LIFE CYCLE COST PROVISION:** Williamson County requests a LIFE CYCLE COST BID, that is, a bid containing (1) the original purchase price, (2) a maximum total cost of repairs, (3) a repurchase price for each of the units, and (4) the cost of a Performance Bond. Further information detailing the conditions of these provisions is given in the special provisions section of the specifications.

**ALTERNATE BASE COST BID:** Bidder is not required to furnish Life Cycle Cost Bid to be considered responsive to this bid, however, the County may, at its own option, elect to consider only those Life Cycle Cost Bids submitted if such action is deemed by Commissioners Court to be in the best interest of Williamson County.

**PERFORMANCE BOND:** Within thirty (30) days after issuance of a purchase order following award of the contract, the successful bidder shall furnish Williamson County with a performance bond in the amount of the original purchase price of the units plus the guaranteed maximum total cost of repairs (GMTCR) at the end of five years executed with a surety company authorized to do business in the State of Texas. This bond shall be in effect for the life of the contract to guarantee faithful performance of the contract. Performance Bond may be waived at the discretion of Commissioner's Court.

**LIQUIDATED DAMAGES:** Should the successful bidder fail to deliver the items within the specified delivery date, (which the bidder shall state) the sum of 100.00 (one hundred and no/100 dollars) per calendar day will be deducted from the monies due the successful bidder for purchase of the units. This sum shall not be considered as a penalty, but rather as reasonable liquidated damages, since it would be impracticable or extremely difficult to fix the actual damages. An extension of time may be allowed for delays beyond the control of the successful bidder at the discretion of Williamson County.

**IN CASE OF** change of corporate structure or loss of identity by assimilation or merger with other companies, this agreement shall remain in effect and be binding on the successor company(ies).

**WILLIAMSON COUNTY** reserves the right to sell, trade or otherwise dispose of the equipment purchased under this agreement at its discretion at any time. Williamson County reserves the right to consider the guaranteed repurchase price as a bid at an auction held in accordance with Article 2372z V.T.C.S., if auction held during the time of the repurchase guarantee and the County may sell the equipment for a higher bid received at such auction.

**ANY QUESTIONS** concerning this process should be directed to the Williamson County Purchasing Department, Williamson County Auditor's Office, 710 Main Street – Suite 303, Georgetown, Texas 78626, (512) 943-1500.

The following shall be used to govern and enforce the Total Service Contract entered into and supplementary to the Warranty covering equipment herein bid.

1. Williamson County will assume responsibility for repair costs resulting from damage due to fire, windstorm, flood and rising waters, lightning, theft and pilferage, vandalism, accidents and operator's and mechanic's negligence.

**LIFE CYCLE COST BID PROVISION – CONTINUED**

2. Successful bidder shall pay for all repairs (including parts and labor) to the portions of the equipment covered by the manufacture's warranty, and these costs shall not be included in the guaranteed maximum total cost of repairs. The period of this initial warranty shall be stated in the Warranty provision of this specification. Effective guaranteed maximum repair cost is to cover three (3) year/5,000 hour or a five (5) year/7,500 hour period as stated within.

3. Williamson County will assume, at its expense, costs to repair or replace parts and components not under warranty such as tires, lubricating oils, filters of all types, grease, fuel, antifreeze batteries, headlamps, glass breakage, belts, brake linings, cleaning and painting, and electrical components except alternators, starters, and electrical meters and gauges.

4. Williamson County, will maintain equipment in accordance with manufacturer's recommendations as prescribed in the operator's manual and service manual which shall be provided with each unit, and with any supplemental recommendation which shall supersede those books if such supplemental recommendations are provided by the successful bidder to Williamson County. Contractual items such as oil, filters, etc., equivalent to manufacturer's recommended brands are to be acceptable.

5. Successful bidder has the right to inspect equipment during normal working hours and make recommendations for repairs, improved maintenance, etc., in keeping with the requirements as stated by the manufacturer in the service manual for maintenance and repair of the equipment. If the County, upon notice from the successful bidder, does not implement recommended maintenance and operating procedures any costs incurred from these practices shall be paid by Williamson County and not be considered as part of the guaranteed maximum total cost of repairs (GMTCR).

6. Successful bidder will be fully responsible for the total cost of all repairs (other than as indicated in paragraphs 1, 3 and 5) and the equipment or items furnished in excess of the guaranteed repairs (as indicated in paragraph 2) for the period of time in years or operating hours, as stated in his bid.

7. In determining the guaranteed total cost of such repairs and in the enforcement of paragraph 6 above, the following shall apply in order to most effectively maintain constant machine availability for Williamson County:

a) In the event that the cost of such repairs, including parts and labor, as computed by Williamson County, is less than \$250.00 for an individual repair, Williamson County, shall have the right to have the repairs made in its shop and the County shall give notice to the successful bidder prior to the repair being made. Any repairs to be made shall be made by the successful bidder at his option, or under his supervision at the County's shop to ensure repairs are done properly and promptly to minimize downtime. The hourly labor rate shall be the current County's applicable charge at time of repairs.

b) If the cost of the repairs, as estimated by Williamson County, is in excess of \$250.00, then the successful bidder will be duly notified by local or collect telephone call, so that he may prepare an estimate of the repairs and determine where the repairs are to be made. Such repairs may be made by the service department of the successful bidder and billed to Williamson County at the successful bidder's published prevailing rate. If, however, the successful bidder agrees, then such repairs may be made at the County's Equipment Service Center in which event, the cost of such repairs shall be computed on the same basis as that set forth in paragraph 7a.

c) Under some circumstances, repairs may be made in service departments other than that of the successful bidder or Williamson County. In such case, both the successful bidder and the County must agree on the repairs that will be made and the service department that will make those repairs. The successful bidder shall have the final say on what repairs are to be made.

**LIFE CYCLE COST BID PROVISION – CONTINUED**

d) Downtime: In the event that a breakdown occurs, Williamson County will immediately notify the successful bidder's service department of the nature of the trouble and the parts which may be required, if known. Should the equipment not be back in operating condition within five (5) consecutive days after said notification or thirty (30) days after said notification if failure due to negligence or improper operation or maintenance, the credit equal to the hourly rental paid to others for like equipment will be due Williamson County as liquidated charges for such downtime.

e) Successful bidder shall provide an approved listing of parts and service facilities where parts may be purchased and service obtained.

**NOTICE TO BIDDERS:**

**MACHINE DELIVERY:** All machines must be delivered to Williamson County Central Maintenance Facility, 3151 S. E. Inner Loop, Georgetown, Texas.

The machine must be delivered complete, clean, ready to go to work with all fluid levels checked and full.

**TRADE-INS:** Contact Mike Fox at (512) 930-3349 to make an appointment to see trade-ins.

Trade-ins may be picked up when the new machine is delivered.

Bidder must provide an approximate delivery date for each machine bid.

Do not include tax in price bid, Williamson County is by statute, exempt from the state sales tax and federal excise tax.

**SPECIFICATIONS FOR ONE NEW AND CURRENT PRODUCTION  
32,000 LB. ARTICULATED MOTOR GRADER**

**GENERAL:**

The following are MINIMUM SPECIFICATIONS that the unit shall meet or exceed.  
All exceptions to the bid shall be listed on a separated sheet and attached to the bid.

The minimum published operating weight shall be 32,296 lbs. excluding options.

Unit shall be equipped with all standard equipment as advertised in the current brochure unless optional equipment is required to meet the specifications.

**DIESEL ENGINE:**

Water-cooled, wet sleeved, 6-cylinder, turbo charged with dual element dry-type air cleaner.

165 net flywheel horse power.

808 lb-ft torque @ 1200 rpm minimum. with a 50% torque rise.

Engine shall meet or exceed EPA Tier II regulations and ISO Noise Directives.

Cooling system shall contain extended life coolant good to -30 F and 6000 hours.

Cooling system fan shall be hydraulically driven and operate on demand of engine need for temperature control.

Doors, engine compartment with locks.

**ELECTRICAL:**

24-volt electrical system.

Back-up alarm.

75 amp alternator.

Two maintenance free 750 CCA batteries in lockable battery boxes.

25 amp converter 24-volt to 12 volt.

Work lights, stop and tail lights with directional and hazards.

Key operated ignition with 24-volt starter.

AM/FM radio.

**HYDRAULIC SYSTEM, CIRCLE/MOLDBOARD:**

Moldboard shall be a minimum of 14' X 24' X 7/8"

Moldboard shall have heat-treated sideshift rails with replaceable wear inserts.

Circle diameter shall be a minimum of 60" with hardened teeth on the front 240 degrees of circle.

Circle drive protection, slip clutch.

**SPECIFICATIONS FOR ONE NEW AND CURRENT PRODUCTION  
32,000 LB. ARTICULATED MOTOR GRADER – CONTINUED**

Raised wear surfaces, top and bottom.

Six circle support shoes with vertical and horizontal adjustment.

Six replaceable nylon composite wear strips between the circle and support shoes.

Load sensing hydraulic control system on a steering and control console.

From the console the hydraulic functions shall consist of the following:  
hydraulic steering, articulation, blade lift, right and left with float position, blade side shift, blade tip, center shift, circle drive, front wheel lean, and rear ripper-scarifier.

Controls shall include a movable blade system that pins and locks from the cab to allow maximum bank angle slope of 90 degrees.

**POWER TRAIN:**

Transmission shall be a direct drive with inching capability built and designed by the machine manufacturer specifically for this machine.

Transmission shall provide on-the-go full power shifting with 8-speeds forward and 6-speeds in reverse.

Forward travel speed shall be a least 25.5 mph.

Manually actuated multi-disc parking brake

Differential shall have an operator-controlled lock/unlock.

Sealed and adjustment free oil-disc brakes located at each of the four rear wheels.

The machine shall be equipped with 17.5R25 MX XHA tires on 14"X 25" multi-piece rim. One spare tire and wheel assembly shall be furnished.

Articulated frame with safety lock

**OPERATOR'S STATION:**

Machine shall be equipped with Enclosed Rollover Protective Structure, low profile, sound suppressed cab (shall meet or exceed ISO Noise Directives).

**CAB FEATURES SHALL INCLUDE THE FOLLOWING:**

Adjustable control console

Tilt adjustable steering wheel

Cloth covered contour suspension seat with fold up arm rest, 3" retractable seat belt and fully adjustable for support and comfort.

Fuse panel in steering control console

Heater/air conditioner system with adjustable vents and three-speed fan.

Washer and wipers on front windshield and rear window.

Rear window defroster fan.

Cab mounted lights, directional and headlights.

Wide angle inside rearview mirror and dual outside mounted rearview mirrors.

Gauges inside cab, fuel, brake air pressure, engine coolant temperature, articulation, voltmeter, hour meter and speedometer/tachometer.



**SPECIFICATIONS FOR ONE NEW AND CURRENT PRODUCTION  
32,000 LB. ARTICULATED MOTOR GRADER - CONTINUED**

Machine functions Electronic Monitoring System that includes lights and alarms.  
Hand throttle control with accelerator-decelerator for engine speed.

**ADDITIONAL EQUIPMENT:**

Front mounted push plate, counterweight, 2,000 lbs. minimum.

Rear ripper-scarifier with complete set of shanks and teeth.

Vandal protection group to secure machine, and shall include locks.

Tool box

Amber strobe light.

**LITERATURE:**

At the time of delivery, a service manual that includes disassembly/assembly/trouble shooting/specifications of all vehicle systems including the engine must be provided.

Two parts books and two operation/maintenance/safety manuals must also be provided.

**WARRANTY:**

Dealer shall provide a 5-year or 7,500 hour total machine warranty. The first year shall include parts, labor, travel time and mileage. The remaining warranty shall cover the total machine with the County providing transportation cost and/or compensation to the dealer for travel time and mileage to make warranty repairs.

**TRADE-IN:**

Unit #2310 - 1992 120G Motor Grader, Ser # 4HD0161, CAT 3304T Diesel Engine (replaced at 4340 hours with new engine from HOLT) 6-speed Power Shift Trans, Enclosed Cab with heat, 14' Mold Board with side-shift and tilt-tip, Front mounted Scarifier, on 14.00 x 24 tires.

**SPECIFICATIONS FOR TWO NEW AND CURRENT MODEL  
2 ½ CUBIC YARD FOUR WHEEL DRIVE LOADER**

**GENERAL:**

Unit described below shall be a new and current year manufacture Four-Wheel Drive Loader that is the Manufacturer's latest design and production. Unit shall have a minimum published operating weight of 21,600 lbs., based on standard features. Machine shall have net hp of 110 minimum. The following are minimum specifications that the unit shall meet.

Dealer shall provide a minimum of twelve (12) months warranty that shall include parts, labor, travel time and mileage.

Net delivered price shall include any and all discounts, allowances, and transportation and delivery charges.

**ENGINE:**

Shall be an inline water-cooled turbo charged diesel engine.

Engine features shall include cast iron block and cylinder head with replaceable liners.

Minimum net horsepower shall be 110

Shall meet or exceed Tier II off-highway emission standards.

**TRANSMISSION:**

Torque converter driven, countershaft-type power shift electronically controlled transmission.

The transmission shall feature electronic auto shift with 4-speed forward and 3-speed reverse.

**STEERING:**

Full hydraulic load-sensing with center point frame articulation.

Steering angle in each direction shall be 40 degrees.

**DRIVE AXLES:**

Manufacturer's standard differentials with in-board planetary drive reduction.

Fixed front axle and oscillating rear.

**BRAKES:**

Hydraulic actuated adjustment free inboard oil-immersed disc brakes completely enclosed and sealed on front and rear axles.

Dual pedal braking system with operator controlled transmission neutralizer activated during braking.

Parking brake shall be independent of service brakes and shall be equipped with a warning light or buzzer and be of sufficient design to hold the machine on a slope.

**TIRES:**

All tires shall be 17.5 X 25 12 Ply L3

**LOADER:**

Loader shall be equipped with a General Purpose material bucket with bolt on cutting edges. The bucket shall have a minimum SAE heaped capacity of 2 ½ cubic yards.

**SPECIFICATIONS FOR TWO NEW AND CURRENT MODEL  
2 ½ CUBIC YARD FOUR WHEEL DRIVE LOADER - CONTINUED**

Adjustable automatic kick-outs for boom height and buck position.

Minimum loader lift height of 12' 1" to bucket hinge pin.

Machine shall be equipped with the required counter weight for proper operation and bucket size.

**HYDRAULIC SYSTEM:**

The system shall incorporate a load-sensing variable displacement piston type implement pump.

Operation shall be controlled by a dual function hydraulic valve using a low effort single lever joystick.

Functions shall include boom lift, lower, float and bucket rollback and dump.

**ELECTRICAL:**

This unit shall be equipped with a 24-volt heavy duty electrical system with battery disconnect.

Alternator shall be a minimum of 50 amps.

Light group shall include but not limited to the following:

two front and two rear work lights, turn signals front and rear with flashers and stop and tail lights.

Electric horn and back up alarm.

Machine shall be equipped with manufacturers standard engine/power train and or hydraulic monitoring system that provides audio/visual response to machine malfunctions.

**CAB:**

Unit shall have a fully enclosed (EROPS) sound suppressed cab that provides falling object and roll over protection in accordance with SAE standards. Cab shall include: heater, air conditioner, defroster, front and rear windshield wiper/washer, floor mat, dome light, solar tinted safety glass, inside rear view mirror and dual outside mirrors. For operator's comfort there shall be a tilting steering console, and a fully adjustable air suspension cloth seat with 3" seat belt.

**ADDITIONAL EQUIPEMENT:**

Unit shall be equipped with all standard equipment as stated in manufacture's brochure under standard features but shall if optional the following: Key operated ignition switch with safety start, foot activated throttle, cold weather starting aid (if required for this area) dual element dry type air cleaner, air filter restriction indicator, fenders front/rear, lockable engine enclosure, vandalism protection on serviceable fluid locations, drawbar hitch with pin, electric hour meter, articulation locking bar and pin. Cooling system shall incorporate a hinge type swing away design allowing service and maintenance to radiator and oil coolers.

**LITERATURE:**

Vendor shall provide two (2) copies of the operation and maintenance manual, one (1) copy of the current parts book, and one (1) copy of the service/repair technical manual that shall cover disassembly/assembly of vehicle systems including diesel engine. These manuals shall be provided at the time of delivery.

**TRAINING:**

Successful bidder shall provide at least four (4) hours of on-site operation and maintenance training. The cost of such training shall be part of the bid.

**SPECIFICATIONS FOR TWO NEW AND CURRENT MODEL  
2 ½ CUBIC YARD FOUR WHEEL DRIVE LOADER - CONTINUED**

**WARRANTY:**

Bidder shall provide extended warranty coverage for a period of five (5) years/4000 hours minimum on the full machine for parts and labor.

**TRADE-INS:**

Unit #2213 - 1980 John Deere 444 Wheel Loader, Ser # 444A350462T, Enclosed cab with heat, 2-speed power shift trans., 1400 X 24 Tires

Unit #2207 - 1982 John Deere 444C Wheel Loader, Ser # 444CB405490DW, Enclosed cab with heat, 2-speed power shift trans., 15.5 X 25 Tires.

ONE OR MORE HEAVY EQUIPMENT - EARTH MOVING FOR  
WILLIAMSON COUNTY FLEET SERVICES

## BID SHEETS

32,000 LB. ARTICULATED MOTOR GRADER

Caterpillar 140H Tier II

PRICE OF ONE ARTICULATED MOTOR GRADER

\$178,900-

AMOUNT ALLOWED FOR TRADE-IN:

UNIT # 2310

\$40,000-

TOTAL TRADE-IN AMOUNT

\$40,000-

NET PRICE OF ONE (1) ARTICULATED MOTOR GRADER

\$138,900-

ESTIMATED DELIVERY DATE

2-3 weeks ARO

LIFE CYCLE COST BID - THREE (3) YEAR/5,000 HOUR:

GUARANTEED REPAIR COST

\$500-

GUARANTEED RE-PURCHASE PRICE

\$141,000-

PERFORMANCE BOND COST

\$2,100-

LIFE CYCLE COST BID - FIVE (5) YEAR/7,500 HOUR:

GUARANTEED REPAIR COST

\$500-

GUARANTEED RE-PURCHASE PRICE

\$103,200-

PERFORMANCE BOND COST

\$2064-

**2 1/2 CUBIC YARD FOUR WHEEL DRIVE LOADER**

PRICE OF ONE 2 1/2 CY FOUR WHEEL DRIVE LOADER

\$82,500-

Price of one loader

\$82,500-

times 2 equals

\$165,000-

AMOUNT ALLOWED FOR TRADE-INS:

UNIT # 2213

\$8,000-

UNIT # 2207

\$12,000-

TOTAL TRADE-IN AMOUNT

\$20,000-

NET PRICE OF TWO (2) 2 1/2 CY FOUR WHEEL DRIVE LOADERS

\$145,000-

ESTIMATED DELIVERY DATE

7 Weeks AMO

LIFE CYCLE COST BID - THREE (3) YEAR/5,000 HOUR:

GUARANTEED REPAIR COST

\$400-

GUARANTEED RE-PURCHASE PRICE

\$56,300-

PERFORMANCE BOND COST

\$844-

LIFE CYCLE COST BID - FIVE (5) YEAR/7,500 HOUR:

GUARANTEED REPAIR COST

\$500-

GUARANTEED RE-PURCHASE PRICE

\$41,000-

PERFORMANCE BOND COST

\$20-Warranty - 5 Year / 5000 Hour Total Machine

BID REFERENCES

Burris Construction  
P.O. Box 331  
Georgetown, Texas 78627

Lonnie Burris 869-2043

Champion Site Prep  
455 HWY 195  
Georgetown, Texas 78628

John Gustanis 863-3453

Rogers Construction  
P.O. Drawer 1136  
Georgetown, Texas 78627

Randy Rogers 930-1155

# 140H

Motor Grader



## NA Version

Cat <sup>®</sup> 3306 turbocharged diesel engine available in two power arrangements:		
Standard (all gears)	123 kW	165 hp
Variable Horsepower (VHP) Arrangement		
Gears 1 - 3	123 kW	165 hp
Gears 4 - 8	138 kW	185 hp

Blade width	3658 mm	12 ft
Operating weights (approximate)		
On Front wheels	4223 kg	9310 lb
On Rear wheels	10 501 kg	23,150 lb
Total machine	14 724 kg	32,460 lb



# 924Gz

## Wheel Loader



Bucket capacities	1.7 - 2.1 m <sup>3</sup>	2.2 - 2.75 yd <sup>3</sup>
Operating weight to	10 940 kg	24,125 lb
Cat 3056T Engine		
Gross power	91 kW	122 HP
Flywheel power	85 kW	114 HP

**WILLIAMSON COUNTY BID FORM****ONE OR MORE ALL TERRAIN LOADERS FOR WILLIAMSON COUNTY  
FLEET SERVICES**

BID NUMBER: 03WC510

BID OPENING DATE &amp; TIME: DECEMBER 17, 2002 - 2:00 PM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Holt CatMailing Address: P.O. Box 1604City: Austin State: TX Zip: 78767Email Address: brent.pemberton@holtcat.comTelephone: ( 512 ) 497-7430 Fax: ( 512 ) 292-5064

Brent Pemberton Date of Bid: 12/12/02  
Signature of Person Authorized to Sign Bid

Name and Title of Signer: Brent Pemberton Holt Cat Sales Representative  
(Please Print or Type)

**PLEASE COMPLETE THE FOLLOWING:**

Prompt Payment Discount: \_\_\_\_\_% \_\_\_\_\_days. (If no discount is offered, Net 30 will apply.)

[ \* ] "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)

[ ] low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

# ONE OR MORE ALL TERRAIN LOADERS FOR WILLIAMSON COUNTY FLEET SERVICES

**BID NUMBER: 03WC510**

**BID OPENING DATE & TIME: DECEMBER 17, 2002 - 2:00 PM**

## SPECIFICATIONS FOR ONE NEW AND LATEST MODEL ALL SURFACE OR MULTI-TERRAIN LOADER

### GENERAL:

This unit shall be a compact All-Terrain Loader on rubber-track undercarriage, capable of handling excavating jobs on sensitive terrains such as lawns and asphalt surfaces. The machine shall be a water-cooled diesel powered unit with auxiliary hydraulics, quick-connect type hose fittings, and industry-standard interface for quick-attach attachments. The unit shall handle a full line of attachments and tools including ones requiring case drain return lines.

### THE FOLLOWING ARE MINIMUM SPECIFICATIONS:

Engine: Caterpillar 3024C, 50-horse power, 105 ft-lb torque.	* Cat 3034, Net 54 Hp
Weight: Without bucket 4750	* 6,190#
Height to top of ROPS: 77 inches	* 78"
Ground clearance: 12 inches	* 10.5"
Maximum lift, at hinge pin: 115 inches	* 117"
Length of undercarriage: 75 inches	
Machine length with bucket: 128 inches	* 129"
Machine width: 60 inches	* 66"
Track width: 15 inches	
Track length, on ground: 59 inches	
Ground pressure: 2.7 psi	* 3.8 PSI
Ground contact area: 1770 square inches	
Auxiliary hydraulic pump: Flow, 16.3 gallons per minute, pressure 3000 psi.	* 14 GPM/3,300 PSI

### THE MACHINE SHALL INCLUDE THE FOLLOWING FEATRUES:

ROPS/FOPS canopy  
 Dual stage air cleaner  
 55-amp alternator  
 770 CCA Battery \* 650 CCA  
 Joy-stick control Hydrostatic Transmission, 0-9 mph \* 7.5 MPH  
 Gauges (Fuel level, hour meter, and slope gauge) \* No slope gauge  
 Operator Warning System Indicator (Hydraulic oil temp, low battery, low oil pressure, and engine coolant temp.)  
 Dual Hydraulic Pilot Joystick Controls  
 Lap Bar  
 DC Outlet \* n/a  
 Hand Throttle  
 Switches (Lights, auxiliary, and hydraulic)  
 Key operated ignition switch  
 Interior light  
 Seat Belt  
 Operator presence seat switch  
 Operator presence lap bar switch

HOLT CAT

**SPECIFICATIONS FOR ONE NEW AND LATEST MODEL  
ALL SURFACE OR MULTI-TERRAIN LOADER - CONTINUED**

Lift Arms with Universal Quick-Attach  
Pusher Engine Fan  
2" Receiver Hitch, Front and Rear  
Two front lights and 1 Rear light  
Parking Brake  
Tie Down Loops, Front and Rear  
Pre-wired for Accessory Switches  
Back-up Alarm  
Horn  
Dirt Bucket, 62" in width, and adaptable to bolt on bucket teeth     \* 66" Gp Bucket

**POWER TRAIN FEATURUES:**

The Hydrostatic drive system shall incorporate a pilot operated hydraulic control and automatically reduce forward speed to match available engine horsepower to avoid engine stalling.

The rubber on rubber track system shall utilize two rubber torsion axles on each side of the main body frame providing a suspension system. The suspension system shall provide maximum ground contact, increase traction and provide a smooth and comfortable ride.

**WARRANTY:**

Successful bidder shall provide 12 months of complete machine warranty, which shall include parts, labor, travel time and mileage. Tracks shall be warranted for 1000 hours against defects in material and workmanship.

**LITERATURE:**

At the time of delivery a service manual, that shall include disassembly/assembly, trouble shooting and specifications of all vehicle systems including the engine must be provided.

One parts book and two operator maintenance/lubrications guides must also be provided.

**DESTINATION:**

Unit shall be delivered to Williamson County Central Maintenance Facility, 3151 S. E. Inner Loop, Georgetown, Texas, completely assembled, ready for work and all fluid levels correct.

\* Indicates differences in bid spec, see attached machine (247) specs


**BID SHEET**

**ALL SURFACE OR MULTI-TERRAIN LOADER**

PRICE OF ONE LOADER           \$27,550.00          

ESTIMATED DELIVERY DATE           Within 6 weeks ARO          

HOLT CAT



247  
Skid Steer Loader

CAT

Engine		
Model	Caterpillar 3034	
Net Flywheel Power	40.3 kW	54 hp
Gross Power	43.0 kW	58 hp
Rated Operating Capacities:		
35% tipping load	614 kg	1354 lb
50% tipping load	877 kg	1933 lb
Operating Weight	3023 kg	6665 lb
Ground Pressure	26 kPa	3.8 psi

**Caterpillar® 247 Multi Terrain Loader**

*High performance, compact machine delivers exceptional versatility, flotation, traction and stability over a wide range of terrains.*

**High Performance Power Train**

Cat® 3034 engine provides high engine horsepower and torque, allowing part-throttle operation for lower sound and fuel consumption. An exclusive anti-stall feature delivers maximum power to the drive train and work tools without stalling the engine. **pg. 4**

**Rubber Track Undercarriage**

Low ground pressure, stability, high traction, fast travel and suspension allow the Cat 247 to excel in a wide range of applications and ground conditions. **pg. 5**

**Ease of Operation**

Operator comfort and ease of operation are designed into the operator's station from every aspect. Ergonomic features such as low-effort joystick controls, comfortable, padded armrest and an adjustable contoured seat reduce operator fatigue. Excellent visibility to the work tools helps enhance productivity. **pg. 6**

**Built for Versatility and Productivity**

*The 247 Multi Terrain Loader, with its suspended rubber track undercarriage and many work tool options, is a highly versatile compact machine for use in construction, landscaping, agriculture and other applications. It is designed to deliver traditional Cat reliability and durability with excellent productivity, even in tough working conditions.*



**Quick Coupler & Work Tools**

A universal work tool interface and quick coupler help make the 247 the most versatile machine on the jobsite. Add the wide range of Cat Work Tools for maximum utility and production. **pg. 7-8**

**Serviceability**

The 247 offers quick and easy routine maintenance and service. The rear door opens 90 degrees and the cooling package tilts up out of the way for unparalleled access to the engine compartment. The undercarriage uses sealed and tapered bearings to minimize maintenance requirements. **pg. 9**

**Customer Support**

Caterpillar Dealers offer unmatched customer support, with excellent warranty programs and fast parts availability, resulting in maximum uptime and minimum repair costs. Equipment maintenance services help optimize machine performance and reliability. They include:

- Customer Support Agreements
- S•O•S oil analysis
- Maintenance contracts
- Scheduled technical inspections


Equipment management services help optimize profits. They include assistance with:

- Machine and work tool selection
- Rental and leasing
- Purchase and financing
- Owning and operating cost management



## Power Train

*Caterpillar hystat power train delivers aggressive performance and easy operation.*



**Caterpillar 3034 engine** provides high engine horsepower and robust flywheel torque.

**Closed-loop, high-output hydrostatic system** and exclusive anti-stall system deliver maximum torque to the tracks. Dual, closed-loop, axial piston hydrostatic pumps are driven directly off the engine. The pumps provide pressure and flow to two fixed displacement motors which provide power to the final drive motors that drive the tracks.

**High-displacement, high-torque hydrostatic motor** has integral brake and no service points.

**Standard throttle controls** include both a hand throttle and a foot control. The hand control allows setting a constant engine speed, whereas the foot control allows modulation of engine speed. The foot control can help conserve fuel and lowers noise emissions while enabling optimum engine output at all times.

**Parking brake** is spring-applied and hydraulically released.

**Reliability is built in to ensure years of trouble-free operation.** The hydraulic system is cleaned to a level exceeding industry standards and the machine is tested to deliver the performance and reliability customers expect from Caterpillar.



## Unique Rubber Track Undercarriage with Suspension

*Provides exceptional flotation, traction and stability with minimal pressure on the ground.*

The rubber track undercarriage transfers machine weight to the ground through 24 wheeled contact points. Machine weight is evenly distributed throughout the track.


- Traction is dramatically increased;
- Low ground pressure and high flotation keep the machine working in soft or wet underfoot conditions;
- Track tread is designed to provide optimal gripping traction while preventing surface damage;
- Track life is increased and track guiding is improved;
- Ideal for applications where soil compaction should be avoided.

**Large ground contact area** helps maximize traction and minimize ground pressure. Tracks measure 381 mm/15 in. wide. Length of track on ground measures 1499 mm/59 in.

**Elevated internal positive track drive** keeps drive components away from ground debris. The sprocket is fitted with replaceable roller sleeves that mesh with molded rubber lugs inside the track for smooth operation. Track lugs travel on the outer edge of the undercarriage roller wheels to ensure proper tracking and to help prevent derailment.

**Rugged, durable rubber track** is lightweight and pliable, yet reinforced with high tensile strength cords. Edges of the track are beveled to help prevent scuffing or damage when maneuvering on sod, turf and other sensitive surfaces. No steel is used in the track to prevent excess weight and corrosion.

**Heavy-duty torsion axles suspend each side of the undercarriage from the machine frame.** These axles absorb most of the shock to the undercarriage, machine and operator - especially over rough conditions. That means smooth travel even at higher speeds. It also leads to better load retention and higher productivity.



## Operator's Station

*Ergonomic design provides a comfortable working environment.*

**Cab.** The Cat Multi Terrain Loader's ergonomic cab is designed to make operation easy and comfortable. Getting in and out of the cab through the wide cab opening is made even easier with three-point grab irons and skid-resistant steps. Tilt cylinders (two) are neatly located on the loader arms to not interfere with operator access and egress. The entire cab tilts rearward to provide excellent service access to the machine's main hydraulic components.


**Standard Equipment.** The standard equipment for the Cat Multi Terrain Loader includes:

- ROPS/FOPS cab;
- Static seat with fore/aft adjustment and retractable seat belt;
- Arm rests;
- Hand and foot throttle controls;
- Dome light;
- Rear wall liner;
- Overhead instrument panels;
- Pilot hydraulic control system.

**Cab Options.** A deluxe cab package includes a suspension seat, headliner, horn and additional working lights. A cold weather package includes sliding side windows, cab heater, engine coolant heater, a 950 CCA battery and a debris barrier. A cab door with a wiper/washer is also available.

**Hydraulic Joystick Controls.** Like Caterpillar Skid Steer Loaders and Hydraulic Excavators, the 247 Multi Terrain Loader is controlled by two pilot-operated joysticks. The right lever controls the machine's loader functions and the left lever controls machine direction and speed.

**Operation.** The joystick controls are simple and easy to use. They use an "S" pattern for precise control of machine movement, loader arm lift and tilt. The operator can run the engine at a constant speed with the hand throttle control or use the foot throttle to vary engine speed throughout operation. Both throttle controls are standard. An optional fourth function control is also available for work tools such as side-shift cold planers or angle brooms.



(Shown with optional features.)

**Auxiliary Hydraulics.** ON/OFF auxiliary hydraulics are standard for work tool operation.

**Instrument Panels.** Two instrument panels are located in the upper-right and upper-left hand corners of the cab to help maximize visibility.

## Quick Coupler


*Mechanical quick coupler enables fast and easy tool changes.*

**Cat Work Tools for Multi Terrain Loaders** can be changed quickly and easily with the machine's integral mechanical quick coupler system. The universal coupler interface features:

- Opposing wedges ensure a tight tool fit, even after years of use;
- Rugged design and large contact area absorbs loads and minimizes stress;
- Tool engagement and release are quick and easy;
- Vertical pins are chrome-plated and lubricated for smooth engagement and prevention of corrosion;
- Coupler allows excellent visibility to work tools and unobstructed entry and exit to the cab.

**All Cat Work Tools incorporate an interface** that matches the machine's integral quick coupler, allowing the operator to quickly change from one high performance work tool to another.

**Auxiliary hydraulics are standard** on the 247 Multi Terrain Loader to power hydraulically-driven work tools. Cat quick connect hydraulic connectors are conveniently located on the left-hand loader arm.





## Work Tools

*Choose from a wide variety of tools that are performance matched to Multi Terrain Loaders.*

Cat Work Tools for Multi Terrain Loaders extend the versatility of the machines. Built for performance and durability, these tools deliver high productivity, long service life and excellent value:

- Angle blades
- Augers
- Brooms
- Buckets:
  - general purpose
  - grapple
  - light material
  - multi purpose
  - utility
- Cold planers
- Hammers
- Landscape rake
- Landscape tiller
- Material handling arm
- Pallet forks
- Stump grinder
- Vibratory compactor

Many Cat Work Tools for Skid Steer Loaders are compatible and interchangeable with the 247 and other Cat Multi Terrain Loaders. See your Cat dealer for details.



## Serviceability

*Quick access and superior design make the 247 easy to maintain.*

**Service Access.** The rear service door opens 90 degrees for easy access to both sides of the in-line (lengthwise) mounted engine.


**Filters.** All filters are easily accessible and vertically-mounted which makes routine service quicker and virtually spill-free.

**Cooling System.** The radiator, hydraulic oil cooler and grill tilt up to increase access to the cooling system during maintenance and allows easier cleaning of debris from between the grill and cooling package. The cooling fan is hydraulically driven for quieter operation and to eliminate the service and maintenance that comes with belt-driven fans.

**Tilting Cab.** The machine cab tilts rearward and is held in place by a self-latching mechanism. When the cab is tilted back, all hydraulic pumps, motors, valves, lines and the fuel tank are accessible for easier service.

**Maintenance Points** are grouped in easily accessible locations.

**Scheduled Oil Sampling (S•O•S™)** valves are standard to allow regular monitoring of the engine and hydraulic oil quality.



### Other Standard Service Features:

- Simplified track tensioning;
- Easy access to battery, air filter and single engine belt;
- Sight glass on hydraulic tank and radiator allow quick, easy level checks;
- Ecology drains simplify changing engine and hydraulic oils;
- Grease fittings are countersunk to prevent damage;
- Extended life coolant and 500-hour engine oil change intervals.

Engine

Caterpillar 3034 naturally aspirated, watercooled, four-stroke cycle, four-cylinder diesel.

Ratings at 2600 rpm		
	kW	hp
Gross power	43.0	58
Net power	40.3	54
Dimensions		
Bore	97 mm	3.82 in
Stroke	100 mm	3.94 in

Net power rating per SAE J1349, ISO 9249, EEC 80/1269.

The Caterpillar 3034 engine meets the EPA and projected EU Stage 1 emissions requirements through 2004.

Power Train and Brakes

Dual, closed-loop, axial piston hydrostatic pumps driven directly off engine. Pumps provide pressure and flow to two fixed displacement motors.

Travel speed:		
	km/h	mph
Forward/reverse	12	7.5

- Features**
- Single, hydraulically operated joystick controls speed and direction
  - Anti-stall system maximizes torque to the tracks without stalling engine
  - Hydrostatic service brakes
  - Multi-disc, spring-applied hydraulically released parking brake

Standard Equipment

Standard equipment may vary. Consult your Caterpillar Dealer for specifics.

Air cleaner, dual element, radial seal  
Alternator, 55-amp  
Armrest, pull down  
Battery, 12-volt, 650 CCA  
Brake, parking, SAHR  
Controls, pilot-operated, hydraulic  
Coupler, mechanical, quick  
Engine, Cat 3034 diesel  
Falling Object Protective Structure, Level I  
Filter, fuel, bayonet-type  
Filter, hydraulic, spin-on, 5 micron  
Filter, oil, spin-on  
Hydraulics, auxiliary  
Hydraulic system

Operating Specifications

Based on standard machine equipped with GP bucket, 1676 mm (66 in.) wide, full fuel 65 kg (143 lb), and operator 75 kg (165 lb).

Rated operating capacities:*		
SAE J818 rating, 35% tipping load	614 kg	1354 lb
SAE J818 rating, 50% tipping load	877 kg	1933 lb
Operating weight	3023 kg	6665 lb
Ground contact area	1.14 m <sup>2</sup>	1770 in <sup>2</sup>
Ground pressure	26 kPa	3.8 psi
Tipping load	1753 kg	3865 lb
Breakout force, lift cylinder	1366 kg	3011 lb
Breakout force, tilt cylinder	1604 kg	3536 lb

\*SAE J818 MAY87, ISO 5998:1986 define operating capacities of rubber-tired skid steer loaders (50% tipping load) and tracked loaders (35% tipping load). There are no standards defining the operating capacities of machines equipped with a suspended undercarriage or machines with rubber tracks.

Loader Hydraulic System

Open center, fixed displacement.

Output at 2600 rpm and 21 400 kPa (3300 psi) is 54.3 l/min (14 gpm) with SAE 10W oil at 66°C (150°F).

**Feature**

- Single, hydraulically operated joystick controls lift, lower and tilt functions

Cab

Rollover Protective Structure (ROPS) and Falling Objects Protective Structure (FOPS).

- ROPS meets SAE J1040 MAY94 and ISO 3471:1994
- FOPS meets SAE J1043 SEP87 and ISO 3449:1992 Level I
- FOPS Level II meets SAE J231 JAN81 and ISO 3449:1992 Level II (optional)

**Instrumentation:**

**Audible:**

- engine coolant temperature
- engine oil pressure
- hydraulic oil temperature

**Gauges:**

- fuel level
- hour meter, digital

**Indicators:**


- air filter restriction
- alternator output
- engine coolant temperature
- engine oil pressure
- hydraulic filter restriction
- hydraulic oil temperature
- parking brake engaged

Liner, cab bottom, sound suppression

Muffler, spark arresting  
Precleaner, self-unloading  
Pump, hydraulic, tandem gear  
Pump, hystat charge and hydraulic fan  
Rubber track undercarriage with 381 mm/15 in. wide rubber track  
Scheduled Oil Sampling (S•O•S) valves  
Seat, static  
Seat belt, retractable, 50 mm (2 in.)  
Starting aid, glow plugs  
Support, lift arm  
Switch, ignition  
Tail lights  
Throttle controls, hand and foot  
Tie-downs, front and rear  
Valve, hydraulic, three-section  
Water separator, bayonet-mount

**Dimensions** (approximate)

Dimensions shown are based on standard machine equipped with 1676 mm (66 in.) general purpose bucket.




**Optional Equipment**

- |   |  |
|---|--|
| Alarm, back up  | Lifting provision:                           |
| Battery, 12-volt, 875 CCA   | - four-point                                 |
| Control, work tool, electrical                                    | - single-point                               |
| Debris barrier for cab  | Lights:                                      |
| Door, front, laminated glass with wiper/washer                    | - front, working                             |
| Door, front, polycarbonate, with wiper/washer, for demolition use | - rear, working                              |
| Falling Object Protective Structure, Level II                     | - warning beacon                             |
| Headliner   | Seat, suspension                             |
| Heater, cab   | Seat belt, 75 mm (3 in.) for static seat     |
| Heater, engine coolant  | Seat belt, 75 mm (3 in.) for suspension seat |
| Horn  | Synthetic oil for cold weather operation     |
| Hydraulics, self leveling   | Tank, water, for appropriate work tools      |
|   | Windows:                                     |
|   | side, sliding, top and rear                  |

**Service Refill Capacities**

	liters	gallons
Cooling system	10	2.6
Engine crankcase	7	1.8
Fuel tank	65	17
Hydraulic system	55	14.5
Hydraulic tank	35	9.2



WILLIAMSON COUNTY AUDITOR'S OFFICE  
PURCHASING DEPARTMENT  
710 MAIN STREET - SUITE 303  
GEORGETOWN, TEXAS 78626

<http://www.williamson-county.org/Procurement>

---

## WILLIAMSON COUNTY PURCHASING DEPARTMENT

---

### FORMAL REQUEST FOR BIDS

### ONE OR MORE FORK LIFT TRUCKS FOR WILLIAMSON COUNTY FLEET SERVICES

BID NUMBER: 03WC511      BID OPENING DATE & TIME: DECEMBER 17, 2002 - 2:00 PM

PURCHASING CONTACT	TECHNICAL CONTACT
Ginny Atkinson 710 Main Street – Suite # 303 Georgetown, TX 78626 (512) 943-1554 <a href="mailto:gatkinson@williamson-county.org">gatkinson@williamson-county.org</a>	Mike Fox 3151 S. E. Innerloop – Suite B Georgetown, TX 78626 (512) 930-3349 <a href="mailto:mfox@williamson-county.org">mfox@williamson-county.org</a>

FOR DETAILED SPECIFICATIONS AND QUESTIONS RELATING TO THE BIDDING PROCESS,  
CONTACT GINNY ATKINSON.

FOR TECHNICAL QUESTIONS CONTACT MIKE FOX.

### Contents

Bid Instructions/Requirements	Page 1 to 5
Public Notice	Page 6
Bid Check List	Page 7
Official Bid Form	Page 8
Bid Specification(s)/Bid Sheet(s)	Attached Pages 1 to 3

---



---

## WILLIAMSON COUNTY PURCHASING DEPARTMENT

---

### BID INSTRUCTIONS/REQUIREMENTS

Bids must be received in the Williamson County Auditor's Office **prior to 2:00 PM on Tuesday, December 17, 2002**. At which time the Bids will be opened in the Commissioners' Courtroom on the 2nd floor of the County Courthouse. Bids received after that time will not be opened and will be considered void and unacceptable. As to each item bid, the Court may either reject all Bids or award a contract to the lowest and best Bid.

SEALED BIDS may be hand-delivered to:  
Williamson County Auditor's Office  
Attn: Ginny Atkinson - Purchasing  
Third (3rd) floor - Suite 303  
Williamson County Courthouse (on the square)  
710 Main Street, Georgetown, Texas

**OR**

SEALED BIDS may be mailed to:  
Williamson County Auditor's Office  
Attn: Ginny Atkinson - Purchasing  
710 Main Street - Suite 303  
Georgetown, Texas 78626

#### FACSIMILE AND ELECTRONIC MAIL TRANSMITTALS WILL BE ACCEPTED.

❖ PLEASE GO TO THE COUNTY PROCUREMENT WEB SITE FOR INSTRUCTIONS ON SUBMITTING A FACSIMILE OR ELECTRONIC MAIL BID. FAILURE TO FOLLOW THESE INSTRUCTIONS MAY CAUSE YOUR BID TO BE REJECTED.

<http://www.williamson-county.org/Procurement/info.html#EBids>

BIDS SUBMITTED BY FACSIMILE OR ELECTRONIC MAIL ARE NOT REQUIRED TO BE SUBMITTED IN TRIPLICATE OR A SEALED ENVELOPE.

ALL BIDS MUST BE SUBMITTED ON THE FORMS PROVIDED IN THIS BID DOCUMENT.

ALL INFORMATION REQUIRED BY THE BID FORM MUST BE FURNISHED OR THE BID MAY BE DEEMED NON RESPONSIVE. WHERE THERE IS AN ERROR IN THE EXTENSION OF PRICE, THE UNIT PRICE SHALL GOVERN.

ALL BIDS MUST BE SUBMITTED IN TRIPLICATE (1 ORIGINAL COMPLETE BID SET & 2 COPIES – BID SETS MUST BE MARKED ORIGINAL OR COPY) A BID SET CONSISTS OF COUNTY BID FORM, BID SPECIFICATIONS, BID SHEETS, & ANY OTHER DOCUMENTATION REQUIRED BY THE BID.

ALL BIDS MUST BE RETURNED IN A SEALED ENVELOPE, MARKED WITH THE BID NAME, BID NUMBER, AND BID OPENING DATE & TIME. IF AN OVERNIGHT DELIVERY SERVICE IS GOING TO DELIVER THE BID THE BID NAME, BID NUMBER, AND BID OPENING DATE & TIME MUST ALSO APPEAR ON THE OUTSIDE OF THE DELIVERY SERVICE ENVELOPE.

1. It is the intent of the Commissioners' Court to award contracts separately for each item, for each department, and for each distinct geographical area served by a department. However, any bidder who wishes to restrict his Bid to particular departments or areas must expressly do so. For purposes of this notice, each Commissioner or Justice Precinct is a separate department.

(1) Unless the Bid received expressly states that the bidder will accept only the award of all items proposed, each item in the Bid will be considered separately and will be rejected or awarded on a low item basis.

(2) Unless the Bid expressly states that the bidder will accept only an award for the entire county government, contracts will be awarded separately for the requirements of each county department to the bidder who is lowest and best for that individual department.

(3) Similarly, unless the notice or Bid expressly states otherwise, Bids will be considered separately for each distinct geographic area served by each department and will be awarded to the lowest and best bidder who can provide service to the department in that particular area. The definition of these geographic areas, unless expressly stated in this notice or the Bid, shall be at the discretion of Commissioners' Court at the time a Bid is awarded.

2. No more than one Bid will be awarded for any item for a single department and area. All Bids may be rejected for some items, departments or areas, even though awards are made for others. The convenience of having a single source for similar items will be taken into consideration together with price in determining the lowest and best Bid.
3. All of the items listed are to be Free On Board to final destination (FOB DESTINATION) with all transportation charges if applicable to be included in the price, unless otherwise specified in the Invitation for Bids. The title and risk of loss of the goods shall not pass to the County until receipt and acceptance takes place at the FOB point.
4. All of the items listed are to be on a "per unit" basis, stating a firm price per unit or unit quantity of each item. **This price must be good from the date of Bid opening for a fixed period of time. Unless the Bid expressly states otherwise, this period shall be until the end of the current fiscal year on September 30, 2003. Bids which do not state a fixed price, or which are subject to change without notice, will not be considered.** The Court may award a contract for the period implied or expressly stated in the lowest and best Bid, but for no longer than the current fiscal year.
5. At the end of the current fiscal year, the Commissioners Court reserves the right to extend this contract, by mutual agreement of both parties, as it deems to be in the best interest of the county. This extension will be in twelve (12) month increments for up to an additional twenty four (24) months, with the terms and conditions remaining the same; and with a price escalation at renewal time each year of no more than the consumer price index for that year. The total period of this contract, including all extensions will not exceed a maximum combined period of thirty-six (36) months. The extension of this contract is contingent on the appropriation of necessary funds by Commissioners Court for the fiscal year in question. Upon the failure of Commissioners Court to so appropriate in any year, the Contractor may elect to terminate this agreement, with no additional liability to the County. The County and the Contractor agree that termination shall be the Contractors sole remedy under this circumstance.
6. The estimated quantity of each item listed in the notice is only an estimate -- the actual quantity to be purchased may be more or less. The County will not be obligated to purchase any minimum amount, and it may purchase any reasonable amount greater than the estimate for the same unit price. Any limit on quantities available must be stated expressly in the Bid.

7. It is understood that the Commissioners Court of Williamson County, Texas, reserves the right to accept or reject any and/or all Bids for any or all materials and/or services covered in this Bid request, and to waive informalities or defects in the Bid or to accept such Bid it shall deem to be in the best interest of Williamson County.
8. Awards should be made approximately thirty (30) days after the Bid opening date. To obtain results, or if you have any questions, please contact Ginny Atkinson at (512) 943-1554 or email at [gatkinson@williamson-county.org](mailto:gatkinson@williamson-county.org).
9. Funding: Funds for payment have been provided through the Williamson County budget approved by Commissioners Court for the October 1, 2002/September 30, 2003 fiscal year.
10. Late Bid: Bids received after submission deadline shall be unopened and will be considered VOID AND UNACCEPTABLE. Williamson County is not responsible for lateness of mail carrier, delivery services, couriers, etc.
11. Altering Bid: Bids **cannot be altered or amended** after submission deadline.
12. Sales Tax: Williamson County is by statute, exempt from the State Sales Tax and Federal Excise Tax.
13. Contract: This Bid, when properly accepted by Williamson County, shall constitute a contract equally binding between the successful bidder and Williamson County. No different or additional terms will become part of this contract.
14. Changes: No oral statement of any person shall modify or otherwise change, or affect the terms, conditions, plans and/or specifications stated in the various Bid Packages and or Bid Instructions/Requirements.
15. Delivery Times and Locations: The commodity and/or service covered by this Bid shall be as stated in the various Bid Packages.
16. Payments: Payment shall be made by check from the County upon satisfactory completion and acceptance of items and submission of the Invoice to the ordering department for work specified by this Contract Document. All payments owed will be paid no later than thirty (30) days after the goods or services are received **OR** the date that the invoice is received by the Auditor's Office **whichever is later**. As a minimum, invoices shall include:
  - (1) Name, address, and telephone number of Contractor and similar information in the event the payment is to be made to a different address
  - (2) County contract, Purchase Order, and/or delivery order number
  - (3) Identification of items or service as outlined in the contract
  - (4) Quantity or quantities, applicable unit prices, total prices, and total amount
  - (5) Any additional payment information which may be called for by the contractPayment inquiries should be directed to the Auditor's Office, Accounts Payable Department: Donna McKittrick, 943-1558 or Kathy Blankenship, 943-1557.
17. Conflict of Interest: No public official shall have interest in a contract, in accordance with Vernon's Texas Codes Annotated, Local Government Code Title 5, Subtitle C, Chapter 171.
18. Ethics: The bidder shall not accept or offer gifts or anything of value nor enter into any business arrangement with any employee, official or agent of Williamson County.

19. Minimum Standards for Responsible Bidders: A prospective bidder must affirmatively demonstrate bidder's responsibility. A prospective bidder must meet the following requirements:
- have adequate financial resources, or the ability to obtain such resources as required;
  - be able to comply with the required or proposed delivery schedule;
  - have a satisfactory record of performance;
  - be otherwise qualified and eligible to receive an award.

Williamson County may request representation and other information sufficient to determine bidder's ability to meet these minimum standards listed above.

20. **REFERENCES:** Williamson County **REQUIRES** bidder to supply with this Bid, a list of at least **three (3) references** where like services have been supplied by their firm. Include name of firm, address, telephone number and name of representative.
21. Bidder shall: provide with this Bid response, all documentation required by this Bid. Failure to provide this information may result in rejection of the Bid.
22. Termination for Default: Williamson County reserves the right to enforce the performance of this contract in any manner prescribed by law or deemed to be in the best interest of the County in the event of breach or default of this contract. Non-Performance of the bidder in terms of specifications shall be a basis for the termination of the contract by the County. The County shall not pay for commodities/services which are unsatisfactory. Vendors will be given a reasonable opportunity before termination to correct the deficiencies. This, however, shall in no way be construed as negating the basis for termination for non-performance.
23. Contract Administration: Under this contract, Ginny Atkinson, Assistant Purchasing Director, Williamson County Auditor's Office, shall be the contract administrator with designated responsibility to ensure compliance with contract requirements, such as but not limited to, acceptance, inspection and delivery. The contract administrator will serve as liaison between Williamson County Commissioners Court and the successful bidder.
24. Purchase Order: A purchase order(s) shall be generated by Williamson County to the successful bidder as products and/or services are required. The purchase order number must appear on all itemized invoices and/or request for payment.
25. Silence of Specifications: The apparent silence of these specifications as to any detail or to the apparent omission from it of a detailed description concerning any point, shall be regarded as meaning that only the best practices are to prevail. All interpretations of these specifications shall be made on the basis of this statement.
26. BIDS MUST BE: legible and of a quality that can be reproduced.
27. Bid forms that are included in the Bid package shall be used. **CHANGES to Bid forms made by bidders shall DISQUALIFY THE BID.** Exceptions to the Bid forms and or specifications shall be made on an **attachment** to the Bid package. **Call Ginny Atkinson (512) 943-1554 for explanation if exceptions are needed.**

**PUBLIC NOTICE  
WILLIAMSON COUNTY  
INVITATION FOR BIDS**

The Williamson County Commissioners Court invites the submission of sealed Bids for:

**VARIOUS HEAVY EQUIPMENT FOR WILLIAMSON COUNTY FLEET SERVICES**

**INCLUDING BUT NOT LIMITED TO:**

Pickups (1/2 –1 Ton), Medium Heavy Trucks, Gooseneck Lowboy Trailer, Roto-mixer Reclaimer/stabilizer, Articulated Motor Grader, Four Wheel Drive Loader, All Terrain Loader, and Fork Lift Truck.

Sealed Bids will be publicly opened and read aloud in the County Commissioners Court Room, 2nd Floor, Williamson County Courthouse, Georgetown, Texas on Tuesday, December 17, 2002 at 2:00 PM.

Detailed specifications may be obtained by calling Ginny Atkinson at (512) 943-1554 or by visiting the Williamson County Procurement web site.

<http://www.williamson-county.org/Procurement>

The Williamson County Commissioners Court reserves the right to accept the lowest and best Bid as deemed by the Court, or reject any and/or all Bids.

Issued by order of the Williamson County Commissioners Court on November 26, 2002.  
John C. Doerfler, County Judge.

**BID CHECK LIST**

Please check the following prior to sealing and submitting your Bid.

1. Official Williamson County Bid Form Completed, signed, and enclosed?  
YES ✓ NO
2. All Bid specification sheets completed (including company name at bottom of each sheet) and attached?  
YES ✓ NO
3. Have you included and marked (original or copy) three (3) complete Bid sets as required?  
YES ✓ NO
4. Have you written the name of your business on the front of the sealed envelope?  
YES ✓ NO
5. Have you written the Bid name, Bid number, and Bid opening date & time on the front of the sealed envelope?  
YES ✓ NO
6. Are you using an overnight delivery service to deliver your bid? If you are have you written the Bid name, Bid number, and Bid opening date & time on the outside of the delivery service envelope?  
YES        NO ✓  
*Hand delivered.*

## WILLIAMSON COUNTY BID FORM

ONE OR MORE FORK LIFT TRUCKS FOR WILLIAMSON COUNTY  
FLEET SERVICES


BID NUMBER: 03WC511

BID OPENING DATE &amp; TIME: DECEMBER 17, 2002 - 2:00 PM

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions of the attached Invitation for Bid, Specifications, and Special Provisions for the amount(s) shown on the accompanying bid sheet(s). By signing below, you have read the entire document and agreed to the terms therein.

NAME OF BIDDER: Equipment DepotMailing Address: 15727 IH-35City: Flowerville State: TX Zip: 78660

Email Address: \_\_\_\_\_

Telephone: (512) 252-2300 Fax: (512) 252-1313Signature of Person Authorized to Sign Bid:  Date of Bid: 12/17/02Name and Title of Signer: David Kizer Sales Rep.  
(Please Print or Type)

## PLEASE COMPLETE THE FOLLOWING:

Prompt Payment Discount: 0 % 0 days. (If no discount is offered, Net 30 will apply.)☐ "all or none" basis. (Will accept award of "all" items only. If left blank, low item will apply.)☒ low item basis. (Will accept award on "any or all" items.)

List Additional Limitations if applicable: \_\_\_\_\_

**DO NOT SIGN OR SUBMIT THIS FORM**  
**WITHOUT READING ENTIRE DOCUMENT**

**THIS FORM MUST BE COMPLETED, SIGNED AND RETURNED WITH BID**

# ONE OR MORE FORK LIFT TRUCKS FOR WILLIAMSON COUNTY FLEET SERVICES

**BID NUMBER: 03WC511**

**BID OPENING DATE & TIME: DECEMBER 17, 2002 - 2:00 PM**

## **SPECIFICATIONS FOR ONE NEW AND LATEST MODEL 6000 LB CAPACITY PNEUMATIC TIRE LIFT TRUCK**

### **GENERAL:**

Unit shall be gasoline powered pneumatic tire lift truck designed for durability and ease of operation. Truck shall be ideal for outdoor applications in warehousing and distribution operations.

### **OPERATOR CONTROL & COMFORT:**

Operator's cell shall be isolated and supported on rubber mounts that reduce vibration and sound transmission to the operator seat and controls. The floor, shall be covered by a rubber floor mat, allowing for secure footing. Hydraulic controls shall be cowl-mounted to provide short reach and low effort to enable precise load control. Electric directional control lever shall provide fingertip operation for forward and reverse. Steering wheel shall tilt and be secured at any position within its range of travel. A two pedal inch-brake system shall provide excellent control and comfort with the left pedal for inch and brake operation; right pedal for brake only.

Safety seat system shall provide protection in the event of a lateral overturn. This system shall include lateral restraints, non-cinching seat belt with retractor and latching seat deck. Operator seat shall consist of durable vinyl seat back and seat cushion with at least 6" of travel front-to-back. Unit shall have a rear-hinged hood with gas cylinder assist for daily inspection and maintenance. The upright, overhead guard and load backrest shall allow high visibility for operator vision during travel and stacking operations.

Operator display monitor shall include indicator lights for engine oil pressure, battery charge, transmission temperature, park brake "on," turn signal indicators and panel test light. Instrumentation shall include a 5-didget hour meter and analog engine temperature and fuel gauge.

### **ENGINE:**

Gasoline 2.4-liter 4-cylinder industrial engine. Features shall include internal dynamic balancers, overhead camshaft, cast iron deep skirt block with 5 main bearings and velocity governor. Hydraulic valve lifters and electronic ignition, optimal emissions and require no periodic maintenance.

### **ELECTRICAL SYSTEM:**

Shall be 12-volt, negative ground, 50-amp alternator with integral regulator. Low maintenance battery rated at 500 CCA. Heavy-duty air cleaner with external air intake and rain cap. Lights shall include; brake/turn signal and front work lights.

### **TRANSAXLE:**

Shall be a unitized single-speed powershift transaxle designed for reliability under maximum load and severe operating conditions. Transaxle shall feature a high ratio torque converter for responsive performance and fuel-efficient operation. An oil cooler located in the engine radiator shall be provided for extended transaxle life.

---



**SPECIFICATIONS FOR ONE NEW AND LATEST MODEL  
6000 LB CAPACITY PNEUMATIC TIRE LIFT TRUCK - CONTINUED**

**HYDRAULIC SYSTEM:**

Shall consist of a single gear driven hydraulic pump with integral steering priority valve driven off the transmission providing low noise and separation from engine heat. Full-flow filter located in the hydraulic tank providing continuous filtration. Hydraulic tank shall incorporate return line fittings, dipstick and breather filter connection. The hydraulic tank shall be integral with the frame and have a fluid capacity of 10 gallons.

**UPRIGHT ASSEMBLY:**

Shall be a triple stage design with a maximum lowered height of 90.6" and minimum lift height of 196" and configured to provide maximum visibility. Uprights shall incorporate negative rail drop feature that enables *upright rollers to be easily accessed for adjustment.*

ITA 41" Class III Carriage hook type incorporating six main rollers and additional side thrust rollers to prevent binding when handling unbalanced loads. Forks shall be 42" upset forged with operator controlled hydraulic side shift. Forks mounted to a 48" load Backrest Extension.

Tilt cylinders shall incorporate spherical bushing at their mounting points to extend seal life by maintaining axial cylinder loads. Hydraulic counterbalance valve prevents improper tilt cylinder operation, flow limiting valves protect against rapid carriage descent in the event of a line failure and a lowering control regulates lowering speeds.

**ADDITIONAL FEATURES:**

Paint shall be Manufactures standard colors for unit furnished.

Back up alarm.

Recessed tow pin.

**REPAIR PARTS AND SERVICE:**

Since the continuous operation of this Lift Truck is of the utmost importance and sometimes of an emergency nature, it is necessary that the successful bidder be in position to render prompt parts and service. The successful bidder shall maintain and/or have access to parts inventory within a 50-mile radius of Georgetown, Texas. Said parts inventory shall be of sufficient size and variety to offer a level of parts availability of 95% within 48 hours from time of order by the customer. Availability of normal maintenance items such as filters, vee belts, hydraulic lines, and hoses shall not exceed 24 hours. Bidder shall attach his proposed program for parts and service availability for evaluation.

Review of the bidder's ability to provide prompt parts and service will be used in determining low, qualified bidder.

**Warranty:**

Dealer shall provide twelve (12) months of complete machine warranty covering travel time, mileage, parts and labor. Two (2) years on major components.

**TRAINING:**

Dealer shall provide 4 hours of on site training, which shall include maintenance and operation.

**LITERATURE:**

At the time of delivery dealer must provide one (1) parts book, two operation and maintenance guides and one (1) service/repair manual that shall also include the engine.

Please state the estimated date of delivery

**DESTINATION:**

Lift Truck shall be delivered completely assembled, all fluid levels correct and ready for work to Williamson County Central Maintenance Facility, 3151 S. E. Inner Loop, Georgetown, Texas.

---

ONE OR MORE FORK LIFT TRUCKS  
FOR WILLIAMSON COUNTY FLEET SERVICES

BID SHEET

6000 LB CAPACITY PNEUMATIC TIRE LIFT TRUCK

PRICE OF ONE LIFT TRUCK 20,045<sup>00</sup>

ESTIMATED DELIVERY DATE 27 weeks from order.

Equipment Depot  
15727 IH-35  
Pflugerville, TX 78660  
512-252-2300

### **Parts and Service Program**

Equipment Depot stocks over 1 million dollars in parts inventory. Parts not in stock are generally available the next business day. Equipment depot stocks parts in Austin, Waco and San Antonio as well as other stores throughout Texas.

Equipment Depot-Austin has approximately 14 radio dispatched field techs and 12 shop techs. We offer onsite service as well as on site planned maintenance programs.

## Equipment Depot Customer Referances

Williamson County Fleet Services  
Bid # 03WC511  
Dec. 17, 2002  
2:00 p.m.

Stone Solutions  
Steve Hitzfeld  
222 W. Rundberg Ln., #450  
Austin, TX 78758  
512-834-9211

Goodwill Industries  
Christine Banks  
300 N. Lamar Blvd.  
Austin, TX 78703  
512-637-7100

DIJ Construction  
David Floyd  
2332 C.R. 252  
Bertram, TX 78605  
512-355-2766

**AGENDA ITEM 24**

Consider authorizing advertising and setting date of February 5, 2003 at 2:00 pm in the Commissioners' Courtroom to receive bids for Georgetown Inner Loop East.

Moved: **Commissioner Hays**

Seconded: **Commissioner Heiligenstein**

Motion: To authorize advertising and to set the date to receive bids for Georgetown Inner Loop East for February 5, 2003, at 2:00 p.m. in the Commissioners' Courtroom.

Vote: 3 - 0

**AGENDA ITEM 25**

Consider authorizing Thursday January 23, 2003 at 2:00 pm as date to receive qualifications for Survey Services for the Williamson County Justice Center expansion project.

Moved: **Commissioner Boatright**

Seconded: **Commissioner Hays**

Motion: To authorize advertising and to set the date to receive qualifications for Survey Services for the Williamson County Justice Center expansion project for January 23, 2003, at 2:00 p.m.

Vote: 3 - 0

**AGENDA ITEM 26**

Consider approving participation in the Texas 1033 Surplus Property Program.

Constable Precinct 1 Gary Griffin addressed the court to request approval for participation in the Texas 1033 Surplus Property Program, which would allow the transfer of surplus military property to the county. Purchasing Director Bob Space stated that the Sheriff's Office has an existing agreement for participation in the program that might cover other departments as well, and also expressed concern that procedures need to be established for asset tracking purposes.

Moved: **Commissioner Heiligenstein**

Seconded: **Commissioner Hays**

Motion: To table this item until the January 14, 2003 meeting, pending further information.

Vote: 3 - 0

**AGENDA ITEM 27**

Consider approving amended Joint Powers Agreement for CAMPO.

Commissioner Boatright stated that he would like to table this item until such time as the CAMPO boundaries are established and the makeup of the board is determined.

Moved: **Commissioner Boatright**

Seconded: **Commissioner Hays**

Motion: To table the item until the CAMPO boundaries are set.

Vote: 3 - 0

**AGENDA ITEM 28**

Discuss and take appropriate action on disbursement of funds from TTA for karst preservation.

Charlie Crossfield addressed the court concerning the disbursement of TTA karst preservation funds. He recommended that the county accept the \$3.2 million payment from TTA, and to reimburse the Williamson County Park Fund \$1.3 million for 170-acre mitigation tract. He also recommended that the county allocate \$1.9 million to the Williamson County Conservation fund. He noted that all county parkland is now held by the Williamson County Park Foundation as trustee for Williamson County, and recommended that all parkland, including the mitigations tracts, be eventually transferred to Williamson County.

Moved: **Commissioner Boatright**

Seconded: **Commissioner Hays**

Motion: To adopt the Proposed Allocation of Mitigation Payments from TTA.

Vote: 3 - 0